

Checklist of Ventura County Rare Plants¹

By David L. Magney
California Native Plant Society, Channel Islands Chapter
Updated 22 July 2015

Ventura County is located in southern California, USA, along the east edge of the Pacific Ocean. The coastal portion occurs along the south and southwestern quarter of the County. Ventura County is bounded by Santa Barbara County on the west, Kern County on the north, Los Angeles County on the east, and the Pacific Ocean generally on the south (Figure 1, General Location Map of Ventura County).

Ventura County extends north to 34.9014°N latitude at the northwest corner of the County. The County extends westward at Rincon Creek to 119.47991°W longitude, and eastward to 118.63233°W longitude at the west end of the San Fernando Valley just north of Chatsworth Reservoir. The mainland portion of the County reaches southward to 34.04567°N latitude between Solromar and Sequit Point west of Malibu. When including Anacapa and San Nicolas Islands, the southernmost extent of the County occurs at 33.21°N latitude and the westernmost extent at 119.58°W longitude, on the south side and west sides of San Nicolas Island, respectively.

Ventura County occupies 480,996 hectares [ha] (1,188,562 acres [ac]) or 4,810 square kilometers [sq. km] (1,857 sq. miles [mi]), which includes Anacapa and San Nicolas Islands. The mainland portion of the county is 474,852 ha (1,173,380 ac), or 4,748 sq. km (1,833 sq. mi.) in area and ranges in elevation from sea level on the southwest to 2,692 meters [m] (8,831 feet [ft.]) above sea level at its northern border on Mount Piños (Figure 2, Shade Relief Map of Mainland Ventura County). There appears to be some discrepancy in the actual area covered by Ventura County, depending on the source. For example, according to the California County Fact Book, 1983 edition (California Supervisors Association of California 1983), Ventura County occupies an area of 482,668 ha (1,192,680 ac) or 2,999 sq. km (1,863.6 sq. mi), with 3,254 ha (8,040 ac) or 20.3 sq. km (12.6 sq. mi) of that as water. The discrepancy appears to be a little over 2,469 ha (6,100 ac), which does not correspond to the area occupied by the two islands within the County. However, the difference does appear to match the area occupied by a rectangular portion of the county in the northeast corner, where the Ventura County Board of Supervisors voted to give away approximately 6,100 acres to Kern County to accommodate a proposed development that Ventura County felt it could not provide adequate County services to.

Mainland Ventura County is located between 34°00' and 35°00'N latitude and 118°38' and 119°28'W longitude, excluding Anacapa and San Nicolas Islands, and is generally longer than wide. Anacapa Islands are the smallest and easternmost of the northern Channel Islands while San Nicolas Island is an outer southern Channel Island.

¹ This document should be cited as: Magney, D.L. 2015. Checklist of Ventura County Rare Plants. 22 July 2015, Twenty-first Edition. California Native Plant Society, Channel Islands Chapter, Ojai, California. (Previous published update dated 3 October 2013.)

Figure 1. General Location Map of Ventura County





Figure 2. Shade Relief Map of Mainland Ventura County



The flora of Ventura County is comprised of approximately **2,712** native and naturalized vascular plant taxa, including those expected to occur but for which no vouchers are known (194 taxa) (Magney 2015²). A total of 2,380 taxa (87.8%) are known to occur in the county, which are supported by voucher specimens, with another 70 that have been observed by the author or reported by others, representing 90.3% of the county flora. Approximately 1,831 taxa (74.8%) of the flora are native, and another 619 (25.3%) taxa are not native (based on a flora of 2,450 taxa). A small percentage (10.0%) of the flora taxa (245 taxa) are quite common (dominant or common), on a scale ranging from dominant to rare (common, occasional, scattered, uncommon, and rare). Many more of the plant taxa in Ventura County are uncommon to quite rare.

All the species (including varieties and subspecies, which are lower taxonomic units than full species) of native and naturalized plants are important components of the biodiversity of life in Ventura County. While most species do not recognize political boundaries, such as county boundaries, our government agencies set policies and manage land use and resources based on such jurisdictional boundaries.

This list represents a compilation of known records and observations (many by the author) of all native vascular plant species:

- With ten (10) or fewer populations within Ventura County;
- Listed by the California Native Plant Society (CNPS) on a statewide basis (CNPS 2001³, 2013⁴);
- Listed by the US Fish and Wildlife Service as Threatened or Endangered under the federal Endangered Species Act;
- Listed by the California Fish and Game Commission as Rare, Threatened, or Endangered;
- Are at the limits of their distribution range (southernmost, northernmost, westernmost extent); or
- The Type Locality occurs within the County (then only the Type Locality is considered sensitive).

Some taxa are considered rare or uncommon throughout California, as established by CNPS in its *Inventory of Rare and Endangered Plants of California*, sixth edition (CNPS 2001), even though more than ten populations are known from Ventura County, including Anacapa Islands and San Nicolas Island. Such taxa known to occur within Ventura County are included, but lack an “R” or “U” designation if there are more than the 5 or 10 populations, respectively. Currently there are **1,207**⁵ taxa (49.3% of the known county flora) included on this list of locally rare plants of Ventura County (including taxa that are rare statewide), present on the mainland and the two islands (Anacapa and San Nicolas). Another 194 (4.2% of the expected flora of 2,712 taxa) were appended that are likely to occur in the County but for which no voucher specimens or reliable locality data are available. These are included at the end of this list. Many of these potential additions are known to occur in adjacent counties and expected to occur in Ventura County. A total of 64 plants (2.6%) considered rare in Ventura County occur only on the Channel Islands (Anacapa and San Nicolas Islands) portion of the county. A number of taxa were deleted from this list when over ten occurrences were known to occur in Ventura County.

² Magney, David L. 2015. Checklist of Vascular Plants of Ventura County, California. David Magney Environmental Consulting, Ojai, California, published on www.venturaflora.com. Based on Magney’s *A Flora of Ventura County: Annotated Catalogue of Vascular Plants*. Unpublished manuscript of 22 July 2015. David Magney Environmental Consulting, Ojai, California.

³ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth edition. (Special Publication No. 1.) Rare Plant Scientific Advisory Committee, David Tibor, Convening Editor, Sacramento, California. September.

⁴ California Native Plant Society. 2013. *Inventory of Rare and Endangered Plants of California*. (Online edition, v8-02.) 3 October 2013. Rare Plant Program, Sacramento, California.

⁵ This number is fifty-eight (58) fewer taxa than included on the previous edition of this list.

This list was compiled as the results of extensive research of the flora of Ventura County. It is based on extensive field searches; examination of specimens collected by others housed at public herbaria; and published reports. The author began research on the Ventura County flora in the late 1970s.

To be published in the future separately, *Ventura County Rare Plants* will provide much more information about those plants included in this checklist, including: a brief description of the plant, habitat preferences, associated plant communities, elevation range, and blooming period. That publication will include additional information for each taxon, including complete scientific name, known synonyms, common name(s), habit and size, rarity status, months it is in bloom or identifiable, and general and specific locality data, with supporting voucher collection information. Each specimen cited for a specific location includes the name of the collector, the collection number (or collection date if no number was assigned), and the herbarium in which it is stored (some duplicate specimens have been deposited in more than one herbarium). Location information is provided at two levels: a general geographic area, and then specific locations.

This list should be considered the best available information at the time of publication, as our knowledge of the Ventura County flora is dynamic, and growing with each botanical survey or foray. This checklist will be updated periodically and revised according to all new verifiable information provided. Occurrences of vascular plants found in Ventura County that add to or could change the status of any plant listed here should be submitted to the author via CNPS (attention: David Magney) or via email to [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Any lists submitted must be supported by voucher specimens that are deposited in a public herbarium, according to CNPS and California Botanical Society policies based on Ferren et al. (1995⁶).

Plants not included in CNPS's *Inventory*, or listed by federal and state agencies, that have more than ten populations in Ventura County will be dropped from this list, except for those plants:

- representing range limits, such as the westernmost limit of the taxon's range; or
- the "Type Locality" sites ("Type Locality" sites are the sites from which the plant was originally collected and formally described from, and is represented by a "Type Specimen", for which a note occurs after the herbarium at which it is deposited as "Holotype" or "Isotype").

For those plants that are otherwise relatively common in Ventura County, only the populations that represent the limit of a plant's range should be considered of concern (as sensitive), with the remaining population(s) noted to provide perspective, but not considered sensitive/rare for the purposes of this checklist. *Artemisia tridentata* var. *tridentata* is an example of this, where it should be considered of local concern when it occurs in the western portion of the Santa Clara River Valley (the limit of its range) while the populations in the Upper Sespe Creek watershed and the northern part of the county are not of concern from a rarity perspective.

Special-status species are plants that are either listed as endangered or threatened under the Federal or California Endangered Species Acts; or considered to be rare under the California Native Plant Protection Act; or considered to be rare (but not formally listed) by resource agencies, professional organizations (e.g. California Native Plant Society), and the scientific community. For the purposes of this checklist, special-status species are further defined in Table 1, Definitions of Special-Status Plant Species.

Listed species are those taxa that are formally listed as endangered or threatened by the federal government (e.g. U.S. Fish and Wildlife Service [USFWS]) pursuant to the national Endangered

⁶ Ferren, W.R., Jr., D.L. Magney, and T.A. Sholars. 1995. The Future of California Floristics and Systematics: Collecting Guidelines and Documentation Techniques. *Madroño* 42(2):197-210.

Species Act or as endangered, threatened, or rare (for plants only) by the State of California (i.e. California Fish and Game Commission) pursuant to the California Endangered Species Act or the California Native Plant Protection Act.

The CNDDB Element Ranking system provides a numeric global and state ranking system for all special-status plant and wildlife species and rare habitats tracked by the CNDDB. The global rank (G-rank) is a reflection of the overall condition of an element (species or natural community) throughout its global range. The state ranking (S-rank) is assigned much the same way as the global rank, except state ranks in California often also contain a threat designation attached to the S-rank. This Element Ranking system is defined below in Table 2, Natural Diversity Data Base Element Ranking System. Not all special-status species considered in this checklist are tracked by the CNDDB, nor have global or state rarity ranking been given to them; therefore, the author has applied the rules described above to "rank" those special-status species lacking such ranking. Taxa for which Global and State rarity ranking have been devised here are followed by a "?" in parentheses, denoting tentative assignment.

Table 1. Definitions of Special-Status Plant Species

| 1. Plants legally protected under the California and Federal Endangered Species Acts or under other regulations. |
|--|
| 2. Plants considered sufficiently rare by the scientific community to qualify for such listing; or |
| 3. Plants considered to be sensitive because they are unique, declining regionally or locally, or are at the extent of their natural range. |
| Special-Status Plant Species |
| <ul style="list-style-type: none">◆ Plants listed or proposed for listing as threatened or endangered under the Federal Endangered Species Act (50 CFR 17.12 for listed plants and various notices in the Federal Register for proposed species).◆ Plants that are Category 1 or 2 (species of special concern) candidates for possible future listing as threatened or endangered under the Federal Endangered Species Act (55 CFR 6184, February 21, 1990).◆ Plants that meet the definitions of rare or endangered species under the CEQA (<i>State CEQA Guidelines</i>, Section 15380).◆ Plants considered by the CNPS to be "rare, threatened, or endangered" in California (Lists 1A, 1B, and 2 in CNPS [2001]⁷).◆ Plants listed by CNPS as plants about which we need more information and plants of limited distribution (Lists 3 and 4 in CNPS [2001]).◆ Plants listed or proposed for listing by the State of California as threatened or endangered under the California Endangered Species Act (14 CCR 670.5).◆ Plants listed under the California Native Plant Protection Act (California Fish and Game Code 1900 <i>et seq.</i>).◆ Plants considered sensitive by other federal agencies (i.e. U.S. Forest Service, Bureau of Land Management) or state and local agencies or jurisdictions.◆ Plants considered sensitive or unique by the scientific community or occurring at the limits of its natural range (<i>State CEQA Guidelines</i>, Appendix G). |

CNPS's *Inventory of Rare and Endangered Plants of California*⁸ categorizes rare California plants into one of five lists (1A, 1B, 2, 3, & 4) representing the five levels of species status, one of which is assigned to a sensitive species to indicate its status of rarity or endangerment and distribution. A CNPS List is a more general designation than the three separate sets of information provided in a CNPS R-E-D Code (see the CNPS *Inventory* for definitions). However, the CNPS List is a significant designation in terms of a species' overall status throughout all of California, and it works well in conjunction to the specifications of the R-E-D Code. The CNPS R-E-D Code is a three-numbered numeric ranking, which

⁷ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth Edition.
Sacramento, California. September.

⁸ Ibid.

is assigned to a special-status species, consisting of one number (1, 2, or 3) for each of the three categories (Rarity-Endangerment-Distribution). Each number accurately describes the species' population levels and distribution patterns within each category.

As described for the NDDB ranking, not all special-status species (most) considered in this checklist are tracked by CNPS, nor have R-E-D codes been given to them; however, the author has applied the rules described above to "rank" those special-status species lacking such ranking to either "rare" or "uncommon"; however, these rankings are not included in the checklist. Rather the occurrence rankings for each are provided in the *Ventura County Rare Plants* and in the *Flora of Ventura County* to be published in 2006 by the author.

The large number of taxa on this list is the result of several factors:

1. Development in Ventura County has eliminated a majority of the natural vegetation in the southern half of the County, eliminating many occurrences of native plant species;
2. A number of taxa found nowhere else are present in Ventura County, local endemics, and several of these are listed as threatened or endangered by either the California Department of Fish and Game or the U.S. Fish and Wildlife Service;
3. Ventura County is geographically situated such that floral influences from the north, south, and east enter the County at its edges (limits of some species' ranges);
4. Anacapa and San Nicolas Islands support many species found only on the California Channel Islands, including island endemics;
5. Ventura County is topographically and climatically diverse, providing numerous habitats for uncommon and rare species; and
6. Botanical surveys have not been conducted systematically everywhere in the County. In other words, the flora of Ventura County is not fully understood or documented, and additional populations of a number of the plants listed below likely occur in the County, we just aren't aware of them yet. Regardless, significant collecting has occurred in the County over the last 150 years, and the author has a reasonably good understanding of the flora.

This list was compiled according to definitions under the California Environmental Quality Act (CEQA) under Initial Study Checklist Section 6, Subsections A and E. Projects reviewed under CEQA should consider impacts to one or more of the species included in this checklist as potentially significant. Generally, if a project would impact a population of one or more of the plants listed herein, that/those impact(s) should be considered significant unless substantial evidence is provided that may support an alternate conclusion.

What significance does a list of locally rare species have under CEQA?

The following answer is provided by John Buse, Esq., of the Environmental Defense Center of Ventura, California⁹. The CEQA Guidelines provide that a lead agency shall find that a project may have a significant effect on the environment if the project "... has the potential to ... reduce the number or restrict the range of an endangered, rare or threatened species ...". Guidelines §15065(a). In addition, the CEQA Guidelines Appendix G Environmental Checklist Form considers whether a project would "have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations ...".

⁹ Buse, John, Esq., Environmental Defense Center, memorandum to David Magney of CNPS dated 14 September 2002.

Table 2. Natural Diversity Database Element Ranking System

| Global Ranking (G) | |
|--------------------|--|
| G1 | Less than 6 viable element occurrences (populations for species) OR less than 1,000 individuals OR less than 809.4 hectares (ha) (2,000 acres [ac]). |
| G2 | 6 to 20 element occurrences OR 809.4 to 4,047 ha (2,000 to 10,000 ac). |
| G3 | 21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac). |
| G4 | Apparently secure; this rank is clearly lower than G3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat). |
| G5 | Population or stand demonstrably secure to ineradicable due to being commonly found in the world. |
| GH | All sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists. |
| GX | All sites are extirpated ; this element is extinct in the wild. |
| GXC | Extinct in the wild; exists in cultivation. |
| G1Q | The element is very rare, but there is a taxonomic question associated with it. |

Subspecies Level

Subspecies receive a **T-rank** attached to the G-rank. With the subspecies, the G-rank reflects the condition of the entire species, whereas the T-rank reflects the global situation of just the subspecies or variety.

For example: *Chorizanthe robusta* var. *hartwegii*. This plant is ranked G2T1. The G-rank refers to the whole species range (i.e. *Chorizanthe robusta*, whereas the T-rank refers only to the global condition of var. *hartwegii*.

| State Ranking (S) | |
|-------------------|---|
| S1 | Less than 6 element occurrences OR less than 1,000 individuals OR less than 809.4 ha (2,000 ac). S1.1 = very threatened S1.2 = threatened S1.3 = no current threats known |
| S2 | 6 to 20 element occurrences OR 3,000 individuals OR 809.4 to 4,047 ha (2,000 to 10,000 ac). S2.1 = very threatened S2.2 = threatened S2.3 = no current threats known.. |
| S3 | 21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac). S3.1 = very threatened S3.2 = threatened S3.3 = no current threats known |
| S4 | Apparently secure within California; this rank is clearly lower than S3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat). NO THREAT RANK. |
| S5 | Demonstrably secure to ineradicable in California. NO THREAT RANK. |
| SH | All California sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists. |
| SX | All California sites are extirpated ; this element is extinct in the wild. |

Notes: 1. Other considerations used when ranking a species or natural community include the pattern of distribution of the element on the landscape, fragmentation of the population/stands, and historical extent as compared to its modern range. It is important to take a bird's eye or aerial view when ranking sensitive elements rather than simply counting element occurrences.

2. Uncertainty about the rank of an element is expressed in two major ways: by expressing the rank as a range of values (e.g., S2S3 means the rank is somewhere between S2 and S3), and by adding a ? to the rank (e.g. S2?). This represents more certainty than S2S3, but less than S2. (CNDBB 2002.)

According to the CEQA Guidelines, a species is considered “rare” when either:

- (A) Although not presently threatened with extinction, the species is existing in such small numbers throughout all or a significant portion of its range that it may become endangered if its environment worsens; or
- (B) The species is likely to become endangered within the foreseeable future throughout all or a significant portion of its range and may be considered “threatened” as that term is used in the Federal Endangered Species Act. Guidelines §15380(b)(2).

Species already listed under the California or federal ESA shall be presumed to be endangered, rare, or threatened. Guidelines §15380(c). A species not currently listed shall nevertheless be considered to be endangered, threatened, or rare if it meets the criteria in the CEQA definitions of “endangered” or “rare”. The term “sensitive” species, which appears in the Appendix G checklist, is not defined in CEQA.

If a species is considered locally rare due to its limited occurrence within a political boundary, such as the County of Ventura, and if the species’ local population constitutes a significant portion of its range, the species must be considered a rare species under CEQA. The mere placement of a species on a list of locally rare species is probably not enough to meet the CEQA criteria for endangered, threatened, or rare species. However, if the list contains some additional explanation indicating why the species meets the CEQA criteria, such as the fact that the local population constitutes a significant portion of the species’ range, the list should provide substantial evidence of rarity.

If the CEQA criteria are satisfied, it is irrelevant that a species is relatively common in other locations. For example, the Pacific Coast populations of the Snowy Plover are listed as threatened under the federal ESA, despite the fact that inland populations are relatively common and are not protected. The existence of the non-listed populations does not diminish the Snowy Plover’s status as an endangered, threatened, or rare species under CEQA. By extension, if the Pacific Coast populations of the Snowy Plover were not listed as threatened, these populations would still be considered endangered, threatened, or rare under CEQA. Accordingly, the special status for Snowy Plover in Ventura County under CEQA would still apply even if Snowy Plover was relatively common in, for example, Mono County. Assertions implying that a species necessarily does not warrant inclusion on a list of locally rare species if it is common elsewhere in California simply because it occurs rarely in Ventura County within a political boundary are incorrect. As the Snowy Plover example indicates, there will be instances when a locally rare species must be considered rare under CEQA despite the species’ common occurrence elsewhere in California.

Snowy Plover on the Pacific Coast is protected under the federal ESA based on the concept of a “distinct population segment” (DPS). Something similar to the DPS concept could be used to determine whether a locally rare species is, in fact, endangered, threatened, or rare under CEQA. The federal ESA allows a DPS, defined according to geographic or reproductive isolation, to be treated as a “species”. Therefore, as in the Snowy Plover example, a DPS can be listed even though the populations of the taxonomic species are common elsewhere. CEQA does not preclude use of the DPS concept to assist in understanding whether a species is endangered, threatened, or rare based on its local rarity; on the contrary, the CEQA Guidelines definition of “rare” appears to invite the consideration of similar circumstances that would inform the determination of a DPS under the federal ESA.

Under CEQA, lead agencies have considerable discretion in determining whether a species should be considered rare or sensitive. See, for example, the *State CEQA Guidelines* Appendix G checklist cited above, which indicates that lead agencies may designate candidate, sensitive, or special-status species in local or regional plans, policies, or regulations. A list of locally rare or sensitive species, if it is

developed based on evidence that the local rarity meets the CEQA criteria for rarity, will effectively establish a rebuttable presumption of significance for species that may be adversely affected by a project. In this respect, a list of locally rare species as presented below will function in a manner similar to the threshold of significance that a lead agency may establish. CEQA requires, however, that thresholds of significance for general use in a lead agency's environmental review process "must be adopted by ordinance, resolution, rule, or regulation, and developed through a public review process and be supported by substantial evidence." Guidelines §15064.7. For a list of locally rare or sensitive species to function as a set of thresholds of significance, therefore, the list should be adopted through a public review process. Even if the list is not adopted through a public review process, it will establish substantial evidence of rarity if it is accompanied by additional information showing, for example, that the local occurrences of a listed species constitute a substantial portion of the species' range.

CNPS believes that this list of locally rare plants meets the definitions of rarity, at least locally, to satisfy consideration under CEQA. This checklist is supported by substantial evidence in the files of the author and data obtained from public herbaria and knowledgeable local botanists. Many of the taxa listed in this checklist are also listed by CNPS as rare or sensitive statewide, as well as those taxa formally listed under the California and/or federal ESA.

This checklist is updated regularly based on new information on the Ventura County flora. Species are added or deleted from this list as the new data warrant; therefore, be sure to obtain the most up-to-date version of this checklist. For example, for this update, compared to the 3 October 2013 (21st) edition (previous), 13 taxa were added, 11 were dropped (listed at end of this list), 4 had some sort of name change or a spelling error corrected, 6 had their rarity status changed (usually lowered from Rare to Uncommon), and 0 taxa were added to the "expected to occur" list. Future changes to this list will likely be a result in taxonomic changes. However, information on the flora is continually expanding with every botanical survey conducted, which may result in additional occurrences of plants on this list, or taxa not previously known to occur in Ventura County.

The most up-to-date version can be downloaded (as a PDF) from the Channel Islands Chapter CNPS website at www.cnpsc.org, or by contacting the author directly. Please send your notes on corrections, errors, and plant populations/occurrences you are aware of that may not be on this checklist to the author: David Magney, P.O. Box 1346, Ojai, CA 93024-1346 or via email at [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Also contact the author if you need any specific locality data on any particular taxon included in this checklist.

Checklist of Rare Plants

Scientific Name¹⁰

| | |
|--|--|
| <i>Abies concolor</i> (Gordon & Glendinning) Lindl. ex Hildebr. | |
| <i>Abronia maritima</i> Nutt. ex S. Watson | |
| <i>Abronia maritima</i> Nutt. ex S. Watson X <i>A. umbellata</i> Lam. | |
| <i>Abronia neurophylla</i> Standl. | |
| <i>Abronia pogonantha</i> Heimerl | Desert Sand-verbena (R) |
| <i>Abronia turbinata</i> Torr. ex S. Watson | Turbinate Sand-verbena (R) |
| <i>Abronia villosa</i> S. Watson var. <i>aurita</i> (Abrams) Jeps. | Woolly Sand-verbena (R, CNPS 1B.1) |
| <i>Acamptopappus sphaerocephalus</i> (Har. & A. Gray) A. Gray var. <i>sphaerocephalus</i> | Rayless Goldenhead (R) |
| <i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst | Heartleaf Thormint (S, CNPS 4.2) |
| <i>Acanthoscyphus parishii</i> var. <i>abramsii</i> (E.A. McGregor) Reveal | Abrams Spineflower (U, CNPS 1B.2) |
| <i>Acanthoscyphus</i> [<i>Oxytheca</i>] <i>parishii</i> (Parry) Small var. <i>parishii</i> | Parish's Oxytheca (R, CNPS 4.2) |
| <i>Acer negundo</i> var. <i>californicum</i> (Torrey & A. Gray) Sarg. | Box Elder (R) |
| <i>Achillea millefolium</i> var. <i>arenicola</i> (Heller) Nobs in Ferris | Common Island White Yarrow (U) |
| <i>Achillea millefolium</i> var. <i>californica</i> (Pollard) Jepson | California White Yarrow (U) |
| <i>Achillea millefolium</i> var. <i>occidentale</i> DC | Woolly White Yarrow (U) |
| <i>Achillea millefolium</i> var. <i>pacifica</i> (Ryd.) G.N. Jones | Pacific White Yarrow (R) |
| <i>Acmispon argophyllum</i> ssp. <i>argenteus</i> (Dunkle) Brouillet | Silver Deervetch (U) |
| <i>Acmispon argophyllum</i> ssp. <i>nivius</i> (E. Greene) Brouillet | Santa Cruz Island Silverhosackia (R) |
| <i>Acmispon dendroideus</i> (Greene) Brouillet var. <i>dendroideus</i> | Island Broom (R) |
| <i>Acmispon dendroideus</i> var. <i>veatchii</i> (Greene) Brouillet | San Miguel Island Deerweed (R) |
| <i>Acmispon denticulatus</i> (Drew) D.D. Sokoloff | White Lotus (R) |
| <i>Acmispon heermanii</i> (Durand & Hilg.) Brouillet var. <i>heermanii</i> | Heerman Lotus or Hosackia (R) |
| <i>Acmispon heermanii</i> var. <i>orbicularis</i> (Gray) Brouillet | Heerman Lotus (R) |
| <i>Acmispon junceus</i> (Benth.) Brouillet var. <i>junceus</i> | Rush Lotus (R) |
| <i>Acmispon micranthus</i> (Torrey & A. Gray) Brouillet | Grab Hosackia or Lotus (R) |
| <i>Acmispon nevadensis</i> var. <i>davidsonii</i> (Greene) Brouillet | Suphur-flowered Hosackia (U) |
| <i>Acmispon nevadensis</i> (S. Watson) Brouillet var. <i>nevadensis</i> | Sierra Nevada Hosackia (R) |
| <i>Acmispon parviflorus</i> (Benth.) Brouillet | Tiny Lotus (R) |
| <i>Acmispon prostratus</i> (T.& G.) Brouillet | Nuttall's Lotus (R, 1B.1) |
| <i>Adenostoma sparsifolium</i> Torrey | Red Shank, Ribbon-bush (U) |
| <i>Aesculus californica</i> (Spach) Nutt. | California Buckeye (R) |
| <i>Agoseris elata</i> (Nuttall) E. Greene | Tall Mountain Dandelion (R) |
| <i>Agrostis hallii</i> Vasey | Hall's Bentgrass (R) |
| <i>Agrostis pallens</i> Trin. | Thinggrass (U) |
| <i>Alisma plantago-aquaticum</i> L. | Common or Broadleaf Water-plantain (R) |
| <i>Allium amplectens</i> Torrey | Narrowleaf Onion (R) |
| <i>Allium burlewii</i> A. Davidson | Burlew Onion (U) |
| <i>Allium cratericola</i> Eastw. | Cratered Onion (R) |
| <i>Allium denticulatum</i> (Traub) D. McNeal | Dentate Fringed Onion (R) |
| <i>Allium fimbriatum</i> var. <i>mohavense</i> Jepson | Mojave Onion (R) |
| <i>Allium haematochiton</i> S. Watson | Red-skinned Onion (U) |
| <i>Allium howellii</i> var. <i>clokeyi</i> Traub | Mount Piños Onion (Type, CNPS 1B.3) |
| <i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal | Davis Onion (R, W Limits) |

Common Name¹¹

| |
|--|
| California White Fir (S, LPNF ¹²) |
| Red or Sticky Sand-verbena (S, CNPS 4.2) |
| Hybrid Sand-verbena (R) |
| Beach Sand-verbena (R) |
| Desert Sand-verbena (R) |
| Turbinate Sand-verbena (R) |
| Woolly Sand-verbena (R, CNPS 1B.1) |
| <i>Acamptopappus sphaerocephalus</i> (Har. & A. Gray) A. Gray var. <i>sphaerocephalus</i> Rayless Goldenhead (R) |
| Heartleaf Thormint (S, CNPS 4.2) |
| Abrams Spineflower (U, CNPS 1B.2) |
| Parish's Oxytheca (R, CNPS 4.2) |
| Box Elder (R) |
| Common Island White Yarrow (U) |
| California White Yarrow (U) |
| Woolly White Yarrow (U) |
| Pacific White Yarrow (R) |
| Silver Deervetch (U) |
| Santa Cruz Island Silverhosackia (R) |
| Island Broom (R) |
| San Miguel Island Deerweed (R) |
| White Lotus (R) |
| Heerman Lotus or Hosackia (R) |
| Heerman Lotus (R) |
| Rush Lotus (R) |
| Grab Hosackia or Lotus (R) |
| Suphur-flowered Hosackia (U) |
| Sierra Nevada Hosackia (R) |
| Tiny Lotus (R) |
| Nuttall's Lotus (R, 1B.1) |
| Red Shank, Ribbon-bush (U) |
| California Buckeye (R) |
| Tall Mountain Dandelion (R) |
| Hall's Bentgrass (R) |
| Thinggrass (U) |
| Common or Broadleaf Water-plantain (R) |
| Narrowleaf Onion (R) |
| Burlew Onion (U) |
| Cratered Onion (R) |
| Dentate Fringed Onion (R) |
| Mojave Onion (R) |
| Red-skinned Onion (U) |
| Mount Piños Onion (Type, CNPS 1B.3) |
| Davis Onion (R, W Limits) |

¹⁰ Scientific name: The complete scientific name is provided for each taxon and consists of the genus, species, and author (person who formally described and named the plant). Underlined entries indicate taxa found only on the Channel Islands (Anacapa or San Nicolas Islands).

¹¹ Common names are given for all taxa, many of which are invented by the author as no common name has been identified otherwise. "R", "U", "Limits", or "Type" in parentheses indicated the category of rarity: R = rare (formally listed by USFWS, CDFG, CNPS, or with 5 or fewer occurrences in Ventura County); U = uncommon (with 6 to 10 occurrences in Ventura County); Limits = indicate taxon reaches its distribution limits in Ventura County; Type = type locality is within Ventura County.

¹² LPNF = Los Padres National Forest Sensitive Plant List

Scientific Name

| Common Name |
|--|
| <i>Allium lacunosum</i> S. Watson var. <i>lacunosum</i> |
| <i>Allium monticola</i> Davidson |
| <i>Allium parryi</i> S. Watson |
| <i>Allium parvum</i> Kellogg |
| <i>Allium peninsulare</i> Lemmon var. <i>peninsulare</i> |
| <i>Allium praecox</i> Brandegee |
| <i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i> |
| <i>Allium tribracteatum</i> Torrey |
| <i>Allium vineale</i> L. |
| <i>Allophylum divaricatum</i> (Nuttall) A.D. Grant & V. Grant |
| <i>Allophylum gilioioides</i> (Bentham) A.D. Grant & V. Grant ssp. <i>gilioioides</i> |
| <i>Allophylum integrifolium</i> (Brand) A.D. Grant & V. Grant |
| <i>Alnus incana</i> ssp. <i>tenuifolia</i> (Nuttall) Breitung |
| <i>Alopecurus carolinianus</i> Walter |
| <i>Alopecurus saccatus</i> Vasey |
| <i>Amaranthus californicus</i> (Moq.) S. Watson |
| <i>Amaranthus palmeri</i> S. Watson ssp. <i>palmeri</i> |
| <i>Amaranthus powellii</i> ssp. <i>bouchenii</i> (Thell.) Costea & Carretero |
| <i>Amaranthus powellii</i> S. Watson ssp. <i>powellii</i> |
| <i>Ambrosia confertiflora</i> DC. |
| <i>Ambrosia dumosa</i> (A. Gray) Payne |
| <i>Ambrosia salsola</i> var. <i>fasiculata</i> (A. Nelson) Stother & B.G. Baldwin |
| <i>Ambrosia salsola</i> (T.&G. Ex G.) Stother & B.G. Baldwin var. <i>salsola</i> |
| <i>Amelanchier alnifolia</i> var. <i>pumila</i> (Nuttall) Nelson |
| <i>Amelanchier pallida</i> E. Greene |
| <i>Amelanchier utahensis</i> Koehne |
| <i>Ammannia coccinea</i> Rottb. |
| <i>Ammannia robusta</i> Heer & Regel |
| <i>Amsinckia douglasiana</i> A. DC. |
| <i>Amsinckia eastwoodae</i> J.F. Macbr. |
| <i>Amsinckia spectabilis</i> Fischer & C. Meyer var. <i>spectabilis</i> |
| <i>Amsinckia tessellata</i> var. <i>gloriosa</i> (Suksd.) Hoover |
| <i>Amsinckia tessellata</i> Gray var. <i>tessellata</i> |
| <i>Amsinckia vernicosa</i> Hook. & Arn. var. <i>vernicosa</i> |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i> Vasey ex Dewey |
| <i>Andropogon glomeratus</i> var. <i>scabriglumis</i> C.S. Campbell |
| <i>Androsace elongata</i> ssp. <i>acuta</i> (E. Greene) G. Robb. |
| <i>Antennaria dimorpha</i> (Nuttall) Torrey & A. Gray |
| <i>Anthoxanthum occidentale</i> (Buckley) Veldkamp |
| <i>Antirrhinum coulterianum</i> Bentham ssp. <i>coulterianum</i> |
| <i>Antirrhinum nuttallianum</i> Benth. ssp. <i>nuttallianum</i> |
| <i>Antirrhinum nuttallianum</i> ssp. <i>subsessile</i> (A. Gray) D. Thompson |
| <i>Antirrhinum ovatum</i> Eastwood |
| <i>Aphanes occidentalis</i> (Nuttall) Rydb. |
| <i>Aphanisma blitoides</i> Moq. |
| <i>Apocynum androsaemifolium</i> L. |
| <i>Apocynum Xmedium</i> E. Greene (<i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> X <i>A. cannabinum</i> var. <i>hypericifolium</i>) Bitter Dogbane (R) |
| <i>Aquilegia eximia</i> Van Houtte ex Planchon |
| <i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker |
| <i>Aralia californica</i> S. Watson |
| <i>Arbutus menziesii</i> Pursh |
| <i>Arctostaphylos canescens</i> Eastw. |
| <i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i> (Munz) Munz |
| <i>Arctostaphylos glandulosa</i> Eastw. X <i>A. glauca</i> Lindley |
| <i>Arctostaphylos patula</i> Greene |
| <i>Argenome corymbosa</i> E. Greene ssp. <i>corymbosa</i> |
| Pitted Onion (R) |
| Mountain Onion (R) |
| Parry Fringed Onion (R) |
| Small Onion (R) |
| Peninsular Onion (U) |
| Early Onion (R) |
| Sanborn Onion (R) |
| Three-bracted Onion (R) |
| Wild Garlic (R) |
| Divaricate Allophylum (R) |
| Straggling Gilia (R) |
| Sticky Allophylum (R) |
| Mountain Alder (R, Disjunct, S Limits) |
| Carolina Foxtail (R) |
| Pacific Foxtail (R) |
| California Amaranth (R) |
| Palmer Amaranth (U) |
| Bouchenl Amaranth (R) |
| Powell Amaranth (U) |
| Weak-leaved Burweed or Bur-sage (R) |
| White Bur-sage (R) |
| White Burrobrush (R) |
| Burrobrush (R) |
| Alderleaf Service-berry (R) |
| Western or Pallid Service-berry (R, Type) |
| Utah Service-berry (R) |
| Long-leaved or Purple Ammannia (R) |
| Grand Redstem (R) |
| Douglas Fiddleneck (R, CNPS 4.2) |
| Elegant Fiddleneck (R) |
| Showy Fiddleneck (U) |
| Glorious Fiddleneck (U) |
| Devil's Lettuce, Tessellate Fiddleneck (U) |
| Vernal or Green Fiddleneck (R) |
| Bushy Bluestem (R) |
| Southwestern Bushy Bluestem (U) |
| Rock-jasmine (R) |
| Low Everlasting (R) |
| California Sweet Grass (R) |
| White Snapdragon (U) |
| Nuttall Snapdragon (R) |
| Nuttall Snapdragon (R) |
| Oval-leaved Snapdragon (R, CNPS 4.2) |
| Dew-cup, Lady's Mantle (R) |
| Aphanisma (R, CNPS 1B.2) |
| Bitter Dogbane (R) |
| Van Houtte Columbine (R) |
| Truncate Crimson Columbine (U) |
| Elk Clover, Spikenard (R) |
| Pacific Madrone (R) |
| Hoary Manzanita (R) |
| Adams Eastwood Manzanita (R) |
| Eastwood-Bigberry Manzanita Hybrid (R) |
| Greenleaf Manzanita (R) |
| Desert Prickly Poppy (R) |

Scientific Name

| Common Name |
|--|
| <i>Argemone munita</i> ssp. <i>rotundata</i> (Rydberg) G. B. Ownbey |
| <i>Argentina egedii</i> (Wormsk.) Rydb. ssp. <i>egedii</i> |
| <i>Aristida adscensionis</i> L. |
| <i>Aristida divaricata</i> Humb. & Bonpl. ex Willd. |
| <i>Aristida purpurea</i> Nuttall var. <i>purpurea</i> |
| <i>Aristida ternipes</i> var. <i>hamulosa</i> (Henrard) J.S. Trent |
| <i>Arnica discoidea</i> Benth. var. <i>discoidea</i> |
| <i>Ambrosia artemisiifolia</i> L. |
| <i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i> |
| <i>Artemisia nesiotica</i> Raven |
| <i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements |
| <i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle |
| <i>Arthrocnemum [Salicornia] subterminalis</i> (Parish) Standley |
| <i>Asclepias erosa</i> Torrey |
| <i>Asclepias vestita</i> Hook. & Arn. |
| <i>Asplenium vespertinum</i> Maxon |
| <i>Aster ascendens</i> Lindley |
| <i>Aster chilensis</i> Nees |
| <i>Aster lanceolatus</i> ssp. <i>hesperius</i> (Gray) Semple & Chmielewski |
| <i>Aster latus</i> E. Greene |
| <i>Astragalus asymmetricus</i> E. Sheldon |
| <i>Astragalus brauntonii</i> Parish |
| <i>Astragalus coccineus</i> Brandegee |
| <i>Astragalus curtipes</i> A. Gray |
| <i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i> |
| <i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jepson |
| <i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps. |
| <i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps. |
| <i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones |
| <i>Astragalus filipes</i> Gray |
| <i>Astragalus gambelianus</i> E. Sheldon |
| <i>Astragalus lentiginosus</i> Hook. var. <i>diphysus</i> |
| <i>Astragalus lentiginosus</i> Hooker var. <i>fremontii</i> (A. Gray) S. Watson |
| <i>Astragalus lentiginosus</i> var. <i>nigricalycis</i> M.E. Jones |
| <i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones |
| <i>Astragalus leucolobus</i> M.E. Jones |
| <i>Astragalus leucopsis</i> Torrey var. <i>leucopsis</i> |
| <i>Astragalus macrodon</i> (Hook. & Arn.) Gray |
| <i>Astragalus miguelensis</i> Greene |
| <i>Astragalus nuttallii</i> (Torrey & A. Gray) J.T. Howell var. <i>nuttallii</i> |
| <i>Astragalus oxyphysus</i> Gray |
| <i>Astragalus pomonensis</i> M.E. Jones |
| <i>Astragalus purshii</i> Douglas ex Hooker var. <i>purshii</i> |
| <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> (Rydb.) Munz |
| <i>Astragalus traskiae</i> Eastwood |
| <i>Astragalus trichopodus</i> (Nutt.) Gray var. <i>trichopodus</i> |
| <i>Astragalus whitneyi</i> Gray var. <i>whitneyi</i> |
| <i>Astragalus whitneyi</i> var. <i>pinosus</i> Elmer |
| <i>Atriplex argentea</i> Nutt. var. <i>argentea</i> |
| <i>Atriplex argentea</i> var. <i>expansa</i> (S. Watson) S.L. Welsh & Reveal |
| <i>Atriplex argentea</i> var. <i>mohavensis</i> (M.E. Jones) S.L. Welsh |
| <i>Atriplex canescens</i> (Pursh) Nutt. var. <i>laciniata</i> Parish in Jepson |
| <i>Atriplex linearis</i> S. Watson |
| Prickly Poppy (R) |
| Pacific Coast Cinquifoil or Silverweed (R) |
| Sixweeks Threeawn Grass (R) |
| Poverty Threeawn Grass (R) |
| Purple Three-awn Grass (R) |
| Hook Threeawn Grass (R) |
| Rayless or Discoid Arnica (R) |
| Common Ragweed (R) |
| Silver or Western Mugwort (R) |
| Island Sagebrush (R) |
| Parish Great Basin Sagebrush (R, W Limits) |
| Vasey Great Basin or Mountain Sagebrush (U) |
| Common or Parish Glasswort (U) |
| Desert Milkweed (U) |
| Woolly Milkweed (R) |
| Western Spleenwort (R, CNPS 4.2) |
| Long-leaved Aster (R) |
| Common California Aster (U) |
| Siskiyou Aster (R) |
| Suisun Marsh Aster (R) |
| Cockeyed Milkvetch (R) |
| Braunton Milkvetch (R, CNPS 1B.1, FE ¹³) |
| Scarlet Milkvetch (R) |
| San Luis Obispo Milkvetch (R) |
| Two-seeded Milkvetch (U) |
| Disperse Two-seeded Milkvetch (R) |
| South Coast Two-seeded Milkvetch (R, CNPS 1B.2) |
| San Luis Obispo Two-seeded Milkvetch (R) |
| Parish Milkvetch (R) |
| Thread-leaved Locoweed (U) |
| Dwarf Locoweed (U) |
| Freckled Locoweed (R) |
| Fremont Spotted Locoweed (U) |
| Black-sepaled Freckled Locoweed (R) |
| Bear Valley Milkvetch (R, CNPS 1B.2) |
| Bear Valley Woollypod (R, CNPS 1B.2) |
| Coast Rattleweed (R) |
| Salinas Valley Milkvetch (R, CNPS 4.3) |
| San Miguel Milkvetch (R, CNPS 4.3) |
| Nuttall's Milkvetch (R, CNPS 4.2) |
| Robust Milkvetch (R) |
| Pomona Locoweed (R) |
| Pursh's Woollypod Milkvetch (R) |
| Ventura Marsh Milkvetch (R, CNPS 1B.1, FE, SE ¹⁴) |
| Trask Locoweed or Milkvetch (R, CNPS 1B.2) |
| Three-pod Milkvetch (U) |
| Whitney Locoweed (R) |
| Mount Pinos Locoweed (R, Type) |
| Silverscale (R) |
| Broad Silverscale (R) |
| Mojave Silverscale (R) |
| Caleb Saltbush (R) |
| Slenderleaf Saltbush (R) |

¹³ FE = Federally listed Endangered.

¹⁴ SE = State listed Endangered

Scientific Name

| Common Name |
|--|
| <i>Atriplex coulteri</i> (Moq.) D. Dietr. |
| <i>Atriplex dioica</i> Raf. |
| <i>Atriplex lentiformis</i> (Torrey) S. Watson ssp. <i>lentiformis</i> |
| <i>Atriplex pacifica</i> Nelson |
| <i>Atriplex parishii</i> S. Watson var. <i>parishii</i> |
| <i>Atriplex polycarpa</i> (Torrey) S. Watson |
| <i>Atriplex prostrata</i> Boucher ex de Candolle |
| <i>Atriplex serenana</i> var. <i>davidsonii</i> (Standley) Munz |
| <i>Atriplex serenana</i> Nelson var. <i>serenana</i> |
| <i>Atriplex watsonii</i> Nelson |
| <i>Azolla filiculoides</i> Lam. |
| <i>Baccharis salicina</i> Torrey & A. Gray |
| <i>Baccharis malibuensis</i> Beauchamp & Henrickson |
| <i>Baccharis plummerae</i> Gray ssp. <i>plummerae</i> |
| <i>Bahiopsis laciniata</i> (A. Gray) E.E. Schill. |
| <i>Batis maritima</i> L. |
| <i>Berberis dictyota</i> Jeps. |
| <i>Berberis pinnata</i> ssp. <i>insularis</i> Munz |
| <i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i> |
| <i>Berula erecta</i> (Huds.) Coville |
| <i>Bidens frondosa</i> L. |
| <i>Bidens laevis</i> (L.) Britton, Sterns & Pogg. |
| <i>Boechera breweri</i> (S. Watson) Al-Shehbaz ssp. <i>breweri</i> |
| <i>Boechera californica</i> (Rollins) Windham & Al-Shehbaz |
| <i>Boechera repanda</i> (S. Watson) Al-Shehbaz |
| <i>Boechera retrofracta</i> (Graham) A. Löve & D. Löve |
| <i>Boechera xylopoda</i> Windham & Al-Shehbaz |
| <i>Boerhavia coccinea</i> Mill. |
| <i>Bolboschoenus maritimus</i> X <i>B. robustus</i> |
| <i>Bolboschoenus robustus</i> (Pursh) Soják, Čas. Nár. |
| <i>Boschniakia strobilacea</i> Gray |
| <i>Bothriochloa barbinodis</i> (Lagasca) Herter |
| <i>Botrychium simplex</i> E. Hitchc. |
| <i>Boykinia occidentalis</i> T. & G. |
| <i>Boykinia rotundifolia</i> C. Parry |
| <i>Brickellia californica</i> (T. & G.) Gray X <i>B. nevinii</i> Gray |
| <i>Brickellia desertorum</i> Coville |
| <i>Brickellia multiflora</i> Kellogg |
| <i>Brodiaea coronaria</i> (Salisbury) Jepson ssp. <i>coronaria</i> |
| <i>Brodiaea terrestris</i> ssp. <i>kernensis</i> (Hoover) Niehaus |
| <i>Bromus arizonicus</i> (Shear) Stebbins |
| <i>Bromus maritimus</i> (Piper) Hitchcock |
| <i>Bromus orcuttianus</i> (Shear) A. Hitchc. |
| <i>Bromus porteri</i> (J.M. Coul.) Nash |
| <i>Bromus pseudolaevipes</i> Wagnon |
| <i>Cakile edentula</i> (Bigelow) Hooker ssp. <i>edentula</i> |
| <i>Calandrinia breweri</i> S. Watson |
| <i>Californica macrophylla</i> (H.& A.) Aldas., C. Navarro, P. Vargas, Ll. Saez & Aedo |
| <i>Callitricha marginata</i> Torrey |
| <i>Calochortus catalinae</i> S. Watson |
| <i>Calochortus clavatus</i> S. Watson ssp. <i>clavatus</i> |
| <i>Calochortus clavatus</i> ssp. <i>gracilis</i> Ownby |
| <i>Calochortus clavatus</i> ssp. <i>pallidus</i> (Hoover) Munz |
| <i>Calochortus coeruleus</i> (Kellogg) S. Watson |
| <i>Calochortus fimbriatus</i> H.P. McDonald |
| <i>Calochortus luteus</i> Lindley |
| <i>Coulter Saltbush</i> (R, CNPS 1B.2) |
| <i>Thickleaf Orach</i> (R) |
| <i>Big Saltbush, Quailbrush</i> (W Limits) |
| <i>South Coast Saltbush</i> (R, CNPS 1B.2) |
| <i>Parish Brittlescale</i> (R, CNPS 1B) |
| <i>Common Saltbush, Allscale</i> (U) |
| <i>Spearscale</i> (U) |
| <i>Davidson Bractscale</i> (R, CNPS 1B.2) |
| <i>Bractscale</i> (R) |
| <i>Matscale</i> (R) |
| <i>Duckweed Fern</i> (U) |
| <i>Emory Baccharis</i> (R) |
| <i>Malibu Baccharis</i> (R, CNPS 1B.1) |
| <i>Plummer Baccharis</i> (CNPS 4.3) |
| <i>San Diego County Viguiera</i> (R) |
| <i>Saltwort, Beachwort</i> (R) |
| <i>Dull-leaf Barberry</i> (R) |
| <i>Island Barberry</i> (R, FE, SE, CNPS 1B.1) |
| <i>Pinnate-leaved Barberry</i> (R) |
| <i>Cutleaf Water-parsnip</i> (U) |
| <i>Sticktight</i> (R) |
| <i>Bur-marigold</i> (R) |
| <i>Brewer Rockcress</i> (R, S Limits) |
| <i>California Rockcress</i> (R) |
| <i>Yosemite Rockcress</i> (U) |
| <i>Holboell Rockcress</i> (R) |
| <i>Desert Rockcress</i> (R, SW Limits) |
| <i>Scarlet Spiderling</i> (R) |
| <i>Hybrid Bulrush</i> (R) |
| <i>Seashore Bulrush</i> (R) |
| <i>California Ground Cone</i> (R) |
| <i>Cane Bluestem</i> (U) |
| <i>Least Moonwort, Little Grapefern</i> (R) |
| <i>Santa Lucia Brookfoam</i> (R) |
| <i>Roundleaved Boykinia</i> (R) |
| <i>California-Nevin Brickellbush Hybrid</i> (R) |
| <i>Desert Brickellbush</i> (R) |
| <i>Gum-leaved Brickellbush</i> (R) |
| <i>Crown Brodiaea</i> (R) |
| <i>Harvest Brodiaea</i> (R) |
| <i>Arizona Brome</i> (U) |
| <i>Maritime Brome</i> (R) |
| <i>Orcutt Brome</i> (R) |
| <i>Nodding Brome</i> (R) |
| <i>Woodland Brome</i> (R) |
| <i>American Searocket</i> (R) |
| <i>Brewer Calandrinia</i> (R, CNPS 4.2) |
| <i>Largeleaf Filaree</i> (R, CNPS 1B.1) |
| <i>California Water-starwort, Wallow Starwort</i> (R) |
| <i>Catalina Mariposa Lily</i> (CNPS 4.2) |
| <i>Club-haired Mariposa Lily</i> (C, CNPS 4.3) |
| <i>Slender Club-haired Mariposa Lily</i> (R, CNPS 1B.2) |
| <i>Pale Yellow Mariposa Lily</i> (U) |
| <i>Beavertail-grass</i> (R) |
| <i>Late-flowered Mariposa Lily</i> (R, CNPS 1B.2) |
| <i>Gold Nuggets</i> (R) |

Scientific Name

| Common Name |
|--|
| <i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i> |
| <i>Calochortus plummerae</i> Greene |
| <i>Calyptridium monospermum</i> Greene |
| <i>Calyptridium parryi</i> Gray var. <i>parryi</i> |
| <i>Calyptridium umbellatum</i> (Torrey) Greene |
| <i>Calystegia macrostegia</i> ssp. <i>amplissima</i> Brummitt |
| <i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoides</i> (Greene) Munz |
| <i>Calystegia occidentalis</i> ssp. <i>fulcrata</i> (Gray) Brummitt |
| <i>Calystegia occidentalis</i> ssp. <i>occidentalis</i> var. <i>tomentella</i> (Greene) Brummitt |
| <i>Calystegia peirsonii</i> (Abrams) Brummitt |
| <i>Calystegia sepium</i> ssp. <i>binghamiae</i> (Greene) Brummitt |
| <i>Calystegia soldanella</i> (L.) R. Br. |
| <i>Camissonia boothii</i> ssp. <i>desertorum</i> (Munz) P.H. Raven |
| <i>Camissonia boothii</i> ssp. <i>rutila</i> (Davidson) Munz |
| <i>Camissonia brevipes</i> (A. Gray) Raven ssp. <i>brevipes</i> |
| <i>Camissonia campestris</i> cf. ssp. <i>obispoensis</i> Raven |
| <i>Camissoniopsis cheiranthifolia</i> (Sprengel) W.L. Wagner & Hoch ssp. <i>cheiranthifolia</i> |
| <i>Camissonia contorta</i> (Douglas) P.H. Raven |
| <i>Camissonia kernensis</i> (Munz) P.H. Raven ssp. <i>kernensis</i> |
| <i>Camissonia lacustris</i> P.H. Raven |
| <i>Camissonia palmeri</i> (S. Watson) Raven |
| <i>Camissoniopsis confusa</i> (P.H. Raven) W.L. Wagner & Hoch |
| <i>Camissoniopsis ignota</i> (Jepson) W.L. Wagner & Hoch |
| <i>Camissoniopsis luciae</i> (P.H. Raven) W.L. Wagner & Hoch |
| <i>Camissoniopsis pallida</i> (Abrams) W.L. Wagner & Hoch ssp. <i>pallida</i> |
| <i>Cardamine breweri</i> S. Watson var. <i>breweri</i> |
| <i>Cardamine oligosperma</i> Torrey & Gray |
| <i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i> |
| <i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr. |
| <i>Carex abrupta</i> Mackenzie |
| <i>Carex athrostachya</i> Olney |
| <i>Carex aurea</i> Nuttall |
| <i>Carex barbara</i> Dewey |
| <i>Carex bolanderi</i> Olney |
| <i>Carex brainerdii</i> Mack. |
| <i>Carex densa</i> L. Bailey |
| <i>Carex douglasii</i> Boott |
| <i>Carex filifolia</i> var. <i>erostrata</i> Kük. |
| <i>Carex fracta</i> Mackenzie |
| <i>Carex globosa</i> Boott |
| <i>Carex hassei</i> L. Bailey |
| <i>Carex lanuginosa</i> Michaux |
| <i>Carex multicaulis</i> L. Bailey |
| <i>Carex nebrascensis</i> Dewey |
| <i>Carex pansa</i> L. Bailey |
| <i>Carex pellita</i> Muhl. ex Willd. |
| <i>Carex rossii</i> Boott |
| <i>Carex schottii</i> Dewey |
| <i>Carex spissa</i> L.H. Bailey |
| <i>Carex subfusca</i> W. Boott |
| <i>Carex triquetra</i> Boott |
| <i>Castilleja angustifolia</i> (Nuttall) G. Don |
| <i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard |
| <i>Castilleja applegatei</i> ssp. <i>pinetorum</i> (Fern.) Chuang & Heckard |
| <i>Castilleja attenuata</i> (Gray) Chuang & Heckard |
| <i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i> |
| Palmer Mariposa Lily (U, CNPS 1B.2) |
| Plummer Mariposa Lily (S, CNPS 4.2) |
| One-seeded Pussy-paws (R) |
| Parry Calyptridium (U) |
| Pussy-paws (U) |
| Island Morning-glory (R, CNPS 4.3) |
| Tehachapi Morning-glory (R) |
| Western Morning-glory (R) |
| Woolly Western Morning-glory (R) |
| Peirson's Morning-glory (R, CNPS 4.2) |
| Santa Barbara Morning-glory (R, CNPS 1A) |
| Beach Morning-glory (U) |
| Desert Shredding Primrose (R) |
| Booth's Shredding Primrose (R) |
| Yellow Cups (R) |
| San Luis Obispo Sun-cup (R) |
| Beach Primrose (R) |
| Contorted Primrose (R) |
| Kern County Primrose (R) |
| Lakeside Primrose (R) |
| Palmer Primrose (U) |
| Confusing Primrose (U) |
| Small Primrose (U) |
| Santa Lucia Sun-cup (R) |
| Pale Primrose (R) |
| Brewer's Bitter-cress (R) |
| Few-seeded Bitter-cress (U) |
| Toothwort (R) |
| Sand Mat (R) |
| Abrupt-beaked Sedge (R) |
| Slender-beaked Sedge (R) |
| Golden-fruited Sedge (R) |
| Santa Barbara Sedge (R) |
| Bolander Sedge (R) |
| Brainerd Sedge (R) |
| Dense Sedge (R) |
| Douglas Sedge (U) |
| Short-grass Sedge (R) |
| Fragile-sheathed Sedge (R) |
| Round-fruited Sedge (R) |
| Hasse Sedge (R) |
| Woolly Sedge (R) |
| Many-stemmed Sedge (R) |
| Nebraska Sedge (R) |
| Sand Dune Sedge (R) |
| Woolly Sedge (R) |
| Ross Sedge (R) |
| Schott Sedge (R) |
| San Diego Sedge (R) |
| Brown Sedge (U) |
| Triangular-fruited Sedge (R) |
| Desert Indian Paintbrush (R) |
| Eastwood Indian Paintbrush (R) |
| Wavyleaf Indian Paintbrush (U) |
| Valley Tassels (R) |
| Dense-flowered Owl's Clover (R) |

| <u>Scientific Name</u> | <u>Common Name</u> |
|---|---|
| <i>Castilleja lanata</i> ssp. <i>hololeuca</i> (Greene) Chuang & Heckard | White-felted Indian Paintbrush (R, CNPS 1B.2) |
| <i>Castilleja miniata</i> Hook. ssp. <i>miniata</i> | Great Red Indian Paintbrush (U) |
| <i>Castilleja minor</i> (A. Gray) A. Gray ssp. <i>minor</i> | Annual Indian Paintbrush (R) |
| <i>Castilleja mollis</i> Pennell | Soft-leaved Indian Paintbrush (R, CNPS 1B.1) |
| <i>Castilleja plagiotoma</i> A. Gray | Mojave Indian Paintbrush (R) |
| <i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard | San Francisco Long-leaved Indian Paintbrush (U) |
| <i>Castilleja tenuis</i> (A.A. Heller) Chuang & Heckard | Bristle Owl's Clover (R) |
| <i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i> | Clasping-leaved Jewelflower (U) |
| <i>Caulanthus anceps</i> Payson | Lemmon Mustard (R) |
| <i>Caulanthus californicus</i> (S. Watson) Payson | California Jewelflower (R, FE) |
| <i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i> | Different-leaved Jewelflower (U) |
| <i>Caulanthus inflatus</i> S. Watson | Desert Candle (R) |
| <i>Caulanthus lemmonii</i> S. Watson | Lemmon Jewelflower (U, CNPS 1B.2) |
| <i>Ceanothus cuneatus</i> var. <i>ramulosus</i> Greene | Coast Ceanothus (R) |
| <i>Ceanothus dentatus</i> T. & G. | Dentate Ceanothus (R) |
| <i>Ceanothus integerrimus</i> var. <i>macrothyrsus</i> (Torr.) Benson | Umpqua Deer Brush (R) |
| <i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastw.) Munz | Island Ceanothus (R) |
| <i>Ceanothus megacarpus</i> var. <i>pendulosus</i> McMinn | Pendulous Bigpod Ceanothus (R) |
| <i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover | Jim Brush (R) |
| <i>Ceanothus palmeri</i> Trel. | Palmer Ceanothus (U) |
| <i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i> | Wartleaf Ceanothus (U) |
| <i>Ceanothus tomentosus</i> var. <i>olivaceous</i> Jepson | Woollyleaf Ceanothus (R) |
| <i>Ceanothus tomentosus</i> Parry var. <i>tomentosus</i> | Woollyleaf Ceanothus (R) |
| <i>Ceanothus thyrsiflorus</i> Eschsch. ssp. <i>thyrsiflorus</i> | Blue-blossom Ceanothus (R) |
| <i>Centaurium exaltatum</i> (Griseb.) W. Wright ex Piper | Great Basin Centaury (U) |
| <i>Centaurium venustum</i> (A. Gray) B.L. Robins. ssp. <i>venustum</i> | Beautiful Centaury, Canchalagua (R) |
| <i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin | Southern Tarplant (R, CNPS 1B.1) |
| <i>Centrostegia thurberi</i> var. <i>macrothecia</i> | Thurber Spineflower (R) |
| <i>Ceratophyllum demersum</i> L. | Hornwort, Coontail (R) |
| <i>Cercocarpus betuloides</i> var. <i>blancheae</i> (C. Schneider) Little | Island Mountain Mahogany (R, CNPS 4.3) |
| <i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> N. Holmgren | Cut-leaved Mountain Mahogany (R) |
| <i>Cercocarpus ledifolius</i> Nuttall var. <i>ledifolius</i> | Mountain Mahogany (U) |
| <i>Chaenactis artemisiifolia</i> (Gray) Gray | White Pincushion (U) |
| <i>Chaenactis fremontii</i> A. Gray | Desert Pincushion (R) |
| <i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i> (A. Gray) H.M. Hall | Different-seeded Yellow Pincushion (R) |
| <i>Chaenactis glabriuscula</i> var. <i>lanosa</i> (DC.) H.M. Hall | Woolly Yellow Pincushion (U) |
| <i>Chaenactis glabriuscula</i> var. <i>megacephala</i> A. Gray | Big-flowered Yellow Pincushion (R) |
| <i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i> (Greene) H.M. Hall | Woolly Yellow Pincushion (R, CNPS 1B.1) |
| <i>Chaenactis steviana</i> Hook. & Arn. | Desert Pincushion (R) |
| <i>Chaenactis xantiana</i> Gray | Xantu's Pincushion (U) |
| <i>Chamaesyce melanadenia</i> (Torrey) Millsp. | Squaw Spurge (R) |
| <i>Chamaesyce micromera</i> (Engelm.) Wooton & Standl. | Sonoran Sandmat (R) |
| <i>Chamaesyce ocellata</i> (Durand & Hilg.) Millsp. ssp. <i>ocellata</i> | Littleeye Spurge (R) |
| <i>Chamaesyce polycarpa</i> var. <i>hirtella</i> (Boiss.) Parish | Hairy Golondrina (R) |
| <i>Chamaesyce polycarpa</i> (Benth.) Millsp. var. <i>polycarpa</i> | Golondrina (R) |
| <i>Chamaesyce serpyllifolia</i> (Pers.) Small ssp. <i>serpyllifolia</i> | Thyme-leaved Spurge (R) |
| <i>Cheilanthes clevelandii</i> D.C. Eaton. | Cleveland Lip-fern (R) |
| <i>Cheilanthes cooperae</i> D.C. Eaton | Mrs. Cooper Lip-fern (R) |
| <i>Cheilanthes newberryi</i> (D.C. Eaton) Domin | Cotton Fern (R) |
| <i>Chenopodium atrovirens</i> Rydb. | Pigweed (R) |
| <i>Chenopodium desiccatum</i> A. Nelson | Aridland Goosefoot (R) |
| <i>Chenopodium fremontii</i> S. Watson | Fremont Goosefoot (U) |
| <i>Chenopodium pratericola</i> Rydb. | Narrow-leaved Goosefoot (R) |
| <i>Chloropyron maritimum</i> Benth. ssp. <i>maritimum</i> | Saltmarsh Birds-beak (R, CNPS 1B.1, FE/SE) |
| <i>Chorizanthe blakleyi</i> Hardham | Blakley's Spineflower (R, CNPS 1B.3) |
| <i>Chorizanthe brevicornu</i> Torr. var. <i>brevicornu</i> | Brittle Spineflower (R) |

Scientific Name

Chorizanthe clevelandii C. Parry
Chorizanthe douglasii Benth.
Chorizanthe membranacea Benth.
Chorizanthe parryi var. *fernandina* (S. Watson) Jepson
Chorizanthe procumbens Nutt.
Chorizanthe staticoides forma *bracteata* Goodman
Chorizanthe uniaristata T. & G.
Chorizanthe watsonii T. & G.
Chrysothamnus viscidiflorus (Hook.) Nutt. ssp. *viscidiflorus*
Cicuta douglasii (DC.) Coulter & Rose
Cirsium brevistylum Cronq.
Cirsium scariosum var. *citrinum* (Petr.) D.J. Keil
Cistanthe maritima (Nuttall) Hershk.
Clarkia affinis Lewis & Lewis
Clarkia dudleyana (Abrams) J.F. Macbr.
Clarkia heterandra (Torrey) H. Lewis & Raven
Clarkia modesta Jeps.
Clarkia purpurea ssp. *viminea* (Douglas) Lewis & Lewis
Clarkia rhomboidea Douglas
Clarkia speciosa F.H. Lewis & M.R. Lewis ssp. *speciosa*
Clarkia williamsonii (Durand & Hilg.) H. Lewis & M. Lewis
Clarkia xantiana Gray ssp. *xantiana*
Claytonia exigua T. & G. ssp. *exigua*
Claytonia parviflora ssp. *viridis* (Davidson) J.M. Miller & Chambers
Claytonia rubra (J.T. Howell) Tidestrom ssp. *rubra*
Clinopodium douglasii (Benth.) Kuntze
Clinopodium mimuloides Kuntze
Collinsia bartsiifolia var. *davidsonii* (Parish) V. Newsom
Collinsia childii A. Gray
Collinsia parryi A. Gray
Collinsia parviflora Lindley
Collinsia torreyi var. *wrightii* (S. Watson) I.M. Johnston
Collomia grandiflora Lindley
Collomia tinctoria Kellogg
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G. Wallace
Convolvulus simulans Perry
Cordylanthus rigidus ssp. *setiferus* Chuang & Heckard
Coreopsis calliopsidea (DC.) A. Gray
Cornus glabrata Bentham
Cornus sericea L. ssp. *sericea*
Crassula aquatica (L.) Schönl.
Crepis acuminata Nuttall
Crepis occidentalis Nuttall ssp. *occidentalis*
Crepis occidentalis ssp. *pumila* (Rydb.) Babcock & Stebbins
Cressa truxillensis Kunth var. *truxillensis*
Cryptantha affinis (A. Gray) E. Greene
Cryptantha barbigera (A. Gray) E. Greene
Cryptantha corollata (I.M. Johnston) I.M. Johnston
Cryptantha flaccida (Lehm.) E. Greene
Cryptantha leiocarpa (Fischer & C. Meyer) E. Greene
Cryptantha maritima (Greene) Greene
Cryptantha mohavensis (Greene) Greene
Cryptantha pterocarya (Torr.) E. Greene
Cryptantha rattannii E. Greene
Cryptantha sparsiflora (E. Greene) E. Greene
Cryptantha torreyana (A. Gray) E. Greene var. *torreyana*

Common Name

Cleveland Spineflower (R)
Douglas Spineflower (R)
Pink Spineflower (R)
San Fernando Valley Spineflower (R, SE)
Prostrate Spineflower (R)
Bracted Turkish Rugging (R, Type)
One-awned Spineflower (R)
Watson's Spineflower (U)
Yellow Rabbitbrush (R)
Western Water-hemlock (R)
Indian Thistle (U)
Elk Thistle (R)
Seaside Redmaids (R, CNPS 4.2)
Hairy Clarkia (R)
Dudley Godetia (R)
California Gaura (U)
Modest Clarkia (R)
Large Purple Clarkia (R)
Rhomboid Clarkia (U)
Redspot Clarkia (R)
Williamson's Clarkia (R)
Xantu Clarkia (R)
Small Miner's Lettuce (U)
Green Small-flowered Miner's Lettuce (R)
Red Miner's Lettuce (U)
Yerba Buena (R)
Monkeyflower Yerba Buena (R, CNPS 4.2)
Davidson White Chinese Houses (R)
Child Blue-eyed Mary (R)
Parry Blue-eyed Mary (U)
Blue-eyed Mary, Blue Lips (R)
Wright Blue-eyed Mary (U)
Large-flowered Collomia (U)
Yellow-staining Collomia (R)
Simpleleaf Summer Holly (R)
Small-flowered Morning-glory (R)
Dark-tipped Rigid Bird's-Beak (U)
Leafy-stemmed Coreopsis (R)
Brown Dogwood (R)
American or Creek Dogwood (R)
Water Pigmy-Weed (R)
Long-leaved Hawksbeard (R)
Western Hawksbeard (U)
Western Hawksbeard (R)
Spreading Alkali-Weed (U)
Side-grooved Forget-Me-Not (R)
Bearded Forget-Me-Not (R)
Crowned Forget-Me-Not (Type)
Flaccid Forget-Me-Not (R)
Coast Forget-Me-Not (R)
Seaside Forget-Me-Not (R)
Mojave Forget-Me-Not (R)
Wing-nut Forget-Me-Not (R)
Rattan's Forget-Me-Not (R)
Few-flowered Forget-Me-Not (R)
Torrey Forget-Me-Not (U)

Scientific Name

| Common Name | |
|---|--|
| <i>Cryptantha traskiae</i> I.M. Johnston | Trask Forget-Me-Not (U CNPS 1B) |
| <i>Cucurbita palmata</i> S. Watson | Coyote Melon (R) |
| <i>Cuscuta californica</i> var. <i>breviflora</i> Engelmann | California Dodder (R) |
| <i>Cuscuta campestris</i> Yuncker | Western Field Dodder (R) |
| <i>Cuscuta denticulata</i> Engelmann | Desert Dodder (R) |
| <i>Cuscuta indecora</i> Choisy var. <i>indecora</i> | Pretty Dodder (R) |
| <i>Cuscuta indecora</i> var. <i>neuropetala</i> (Engelmann) Hitchc. | Pretty Dodder (R) |
| <i>Cuscuta pacifica</i> Costea & M.A.R. Wright var. <i>pacifica</i> | Pacific Saltmarsh Dodder (R) |
| <i>Cuscuta salina</i> Englem. in W.H. Brewer, S. Watson, & A. Gray | Saltmarsh Dodder (U) |
| <i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz | Elegant Cycladenia (R) |
| <i>Cylindropuntia californica</i> var. <i>parkeri</i> (J.M. Coulter) Pinkava | Cane or Snake Cholla (U) |
| <i>Cyperus acuminatus</i> Torrey & Hook. | Short-pointed Umbrella-sedge (R) |
| <i>Cyperus erythrorhizos</i> Muhlenb. | Red-root Flatsedge (R) |
| <i>Cyperus laevigatus</i> L. | Smooth Flatsedge (R) |
| <i>Cyperus odoratus</i> L. | Flatsedge (R) |
| <i>Cyperus squarrosus</i> L. | Awned Flatsedge (R) |
| <i>Cystopteris fragilis</i> (L.) Bernhardi | Brittle or Fragile Fern (U) |
| <i>Danthonia unispicata</i> (Thurb.) Vasey | One-spike Oat Grass (R) |
| <i>Deinandra clementina</i> (Brandegee) B.G. Baldwin | Island or Catalina Tarplant (R) |
| <i>Deinandra kelloggii</i> (E. Greene) E. Greene | Kellogg Tarplant (R) |
| <i>Deinandra minthornii</i> (Jepson) B.G. Baldwin | Santa Susana Tarplant (R, Type, SR) |
| <i>Deinandra paniculata</i> (A. Gray) Davidson & Moxley | Paniculate Tarplant (R, CNPS 4.2) |
| <i>Delphinium gracilentum</i> Greene | Coast Larkspur (R) |
| <i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i> | Gypsum Larkspur (U, CNPS 4.2) |
| <i>Delphinium hesperium</i> A. Gray | Western or Coast Larkspur (R) |
| <i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling | Unexpected Larkspur (U, CNPS 4.3) |
| <i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling | Dune Larkspur (R, CNPS 1B.2) |
| <i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock | Mount Piños Larkspur (CNPS 4.3) |
| <i>Delphinium umbraculorum</i> F.H. Lewis & Epling | Umbrella Larkspur (R, CNPS 1B.3) |
| <i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitosa</i> | Tufted Hairgrass (R) |
| <i>Deschampsia danthonoides</i> (Trin.) Munro ex Bentham | Annual Hairgrass (R) |
| <i>Descurainia adenophora</i> (Wooton & Standley) O.E. Schulz in H.G.A. | Engler Desert Tansy Mustard (R) |
| <i>Descurainia californica</i> (A. Gray) O.E. Schulz | California Tansy Mustard (R) |
| <i>Descurainia pinnata</i> ssp. <i>brachycarpa</i> (Richardson) Detling | xxxx Tansy Mustard (U) |
| <i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detl. | Naken Western Tansy Mustard (R) |
| <i>Descurainia pinnata</i> ssp. <i>halicotorum</i> (Cockerell) Detl. | Western Tansy Mustard (R) |
| <i>Descurainia pinnata</i> ssp. <i>menziesii</i> (DC.) Detl. | Menzies Tansy Mustard (U) |
| <i>Dicentra pauciflora</i> S. Watson | Few-flowered Bleeding Heart (R) |
| <i>Dichelostemma congestum</i> (Sm.) Kunth | Ookow (R) |
| <i>Dichondra occidentalis</i> House | Western Dichondra (R, CNPS 4.2) |
| <i>Dieteria canescens</i> (Pursh) Torrey ssp. <i>canescens</i> | Hoary-Aster (U) |
| <i>Dieteria canescens</i> ssp. <i>leucanthemifolia</i> (Greene) D.R. Morgan & R.L. Hartm. | Whiteleaf Hoary-Aster (R) |
| <i>Dieteria canescens</i> ssp. <i>shastensis</i> (A. Gray) D.R. Morgan & R.L. Hartm. | Shasta Hoary-Aster (R) |
| <i>Dithyrea maritima</i> (A. Davids.) Davidson | Beach Spectacle-pod (R, CNPS 1B.1) |
| <i>Dodecatheon alpinum</i> (A. Gray) E. Greene | Alpine Shooting Star (R) |
| <i>Dodecatheon clevelandii</i> E. Greene ssp. <i>clevelandii</i> | Cleveland Shooting Star (R) |
| <i>Dodecatheon clevelandii</i> ssp. <i>patulum</i> (Greene) Thompson | Lowland Padre Shooting Star (R) |
| <i>Downingia bella</i> Hoover | Hoover Downingia (R) |
| <i>Downingia pulchella</i> (Lindl.) Torrey | Flat-face Downingia (R) |
| <i>Draba cuneifolia</i> T. & G. | Wedgeleaf Draba (R) |
| <i>Draba verna</i> L. | Vernal Whitlow-grass (R) |
| <i>Drymocallis glandulosa</i> var. <i>reflexa</i> (E. Greene) Ertter | Greene Cinquifoil (U) |
| <i>Drymocallis glandulosa</i> var. <i>viscida</i> (Parish) Ertter | Sticky Cinquifoil (R) |
| <i>Drymocallis glandulosa</i> var. <i>wrangelliana</i> (Fisch. & Avé-Lall.) Ertter | Wrangell's Cinquefoil (U) |
| <i>Drymocallis lactea</i> (Greene) Rydb. var. <i>lactea</i> | Sierra Nevada Sticky Cinquefoil (U) |
| <i>Dudleya abramsii</i> ssp. <i>parva</i> (Rose & Davids.) J. Bartel | Conejo Live-forever (R, FT, CNPS 1B.2) |

Scientific Name

Dudleya blochmaniae (Eastw.) Moran ssp. *blochmaniae*
Dudleya caespitosa (Haw.) Britt. & Rose
Dudleya cymosa ssp. *agourensis* K. Nakai
Dudleya cymosa (Lem.) Britton & Rose ssp. *cymosa*
Dudleya cymosa ssp. *marcescens* Moran
Dudleya cymosa ssp. *ovatifolia* (Britt.) Moran
Dudleya cymosa ssp. *pumila* (Rose) K. Nakai
Dudleya farinosa (Lindley) Britt. & Rose
Dudleya pulverulenta ssp. *arizonica* (Rose) Moran
Dudleya verityi N. Nakai
Dudleya virens ssp. *insularis* (Rose) Moran
Dudleya virens (Rose) Moran ssp. *virens*
Eastwoodia elegans Brandegee
Echinochloa crus-pavonis (Kunth) Shultes
Echinodorus berteroii (Spreng.) Fassett
Eclipta prostrata (L.) L.
Ehrendorferia ochroleuca (Engelm.) Fukuhara
Elatine brachysperma Gray
Elatine californica Gray
Eleocharis acicularis var. *gracilenscens* Svenson
Eleocharis bella (Piper) Svenson
Eleocharis bernardina Munz & Johnston
Eleocharis erythropoda Steud.
Eleocharis montevidensis Kunth
Eleocharis quinqueflora (Hartmann) O. Schwarz
Eleocharis rostellata (Torrey) Torrey
Eleocharis suksdorffiana Beauv.
Elodea canadensis Rich.
Elymus elymoides var. *brevifolius* (J.G. Sm.) Dorn
Elymus elymoides var. *californicus* (J.G. Sm.) J.P. Sm.
Elymus glaucus ssp. *jepsonii* (Burtt Davy) Gould
Elymus ×gouldii J.P. Sm. & Columbus
Elymus ×hansenii Scribn.
Elymus stebbinsii (Scribner & J.G. Smith) Gould
Elymus trachycaulus ssp. *subsecundus* (Link) Gould
Elymus trachycaulus (Link) Shinn. ssp. *trachycaulus*
Emmenanthe penduliflora var. *rosea* Brand
Encelia actoni Elmer
Encelia farinosa Torrey & A. Gray
Encelia frutescens (Gray) Gray
Encelia virginicensis Nelson
Enemion occidentale (H. & A.) J.R. Drummond & Hutchinson
Ephedra californica S. Watson
Ephedra nevadensis S. Watson
Epilobium campestre (Jeps.) Hoch & W.L. Wagner
Epilobium ciliatum ssp. *glandulosum* (Lehm.) P. Hoch & Raven
Epilobium densiflorum (Lindley) P. Hoch & Raven
Epilobium foliosum (T.& G.) Suksd.
Epilobium glaberrimum Barbey ssp. *glaberrimum*
Epilobium minutum Lindley ex Lehm.
Epilobium oregonense Hausskn.
Epilobium torreyi (S. Watson) P. Hoch & Raven
Equisetum arvense L.
Equisetum hyemale var. *affine* (Engelm.) Calder & R.L. Taylor
Equisetum telmateia ssp. *braunii* (Milde) R.L. Hauke
Equisetum Xferrissii Clute

Common Name

Blochman Live-forever (U, CNPS 1B.1)
 Sea Lettuce (R)
 Agoura Hills Live-forever (R, FT, CNPS 1B.2)
 Canyon Live-forever (R)
 Marcescent Live-forever (R, FT, SR, CNPS 1B.2)
 Santa Monica Mtns. Live-forever (R, FT, CNPS 1B)
 Pygmy Live-forever (U)
 Farinose Live-forever (R)
 Chalky Live-forever (R)
 Verity Live-forever (R, FT, CNPS 1B.2)
 Island Green Live-forever (R, CNPS 1B.2)
Bright Green Live-forever (R, CNPS 1B.2)
 Yellow Mock Aster (R)
 Gulf Barnyard Grass (R)
 Bur Head (U)
 False Daisy (R)
 White Eardrops (R)
 Slender Waterwort (R)
 California Waterwort (R)
 Graceful Spikerush (R)
 Bella Spikerush (R)
 Few-flowered Club-rush (R)
Bald Spikerush (R)
 Sand Spikerush (R)
 Few-flowered Spikerush (R)
 Beaked Spikerush (R)
 Suksdorf's Spikerush (R)
 Common Waterweed (R)
 Shortleaf Squirreltail (R)
 California Squirreltail (R)
 Jepson Blue or Woodland Wildrye (R)
 Gould's Wildrye (R)
 Hansen's Wildrye (R)
 Wheatgrass (R)
 Slender Wheatgrass (R)
 Slender Wheatgrass (R)
 Rose Whispering Bells (R)
 Acton Brittlebush (U)
 Brittlebush, Incienso (R)
 Brittlebush, Incienso (R)
 Brittlebush (R)
 Western Meadow-rue (R)
 California Desert Tea, Cañatillo (R)
 Nevada Ephedra or Mormon-tea (R)
 Smooth Spike-primrose (R)
 Sticky Northern Willow-herb (R)
 Dense-flowered Spike-primrose (R)
 Leafy Spike-primrose (R)
 Waxy Willow-herb (R)
 Chaparral Willowherb (R)
 Oregon Spike-primrose (R)
 Brook Spike-primrose (R)
 Common or Field Horsetail (U)
 Common or Giant Scouring Rush (U)
 Giant Horsetail (U)
 Ferris Horsetail (R)

Scientific Name

| | |
|---|--|
| <i>Eragrostis mexicana</i> var. <i>virescens</i> (C. Presl) Koch & E. Sanchez | |
| <i>Eragrostis pentinacea</i> var. <i>miserrima</i> (Fourn.) Reeder | |
| <i>Eragrostis pectinacea</i> (Michx.) Nees var. <i>pectinacea</i> | |
| <i>Eremalche exilis</i> (A. Gray) E. Greene | |
| <i>Eremalche parryi</i> (E. Greene) E. Greene ssp. <i>parryi</i> | |
| <i>Eremocarya micrantha</i> var. <i>leptidea</i> MacBr. | |
| <i>Eremocarya micrantha</i> (Torrey) E. Greene var. <i>micrantha</i> | |
| <i>Eriastrum densifolium</i> (Benth.) Mason ssp. <i>densifolium</i> | |
| <i>Eriastrum densifolium</i> ssp. <i>mohavense</i> (Craig) H. Mason | |
| <i>Eriastrum eremicum</i> (Jeps.) H. Mason ssp. <i>eremicum</i> | |
| <i>Eriastrum filifolium</i> (Nutt.) Wooton & Standl. | |
| <i>Eriastrum hooveri</i> (Jepson) H. Mason | |
| <i>Eriastrum pluriflorum</i> (A.A. Heller) H. Mason | |
| <i>Eriastrum sapphirinum</i> ssp. <i>dasyanthem</i> (Brand) H. Mason | |
| <i>Ericameria arborescens</i> (A. Gray) E. Greene | |
| <i>Ericameria cooperi</i> (Gray) H.M. Hall var. <i>cooperi</i> | |
| <i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i> | |
| <i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall | |
| <i>Ericameria ericoides</i> (Less.) Jeps. ssp. <i>ericoides</i> | |
| <i>Ericameria nauseosa</i> var. <i>bernardina</i> (Hall) Nesom & Baird | |
| <i>Ericameria nauseosa</i> var. <i>speciosa</i> (Nutt.) Nesom & Baird | |
| <i>Ericameria palmeri</i> var. <i>pachylepis</i> (H.M. Hall) Nesom | |
| <i>Ericameria parryi</i> var. <i>aspera</i> (Greene) G.L. Newson & G.I. Baird | |
| <i>Ericameria teretifolia</i> (Durand & Hilg.) Jepson | |
| <i>Erigeron breweri</i> var. <i>covillei</i> (Greene) G. Neswom | |
| <i>Erigeron glaucus</i> Ker-Gawler | |
| <i>Eriodictyon californicum</i> (Hooker & Arnott) Torrey | |
| <i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i> | |
| <i>Eriodictyon traskiae</i> Eastw. | |
| <i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i> | |
| <i>Eriogonum arborescens</i> Greene | |
| <i>Eriogonum cithariforme</i> var. <i>agninum</i> (E. Greene) Reveal | |
| <i>Eriogonum clavatum</i> Small | |
| <i>Eriogonum covilleanum</i> Eastw. | |
| <i>Eriogonum crocatum</i> Davidson | |
| <i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal | |
| <i>Eriogonum elegans</i> Greene | |
| <i>Eriogonum gracillimum</i> S. Watson | |
| <i>Eriogonum grande</i> Greene var. <i>grande</i> | |
| <i>Eriogonum grande</i> Greene var. <i>rubescens</i> Munz | |
| <i>Eriogonum grande</i> Greene var. <i>timorum</i> Reveal | |
| <i>Eriogonum hirtiflorum</i> S. Watson | |
| <i>Eriogonum hooveri</i> (Reveal) Reveal | |
| <i>Eriogonum inerme</i> (S. Watson) Jeps. | |
| <i>Eriogonum kennedyi</i> ssp. <i>alpinum</i> (Munz & Johnston) Munz & Johnston | Alpine Kennedy Buckwheat (R, CNPS 1B.3) |
| <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston | Southern Mountain Buckwheat (U, CNPS 1B.2) |
| <i>Eriogonum latifolium</i> Smith | Coast or Seaside Buckwheat, Tibinagua (R) |
| <i>Eriogonum moleustum</i> Greene | Pine Buckwheat (U) |
| <i>Eriogonum nudum</i> var. <i>auriculatum</i> (Benth.) J.P. Tracy ex Jeps. | Big-eared Wild Buckwheat (R) |
| <i>Eriogonum ordii</i> S. Watson | Ord Buckwheat (U) |
| <i>Eriogonum ovalifolium</i> Nutt. var. <i>ovalifolium</i> | Cushion Wild Buckwheat (R) |
| <i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal | Payne Dune Buckwheat (U, Type) |
| <i>Eriogonum pusillum</i> T. & G. | Puny Buckwheat (R) |
| <i>Eriogonum spergulinum</i> var. <i>reddingianum</i> (Jones) J.T. Howell | Redding's Wild Buckwheat (U) |
| <i>Eriogonum spergulinum</i> A. Gray var. <i>spergulinum</i> | Spurry Wild Buckwheat (R) |
| <i>Eriogonum thurberi</i> Torrey | Thurber's Wild Buckwheat (R) |

Common Name

| | |
|--|--|
| Orcutt Lovegrass (U) | |
| Spreading Tufted Lovegrass (R) | |
| Tufted Lovegrass (U) | |
| White-flowered Mallow (R) | |
| Parry Mallow (U) | |
| Mountain Red-root Eremocarya (R) | |
| Eremocarya (R) | |
| Woolly Star (R) | |
| Mojave Woolly Star (R) | |
| Woolly Star (R) | |
| Threadleaf Woolly Star (R) | |
| Hoover Woolly Star (R, CNPS 4.2) | |
| Woolly Star (R) | |
| Shaggy-flowered Sapphire Woolly Star (R) | |
| Golden-fleece (U) | |
| Cooper Goldenbush (R) | |
| Wedgeleaf Goldenbush (U) | |
| Spatulate-leaved Goldenbush (R) | |
| Heatherleaf Goldenbush (U) | |
| San Bernardino Rubber Rabbitbrush (R) | |
| White-stemmed Rubber Rabbitbrush (R) | |
| Palmer Goldenbush (U) | |
| Parry Rabbitbrush (R) | |
| Round-leaved Rabbitbrush (R) | |
| Fleabane Daisy (R) | |
| Seaside Daisy (R) | |
| California Yerba Santa (R) | |
| Thickleaf Yerba Santa (U) | |
| Trask Yerba Santa (R) | |
| Yerba Santa (U) | |
| Arborescent Buckwheat (U) | |
| Santa Ynez Wild Buckwheat (R) | |
| Hoover's Little Trumpet (U) | |
| Coville Buckwheat (R) | |
| Conejo or Saffron Buckwheat (R, Type, SR) | |
| Flat-crown Buckwheat (R, Type) | |
| Elegant Buckwheat (U) | |
| Slender Buckwheat (R) | |
| Island Buckwheat (U) | |
| Red Island Buckwheat (U) | |
| San Nicolas Island Buckwheat (U) | |
| Hairy-flowered Buckwheat (U) | |
| Hoover's Little Trumpet (U) | |
| Unarmed Buckwheat (U) | |
| Alpine Kennedy Buckwheat (R, CNPS 1B.3) | |
| Southern Mountain Buckwheat (U, CNPS 1B.2) | |
| Coast or Seaside Buckwheat, Tibinagua (R) | |
| Pine Buckwheat (U) | |
| Big-eared Wild Buckwheat (R) | |
| Ord Buckwheat (U) | |
| Cushion Wild Buckwheat (R) | |
| Payne Dune Buckwheat (U, Type) | |
| Puny Buckwheat (R) | |
| Redding's Wild Buckwheat (U) | |
| Spurry Wild Buckwheat (R) | |
| Thurber's Wild Buckwheat (R) | |

Scientific Name

| | |
|---|--|
| <i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (T. & G.) Jepson | Sulphur-flower Buckwheat (U) |
| <i>Eriogonum umbellatum</i> var. <i>canifolium</i> Reveal | Sulphur Buckwheat (R) |
| <i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal | Sulphur Buckwheat (R) |
| <i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes | Sulphur Buckwheat (R) |
| <i>Eriogonum vimineum</i> Benth. | Wicker-stem Wild Buckwheat (U) |
| <i>Eriogonum viridescens</i> A. Heller | Green Buckwheat (U) |
| <i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps. | Sheathed Wright Buckwheat (R) |
| <i>Eriogonum wrightii</i> var. <i>trachygonum</i> (Torr. ex Benth.) Jeps. | Rough-node Bastardsage (R) |
| <i>Eriogonum wrightii</i> Benth. var. <i>wrightii</i> | Wright's Bastardsage (R) |
| <i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (E. Greene) Jepson | Tansy-leaved Woolly Yarrow (R, CNPS 4.3) |
| <i>Eriophyllum jepsonii</i> Greene | Jepson Woolly Yarrow (R, CNPS 4.3) |
| <i>Eriophyllum staechadifolium</i> Lagasca | Seaside Woolly Sunflower (R) |
| <i>Eryngium vaseyi</i> J. Coulter & Rose | Coyote Thistle or Button-celery (R) |
| <i>Erysimum insulare</i> E. Greene | Island Wallflower (R, CNPS 1B.3) |
| <i>Erysimum moniliforme</i> Eastwood | Yellow Wallflower (R) |
| <i>Erysimum suffrutescens</i> (Abrams) Rossbach | Suffrutescent Wallflower (R, CNPS 4.2) |
| <i>Eschscholzia hypocoides</i> Bentham | Gypsum Poppy (R) |
| <i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i> | Lemmon Poppy (R) CNPS List 4 |
| <i>Eschscholzia minutiflora</i> S. Watson | Tiny-flowered Poppy (R) |
| <i>Eschscholzia ramosa</i> (Greene) Greene | Island Poppy (R) |
| <i>Euphorbia crenulata</i> Engelmann | Chinese Caps (R) |
| <i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i> | Wood Spurge (R) |
| <i>Euphorbia spathulata</i> Lam. | Spurge (R) |
| <i>Extriplex californica</i> (Moq.) E.H. Zacharias | California Saltbush (U) |
| <i>Festuca rubra</i> L. | Red Fescue (R) |
| <i>Fimbristylis thermalis</i> S. Watson | Hot-Springs Fimbristylis (R) |
| <i>Forestiera pubescens</i> Nutt. | Desert Olive, Dwarf Swamp Privet (U) |
| <i>Fraxinus velutina</i> Torrey | Velvet or Arizona Ash (U) |
| <i>Fritillaria agrestis</i> E. Greene | Stink Bells (R, CNPS 4.2) |
| <i>Fritillaria biflora</i> Lindley var. <i>biflora</i> | Chocolate Lily, Mission Bells (U) |
| <i>Fritillaria ojaiensis</i> A. Davidson | Ojai Fritillary (Type, CNPS 1B.2) |
| <i>Fritillaria pinetorum</i> A. Davidson | Pine Fritillary (R, CNPS 4.3) |
| <i>Funastrum cynanchoides</i> var. <i>hartwegii</i> (Vail) Krings | Climbing Milkweed (R) |
| <i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb. | Channel Islands Bedstraw (R, Type) |
| <i>Galium angustifolium</i> ssp. <i>gabrielense</i> (Munz & I.M. Johnst.) Dempster & Stebb. | San Antonio Canyon Bedstraw (R, 4.3) |
| <i>Galium bifolium</i> S. Watson | Low Mountain Bedstraw (R) |
| <i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i> | California Bedstraw (R) |
| <i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb. | California Bedstraw (R) |
| <i>Galium cliftonsmithii</i> (Dempster) Dempster & Stebb. | Santa Barbara Bedstraw (R, CNPS 4.3) |
| <i>Galium trifidum</i> var. <i>pacificum</i> Wiegand | Coastal Bedstraw (R) |
| <i>Galium triflorum</i> Michaux | Sweet-scented Bedstraw (R) |
| <i>Gamochaeta ustulata</i> (Nutt.) Holub | Purple Everlasting (R) |
| <i>Garrya elliptica</i> Lindley | Silk-tassel Bush (R) |
| <i>Gaura coccinea</i> Pursh | Wild Honeysuckle, Linda Tarde (U) |
| <i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski | Hybrid Gayophytum (R) |
| <i>Gayophytum humile</i> A.L. Juss. | Low Gayophytum (R) |
| <i>Gayophytum racemosum</i> T. & G. | Black-foot Gayophytum (R) |
| <i>Geranium californicum</i> G. Jones & F. Jones | California Geranium (R) |
| <i>Geranium carolinianum</i> L. | Cranesbill, Carolina Geranium (R) |
| <i>Geranium viscosissimum</i> Fischer & C. Meyer | Sticky Cranesbill (R) |
| <i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i> | California or Yarrow-leaved Gilia (U) |
| <i>Gilia achilleifolia</i> Benth. ssp. <i>multicaulis</i> (Benth.) V. & A. Grant | Many-stemmed California Gilia (R) |
| <i>Gilia aliquanta</i> A. D. Grant & V. E. Grant | Puff-calyx Gilia (R) |
| <i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E.Grant | Southwestern Gilia (R) |
| <i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i> | Breccia Gilia (U) |
| <i>Gilia brecciarum</i> ssp. <i>jacens</i> (A. Grant & V. Grant) Day | Purple-flowered Breccia Gilia (R) |

Common Name

| | |
|--|--|
| Sulphur-flower Buckwheat (U) | |
| Sulphur Buckwheat (R) | |
| Sulphur Buckwheat (R) | |
| Sulphur Buckwheat (R) | |
| Wicker-stem Wild Buckwheat (U) | |
| Green Buckwheat (U) | |
| Sheathed Wright Buckwheat (R) | |
| Rough-node Bastardsage (R) | |
| Wright's Bastardsage (R) | |
| Tansy-leaved Woolly Yarrow (R, CNPS 4.3) | |
| Jepson Woolly Yarrow (R, CNPS 4.3) | |
| Seaside Woolly Sunflower (R) | |
| Coyote Thistle or Button-celery (R) | |
| Island Wallflower (R, CNPS 1B.3) | |
| Yellow Wallflower (R) | |
| Suffrutescent Wallflower (R, CNPS 4.2) | |
| Gypsum Poppy (R) | |
| Lemmon Poppy (R) CNPS List 4 | |
| Tiny-flowered Poppy (R) | |
| Island Poppy (R) | |
| Chinese Caps (R) | |
| Wood Spurge (R) | |
| Spurge (R) | |
| California Saltbush (U) | |
| Red Fescue (R) | |
| Hot-Springs Fimbristylis (R) | |
| Desert Olive, Dwarf Swamp Privet (U) | |
| Velvet or Arizona Ash (U) | |
| Stink Bells (R, CNPS 4.2) | |
| Chocolate Lily, Mission Bells (U) | |
| Ojai Fritillary (Type, CNPS 1B.2) | |
| Pine Fritillary (R, CNPS 4.3) | |
| Climbing Milkweed (R) | |
| Channel Islands Bedstraw (R, Type) | |
| San Antonio Canyon Bedstraw (R, 4.3) | |
| Low Mountain Bedstraw (R) | |
| California Bedstraw (R) | |
| California Bedstraw (R) | |
| Santa Barbara Bedstraw (R, CNPS 4.3) | |
| Coastal Bedstraw (R) | |
| Sweet-scented Bedstraw (R) | |
| Purple Everlasting (R) | |
| Silk-tassel Bush (R) | |
| Wild Honeysuckle, Linda Tarde (U) | |
| Hybrid Gayophytum (R) | |
| Low Gayophytum (R) | |
| Black-foot Gayophytum (R) | |
| California Geranium (R) | |
| Cranesbill, Carolina Geranium (R) | |
| Sticky Cranesbill (R) | |
| California or Yarrow-leaved Gilia (U) | |
| Many-stemmed California Gilia (R) | |
| Puff-calyx Gilia (R) | |
| Southwestern Gilia (R) | |
| Breccia Gilia (U) | |
| Purple-flowered Breccia Gilia (R) | |

Scientific Name

| Common Name |
|--|
| <i>Gilia capillaris</i> Kellogg |
| <i>Gilia interior</i> (Mason & A. Grant) A. Grant |
| <i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant |
| <i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant |
| <i>Gilia latiflora</i> (Gray) Gray ssp. <i>latiflora</i> |
| <i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant |
| <i>Gilia malior</i> A.G. Day & V.E. Grant |
| <i>Gilia millefoliata</i> Fisch. & C. A. Mey. |
| <i>Gilia minor</i> A.D. Grant & V.E. Grant |
| <i>Gilia modocensis</i> Eastwood |
| <i>Gilia nevini</i> Gray |
| <i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A.& V. Grant |
| <i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i> |
| <i>Gilia sinuata</i> Benth. |
| <i>Gilia tenuiflora</i> Benth. ssp. <i>tenuiflora</i> |
| <i>Gilia tetrabreccia</i> A. & V. Grant |
| <i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant |
| <i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i> |
| <i>Grayia spinosa</i> (Hook.) Moq. |
| <i>Grindelia camporum</i> E. Greene var. <i>camporum</i> |
| <i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i> |
| <i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane |
| <i>Grindelia Xlatifolia</i> Kellogg ssp. <i>latifolia</i> |
| <i>Hazardia cana</i> (A. Gray) E. Greene |
| <i>Hazardia detonsa</i> (Greene) Greene |
| <i>Helenium bigelovii</i> Gray |
| <i>Helianthemum scoparium</i> Nutt. |
| <i>Helianthus gracilentus</i> Gray |
| <i>Hesperevax acaulis</i> var. <i>robustior</i> Morefield |
| <i>Hesperochiron californicus</i> (Benth.) S. Watson |
| <i>Hesperochiron pumilus</i> (Griseb.) Porter |
| <i>Hesperocnide tenella</i> Torrey |
| <i>Hesperoyucca [Yucca] whipplei</i> ssp. <i>intermedia</i> A.L. Haines |
| <i>Hesperoyucca whipplei</i> ssp. <i>percursa</i> (A.L. Haines) J.M. Weber |
| <i>Heterocodon rariflorum</i> Nuttall |
| <i>Heterotheca subaxillaris</i> ssp. <i>laxifolia</i> (Buckley) Semple |
| <i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple |
| <i>Heterotheca sessiliflora</i> (Nuttall) Shinners ssp. <i>sessiliflora</i> |
| <i>Heterotheca villosa</i> (Pursh) Shinners var. <i>hispida</i> (Hook.) V. Harms |
| <i>Heuchera abramsii</i> Rydb. |
| <i>Heuchera caespitosa</i> Eastw. |
| <i>Heuchera elegans</i> Abrams |
| <i>Heuchera maxima</i> Greene |
| <i>Hieracium albiflorum</i> Hooker |
| <i>Hieracium horridum</i> Fries |
| <i>Hoffmannseggia glauca</i> (Ortega) Eifert |
| <i>Hoita orbicularis</i> (Lindley) Rydb. |
| <i>Hollisteria lanata</i> S. Watson |
| <i>Holocarpha heermannii</i> (E. Greene) Keck |
| <i>Holodiscus discolor</i> (Pursh) Maxim. var. <i>discolor</i> |
| <i>Holodiscus discolor</i> var. <i>macrophyllus</i> (Rydb.) Jeps. |
| <i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i> |
| <i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb. |
| <i>Hordeum intercedens</i> Nevski |
| <i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i> |
| <i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck |
| Miniature or Smooth-leaved Gilia (R) |
| Slender-flowered Gilia (R) |
| Cuyama Gilia (U, CNPS 4.3) |
| Davy Broad-flowered Gilia (R) |
| Broad-flowered Gilia (R) |
| Gabriel Trumpet (U, CNPS 4.3) |
| Scrub Gilia (R) |
| Dark-eyed Gilia (R) |
| Little Gilia (U) |
| Modoc Gilia (R) |
| Nevin Gilia (U) |
| Volcanic Gilia (R) |
| Volcanic Gilia (R) |
| Sinuate Gilia (R) |
| Greater Yellowthroat Gilia (R) |
| Mount Piños Gilia (U) |
| Desert Gilia (U) |
| Southern Bluecup (R) |
| Hop-sage (R) |
| Great Valley Gumplant (R) |
| Hirsute Gumplant (U, Type) |
| Island Gumplant (R) |
| Coastal Gumplant (R) |
| San Clemente Island Gumplant (R) |
| Island Goldenbush (U, CNPS 4.3) |
| Bigelow Sneezeweed (U) |
| Peak Rushrose (U) |
| Wild Mountain or Slender Sunflower (U) |
| Robust Dwarf Evax (R) |
| California Hesperochiron (R) |
| Hesperochiron (R) |
| Western Nettle (U) |
| Intermediate Our Lord's Candle (R) |
| Our Lord's Candle (R) |
| Western Pearl-flower (R) |
| False Goldenaster (R) |
| Camphor Goldenaster (R) |
| Beach Goldenaster (R) |
| Woolly Goldenaster (R) |
| Abrams Alumroot (R, CNPS 4.3) |
| Urn-flowered Alumroot (R, CNPS 4.3) |
| Urn-flowered Alumroot (R) |
| Island Alumroot (R, CNPS 1B.2) |
| White-flowered Hawkweed (R) |
| Shaggy or Woolly Hawkweed (R) |
| Pig-nut, Hog Potato (R) |
| Round-leaved Hoita (R) |
| Hollisteria (R) |
| Heermann Tarplant (U) |
| Oceanspray, Cream Bush (U) |
| Rock Spiraea (R) |
| Meadow Barley (U) |
| Low Barley (R) |
| Vernal Barley (U, CNPS 3.2) |
| Wedgeleaf Horkelia (R) |
| Fuzzy Horkelia (R, CNPS 1B.1) |

Scientific Name

Horkelia rydbergii Elmer
Hosackia crassifolia Benth. var. *crassifolia*
Hosackia oblongifolia var. *cuprea* (Greene) Brouillet
Hosackia oblongifolia Benth. var. *oblongifolia*
Hosackia stipularis Benth. var. *stipularis*
Hulsea heterochroma Gray
Hulsea vestita ssp. *gabrielensis* Wilken
Hulsea vestita ssp. *parryi* (A. Gray) Wilken
Hutchinsia procumbens (L.) Desv.
Hydrocotyle verticilata Thunb.
Hypericum formosum var. *scouleri* (Hook.) J. Coulter
Imperata brevifolia Vasey
Iris missouriensis Nuttall
Isocoma acradenia var. *bracteosa* (E. Greene) G.L. Nesom
Isoëtes howellii Engelm. var. *howellii*
Isoëtes howellii var. *minima* (A.A. Eaton) N.E. Pfeiffer
Isoëtes nuttallii A. Braun
Isolepis cernua (Vahl) Roemer & Schultes var. *cernua*
Iva hayesiana A. Gray
Ivesia santolinoides A. Gray
Ivesia saxosa (Greene) B. Ertter
Jaumea carnosa (Less.) Gray
Jensia yosemitana (Parry ex A. Gray) B.G. Baldwin
Jepsonia malvifolia (Greene) Small
Johnstonella micromerces (A. Gray) Hasenstab & M.G. Simpson
Juglans californica S. Watson var. *californica*
Juncus acutus ssp. *leopoldii* (Parl.) Snogerup
Juncus arcticus ssp. *vallicola* (Rydb.) Lint
Juncus balticus Willd. var. *ater* (Rydb.) Snogerup
Juncus breweri Engelm.
Juncus bufonius var. *congestus* Wahlenb.
Juncus bufonius var. *occidentalis* F.J. Hermann
Juncus confusus Cov.
Juncus effusus ssp. *austrocalifornicus* H.L. Lint ex Zita
Juncus ensifolius Wikström var. *ensifolius*
Juncus lescurii Bolander
Juncus macrandrus Cov.
Juncus nevadensis S. Watson var. *nevadensis*
Juncus occidentalis (Coville) Wiegand
Juncus oxymeris Engelm.
Juncus patens E. Meyer
Juncus phaeocephalus var. *paniculatus* Engelm.
Juncus phaeocephalus Engelm. var. *phaeocephalus*
Juncus rugulosus Engelm.
Juncus tiehmii Ertter
Juncus torreyi Coville
Juniperus occidentalis Hook.
Keckiella breviflora var. *glabrisepala* (D.D. Keck) N.H. Holmgren
Krascheninnikovia lanata (Pursh) A.D.J. Meeuse & Smit
Laennecia coulteri (A. Gray) G.L. Nesom
Lastarriaea coriacea (Goodman) Hoover
Lasthenia coronaria (Nutt.) Ornduff
Lasthenia ferrisiae Ornduff
Lasthenia glabrata ssp. *coulteri* (Gray) Ornduff
Lathyrus vestitus ssp. *alefeldii* (T.G. White) Broich
Lathyrus vestitus ssp. *bolanderi* (S. Watson) C. Hitchc.

Common Name

Rydberg Horkelia (U)
Broad-leaved Hosackia (U)
Stream Trefoil (R)
Narrow-leaved Hosackia, Stream Trefoil (U)
Balsam Lotus (R)
Red-rayed Hulsea (R)
San Gabriel Hulsea (R, CNPS 4.3)
Parry's Sunflower (R, CNPS 4.3)
Desert Hutchinsia (U)
Marsh Pennywort (R)
St. John's Wort (R)
Satintail (R, CNPS 2.1)
Western Blue Flag [Iris] (U)
Desert Goldenbush (R)
Howell Quillwort (R)
Small Howell Quillwort (R)
Nuttall Quillwort (R)
Low Clubrush (U)
San Diego Marsh-elder (R)
Mousetail Ivesia (R)
Five-finger Silverweed (R)
Fleshy Jaumea (U)
Yosemite Tarplant (R)
Island Jepsonia (R, CNPS 4.2)
Minute-flowered Forget (U)
Southern California Black Walnut (CNPS 4.2)
Spiny Rush (U, CNPS 4.2)
Valley Baltic Rush (R)
Rocky Mountain Rush (R)
Brewer Rush (R)
Congested Rush (R)
Western Toad Rush (R)
Colorado Rush (R)
Pacific Rush (U)
Swordleaf or Three-stamen Rush (R)
Salt Rush (R)
Long-anthered Rush (R)
Sierra Rush (R)
Western Rush (R)
Iris-leaved or Pointed Rush (R)
Spreading Rush (R)
Brown-fruited Rush (R)
Brown-fruited Rush (R)
Wrinkled Rush (U)
Tiehm's Rush (R)
Torrey Rush (R)
Western Juniper (R)
Naked Stubflower Bush Penstemon (R)
Winter Fat (R)
Coast Horseweed (U)
Lastarriaea (R)
Crown-pappus Goldfields (R)
Ferris Goldfields (R, CNPS 4.2)
Rayless Goldfields (R, CNPS 1B.1)
Alefeld's Pacific Peavine (R)
White-petaled Peavine (R)

Scientific Name

| Scientific Name | Common Name |
|---|--|
| <i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich | Pacific Peavine (U, Type) |
| <i>Lavatera assurgentiflora</i> Kellogg ssp. <i>assurgentiflora</i> | Malva Rose (R) |
| <i>Layia glandulosa</i> ssp. <i>lutea</i> Keck | Yellow Layia (U) |
| <i>Layia glandulosa</i> ssp. <i>rosea</i> Gray | Rose Layia (R, Type) |
| <i>Layia heterotricha</i> (DC.) Hook. & Arn. | Pale-yellow Layia (R, CNPS 1B.1) |
| <i>Layia leucopappa</i> D.D. Keck | Comanche Point Layia (R, CNPS 1B.1) |
| <i>Layia pentachaeta</i> ssp. <i>albida</i> Keck | White Tidy Tips (R) |
| <i>Layia platyglossa</i> (Fischer & C. Meyer) A. Gray | Tidy Tips (U) |
| <i>Lemna aequinoctialis</i> Welw. | Lesser Duckweed (R) |
| <i>Lemna gibba</i> L. | Gibbose Duckweed (R) |
| <i>Lemna minor</i> L. | Duckweed (R) |
| <i>Lemna minuta</i> Kunth | Tiny Duckweed (U) |
| <i>Lemna turionifera</i> Landolt | Duckweed (R) |
| <i>Lemna valdiviana</i> Philippi | Big Duckweed (U) |
| <i>Lepechinia calycina</i> (Bentham) Epling | Pitcher Sage (R) |
| <i>Lepechinia fragrans</i> (E. Greene) Epling | Fragrant Pitcher Sage (R, CNPS 4.2) |
| <i>Lepechinia rossii</i> S. Boyd & O. Mistretta | Ross' Pitcher Sage (R, CNPS 1B.2) |
| <i>Lepidium dictyonum</i> A. Gray | Veiny Peppergrass (R) |
| <i>Lepidium lasiocarpum</i> Nutt. var. <i>lasiocarpum</i> | Hairy-pod Peppergrass (U) |
| <i>Lepidium oblongum</i> Small | Oblong Peppergrass (U) |
| <i>Lepidium strictum</i> (S. Watson) Rattan | Prostrate Peppergrass (R) |
| <i>Lepidium virginicum</i> var. <i>menziesii</i> (DC.) Thellung | Hairy Poorman's Peppergrass (U, CNPS 1B.2) |
| <i>Lepidium virginicum</i> var. <i>pubescens</i> (Greene) Thell. | Hairy Poorman's Peppergrass (R) |
| <i>Leptodactylon pungens</i> ssp. <i>hallii</i> (Parish) H. Mason | Granite Prickly Phlox (R) |
| <i>Leptodactylon pungens</i> ssp. <i>pulchriflorum</i> (Brand) H. Mason | Granite Prickly Phlox (U) |
| <i>Leptosiphon androsaceus</i> Bentham | Baby Tears (R) |
| <i>Leptosiphon bicolor</i> Nuttall | Bicolored Linanthus (R) |
| <i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson | Short-stemmed Linanthus (R) |
| <i>Leptosiphon ciliatus</i> (Benth.) Jepson | Whisker Brush (R) |
| <i>Leptosiphon liniflorus</i> (Bentham) J.M. Porter & L.A. Johnson | Narrow Flaxflower (U) |
| <i>Leptosiphon nudatus</i> (E. Greene) J.M. Porter & L.A. Johnson | Tehachapi Linanthus or Flaxflower (R) |
| <i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i> (Raven) Porter & Johnson | Continental Pygmy Linanthus (R) |
| <i>Leptosyne californica</i> Nuttall | California Coreopsis (R) |
| <i>Leptosyne calliopsidea</i> (DC.) A. Gray | Leafy-stemmed Coreopsis (R) |
| <i>Lessingia glandulifera</i> var. <i>peirsonii</i> (J.T. Howell) Markos | Peirson's Lessingia (R) |
| <i>Lessingia leptoclada</i> A. Gray | Sierra Lessingia (R) |
| <i>Lessingia pectinata</i> var. <i>tenuipes</i> (J.T. Howell) Markos | Sticky Lessingia (R) |
| <i>Lessingia tenuis</i> (Gray) Cov. | Spring Lessingia (U, Type, CNPS 4.3) |
| <i>Lewisia nevadensis</i> (A. Gray) Robinson | Sierra Nevada Bitterroot (R) |
| <i>Lewisia pygmaea</i> (A. Gray) Robinson | Pygmy Bitterroot (R) |
| <i>Lewisia rediviva</i> ssp. <i>minor</i> (Rydb.) Munz | Small Bitterroot (U) |
| <i>Leymus cinereus</i> A. Löve | Cespitose Wildrye (R) |
| <i>Leymus Xhansenii</i> Scribnier | Hansen's Wildrye (R) |
| <i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne | Ocellated Humboldt Lily (U, CNPS 4.2) |
| <i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i> | Leopard Lily (R) |
| <i>Limonium californicum</i> (Boiss.) A.A. Heller | Marsh Rosemary (R) |
| <i>Limosella acaulis</i> Sesse & Mocino | Tufted Mudwort (R) |
| <i>Linanthus bigelovii</i> (Gray) Greene | Bigelow Linanthus (R) |
| <i>Linanthus dianthiflorus</i> (Benth.) Greene | Ground Pink (U) |
| <i>Linanthus parryae</i> (Gray) Greene | Parry Linanthus (R) |
| <i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>canadensis</i> | Toadflax (R) |
| <i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>texana</i> (Scheele) Pennell | Toadflax (U) |
| <i>Linum lewisii</i> Pursh | Western Blue Flax (U) |
| <i>Lipocarpha micrantha</i> (M. Vahl.) G.C. Tucker | Tiny Lipocarpha (R) |
| <i>Lithophragma cymbalaria</i> T. & G. | Mission Star (U) |
| <i>Lithophragma glabrum</i> Nuttall | Smooth Star (R) |

Scientific Name

| Common Name |
|---|
| <i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G. |
| <i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i> |
| <i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh |
| <i>Loeflingia squarrosa</i> Nuttall var. <i>squarrosa</i> |
| <i>Loeseliastrum schottii</i> S. Timbrook |
| <i>Lomatium californicum</i> (T. & G.) Mathias & Constance |
| <i>Lomatium caruifolium</i> (H. & A.) J.M. Coulter & Rose var. <i>caruifolium</i> |
| <i>Lomatium dissectum</i> var. <i>multifidum</i> (T. & G.) Mathias & Constance |
| <i>Lomatium insulare</i> (Eastw.) Munz |
| <i>Lomatium lucidum</i> (T. & G.) Jeps. |
| <i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose |
| <i>Lomatium mohavense</i> (Coulter. & Rose) Coulter. & Rose ssp. <i>mohavense</i> |
| <i>Lomatium nevadense</i> var. <i>parishii</i> (J.M. Coulter.) Jeps. |
| <i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps. |
| <i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose |
| <i>Lonicera interrupta</i> Benth. |
| <i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i> |
| <i>Ludwigia palustris</i> (L.) Elliot |
| <i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i> |
| <i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith |
| <i>Lupinus agardhianus</i> Heller |
| <i>Lupinus albicaulis</i> Hooker |
| <i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh) C.P. Smith |
| <i>Lupinus andersonii</i> S. Watson |
| <i>Lupinus arboreus</i> Sims var. <i>arboreus</i> |
| <i>Lupinus benthamii</i> A. Heller var. <i>benthamii</i> |
| <i>Lupinus breweri</i> Gray var. <i>breweri</i> |
| <i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith |
| <i>Lupinus chamissonis</i> Eschsch. |
| <i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn |
| <i>Lupinus concinnus</i> spp. <i>orcuttii</i> (S. Watson) D. Dunn |
| <i>Lupinus elatus</i> I.M. Johnston |
| <i>Lupinus excubitus</i> var. <i>austromontanus</i> (A.A. Heller) C.P. Smith |
| <i>Lupinus excubitus</i> var. <i>johnstonii</i> C.P. Smith |
| <i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith |
| <i>Lupinus latifolius</i> J. Agardh var. <i>latifolius</i> |
| <i>Lupinus latifolius</i> var. <i>parishii</i> C.P. Smith |
| <i>Lupinus lepidus</i> var. <i>confertus</i> (Kellogg) C.P. Smith |
| <i>Lupinus luteolus</i> Kellogg |
| <i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps. |
| <i>Lupinus microcarpus</i> var. <i>horizontalis</i> (A.A. Heller) Jeps. |
| <i>Lupinus nanus</i> Benth. |
| <i>Lupinus paynei</i> Davidson |
| <i>Lupinus polyphyllus</i> var. <i>burkei</i> (S. Watson) C. Hitchc. |
| <i>Lycium andersonii</i> Gray |
| <i>Lycium californicum</i> Nuttall ex Gray |
| <i>Lycium verrucosum</i> Eastwood |
| <i>Madia elegans</i> ssp. <i>densifolia</i> (E. Greene) Keck |
| <i>Madia elegans</i> ssp. <i>vernalis</i> Keck |
| <i>Madia elegans</i> ssp. <i>wheeleri</i> (Gray) Keck |
| <i>Madia exigua</i> (Smith) A. Gray |
| <i>Madia sativa</i> Molina |
| <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie |
| <i>Maianthemum stellatum</i> (L.) Link |
| <i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney |
| <i>Malacothamnus marrubiooides</i> (D. & H.) Greene |
| Hill Star (R) |
| Prairie Star (R) |
| Rothrock (Ojai) Lobelia (Type Locality only) |
| California Loeflingia (R) |
| Schott Loeseliastrum (R) |
| California Lomatium (R) |
| Alkali Desertparsley (R) |
| Carrotleaf Biscuitroot (R) |
| San Nicolas Island Lomatium (R) |
| Shiny Lomatium (R) |
| Large-fruited Lomatium (R) |
| Desert-parsley (U) |
| Parish's Lomatium (R) |
| Small-leaved Lomatium (R) |
| Foothill Lomatium (U) |
| Chaparral Honeysuckle (U) |
| Santa Ynez Mountains Honeysuckle (R) |
| Streamside Water Primrose (R) |
| Silky Lupine (R) |
| Wavyleaf Silky Lupine (R) |
| Lupine (R) |
| Whitestem Lupine (R) |
| Island Silver Bush Lupine (R) |
| Anderson Lupine (U) |
| Yellow Bush Lupine (U) |
| Spider Lupine (R) |
| Brewer Mat Lupine (U) |
| Alpine Brewer Lupine (U) |
| Coastal Bush Lupine (R) |
| Bajada Lupine (R) |
| Orcutt Bajada Lupine (R) |
| Silky Lupine (CNPS 4.3) |
| Southern Mountain Bush Lupine (U) |
| Johnston Bush Lupine (R) |
| Summer Bush Lupine (R) |
| Broad-leaved Lupine (R) |
| Parish Broad-leaved Lupine (U) |
| Prairie Lupine (U) |
| Butter Lupine (U) |
| Densely Red-flowered Lupine (R) |
| Prostrate Red-flowered Lupine (U, Type) |
| Small Lupine (U) |
| Payne's Bush Lupine (R, Type) |
| Large-leaved Lupine (R) |
| Anderson Desert-thorn (R) |
| California Desert-thorn (R) |
| San Nicolas Island Desert-thorn (R, Type) |
| Dense-flowered Tarplant or Madia (R) |
| Vernal Tarplant or Madia (R) |
| Wheeler Tarplant or Madia (U) |
| Small or Threadstem Tarplant or Madia (R) |
| Coast Tarplant (R) |
| False Solomon's Seal, Wild Lily of the Valley (R) |
| False Solomon's Seal, Wild Lily of the Valley (R) |
| Lax-flowered Bushmallow (R) |
| Pink-flowered Bush[Globe]mallow (U) |

| <u>Scientific Name</u> | <u>Common Name</u> |
|--|---|
| <i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene | Roundleaf Bushmallow (U) |
| <i>Malacothamnus nuttallii</i> Abrams | Nuttall Bushmallow (Type) |
| <i>Malacothrix clevelandii</i> Gray | Cleveland Cliff-aster (U) |
| <i>Malacothrix coulteri</i> Gray | Snake-head (R) |
| <i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i> | Leafy Cliff-aster (R, CNPS 4.2) |
| <i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis | Leafy Cliff-aster (R, CNPS 1B.2) |
| <i>Malacothrix foliosa</i> ssp. <i>polyccephala</i> W.S. David | Many-headed Leafy Cliff-aster (R) |
| <i>Malacothrix glabrata</i> A. Gray | Desert Dandelion (R) |
| <i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray var. <i>incana</i> | Dunedelion (U, CNPS 4.3) |
| <i>Malacothrix junakii</i> W.S. Davis | Junak Dandelion (R, Type, CNPS 1B.1) |
| <i>Malacothrix phaeocarpa</i> W.S. Davis | Brown-fruited Dandelion (R, CNPS 4.3) |
| <i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris | Cliff-aster (R) |
| <i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris | Cliff-aster (U) |
| <i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall | Implicated Cliff-aster (U, Type) |
| <i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i> | Cliff-aster (CNPS 4.2) |
| <i>Malacothrix similis</i> Davis & Raven | Mexican Cliff-aster (R, CNPS 1A) |
| <i>Malacothrix squalida</i> Greene | Island Dandelion (R, CNPS 1B.1) |
| <i>Marah macrocarpus</i> var. <i>major</i> (Dunn) Stocking | Island Man-root (R) |
| <i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i> | Hairy Pepperwort, Clover Fern (R) |
| <i>Meconella denticulata</i> E. Greene | Tiny Poppy (R) |
| <i>Melica californica</i> Scribner var. <i>californica</i> | California Melic Grass (U) |
| <i>Melica frutescens</i> Scribner | Melic Grass (R) |
| <i>Melica stricta</i> Bolander var. <i>albicaulis</i> | Whitestem Rock Melic Grass (R) |
| <i>Mentha arvensis</i> L. | Field Mint (R) |
| <i>Mentzelia affinis</i> Greene | Stickleleaf (R) |
| <i>Mentzelia albicaulis</i> (Hook.) T. & G. | Whitestem Stickleleaf (R) |
| <i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i> | Congested Stickleleaf (U) |
| <i>Mentzelia congesta</i> var. <i>davidsoniana</i> (Abrams) J.F. Macbr. | Ventana Stickleleaf (R) |
| <i>Mentzelia dispersa</i> S. Watson | Scattered Stickleleaf (R) |
| <i>Mentzelia eremophila</i> (Jeps.) H.J. Thomps. & J.E. Roberts | Pinyon Blazing Star (4.2, R) |
| <i>Mentzelia gracilenta</i> T. & G. | Slender Stickleleaf (R) |
| <i>Mentzelia micrantha</i> (Hook. & Arnott) T. & G. | Tiny-flowered Stickleleaf (U) |
| <i>Mentzelia pectinata</i> Kellogg | Stickleleaf (R) |
| <i>Mentzelia veatchiana</i> Kellogg | Veatch Stickleleaf (R) |
| <i>Micranthes bryophora</i> (A. Gray) Brouillet & Gornall | Saxifrage (R) |
| <i>Microseris douglasii</i> (DC.) Schultz-Bip. ssp. <i>douglasii</i> | Douglas Microseris (R) |
| <i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers | Slender Douglas Microseris (R) |
| <i>Microseris elegans</i> A. Gray | Elegant Microseris (R) |
| <i>Mimulus androsaceus</i> Greene | Naked Sepal Monkeyflower (U) |
| <i>Mimulus aurantiacus</i> var. <i>parviflorus</i> (Greene) D.M. Thompson | Bush Monkeyflower (R) |
| <i>Mimulus bigelovii</i> (Gray) Gray var. <i>bigelovii</i> | Bigelow Monkeyflower (R) |
| <i>Mimulus bolanderi</i> Gray | Bolander Monkeyflower (R) |
| <i>Mimulus breweri</i> (E. Greene) Cov. | Brewer Monkeyflower (R) |
| <i>Mimulus congdonii</i> Robinson | Congdon Monkeyflower (R) |
| <i>Mimulus constrictus</i> (A.L. Grant) Pennell | Narrow-throated Monkeyflower (U) |
| <i>Mimulus constrictus</i> (A.L. Grant) Pennell X <i>Mimulus johnstonii</i> A.L. Grant | Hybrid Narrow-throated Monkeyflower (U) |
| <i>Mimulus flemingii</i> Munz | Island Bush Monkeyflower (R, CNPS 4.3) |
| <i>Mimulus floribundus</i> Lindley | Floriferous Monkeyflower (U) |
| <i>Mimulus fremontii</i> (Benth.) Gray var. <i>fremontii</i> | Fremont Monkeyflower (U) |
| <i>Mimulus longiflorus</i> var. <i>rutilus</i> A. Grant | Red Sticky Bush Monkeyflower (R) |
| <i>Mimulus moschatus</i> var. <i>longiflorus</i> A. Gray | Musk Monkeyflower (R) |
| <i>Mimulus parishii</i> E. Greene | Parish's Monkeyflower (R) |
| <i>Mimulus primuloides</i> Benth. var. <i>primuloides</i> | Primrose Monkeyflower (U) |
| <i>Mimulus puniceus</i> Nuttall | Red Bush Monkeyflower (R) |
| <i>Mimulus rattanii</i> Gray | Rattan's Monkeyflower (R) |
| <i>Mimulus rubellus</i> Gray | Little Redstem Monkeyflower (R) |

Scientific Name

Mimulus suksdorffii Gray
Mimulus tilingii Regel
Minuartia pusilla (S. Watson) Mattf.
Mirabilis laevis var. *villosa* (Kellogg) Spellenberg
Mirabilis multiflora var. *pubescens* S. Watson
Monanthochloe littoralis Engelm.
Monardella australis Abrams
Monardella hypoleuca Gray ssp. *hypoleuca*
Monardella linoides A. Gray ssp. *linoides*
Monardella linoides ssp. *oblonga* (Greene) Abrams
Monardella linoides ssp. *stricta* (Parish) Epling
Monardella sinuata A.C. Sanders & M.A. Elvin ssp. *sinuata*
Monardella undulata Benth. ssp. *undulata*
Monolepis nuttalliana (Schultes) E. Greene
Monolopia lanceolata Nuttall
Monolopia major DC.
Montia chamissoi (Ledeb. Ex Spreng.) Greene
Morella californica (Chamisso & Schltdl.) Wilbur
Mucronea californica Benth. var. *californica*
Mucronea perfoliata (Gray) A.A. Heller var. *perfoliata*
Muhlenbergia andina (Nuttall) A. Hitchc.
Muhlenbergia asperifolia (Nees & Meyen) Parodi
Muhlenbergia filiformis (Thurb. ex S. Watson) Rydb. var. *filiformis*
Muhlenbergia richardsonis (Trin.) Rydberg
Muhlenbergia utilis (Torrey) A. Hitchc.
Muilla maritima (Torrey) S. Watson
Myosurus apetalus var. *montanus* Whittemore
Myosurus minimus L.
Myriophyllum hippuroides Torrey & A. Gray
Najas guadalupensis (Sprengel) Magnus
Najas marina L.
Navarretia atractyloides (Benth.) Hook. & Arn.
Navarretia hamata E. Greene ssp. *hamata*
Navarretia mellita E. Greene
Navarretia ojaiensis Elvin, J.M. Porter & L.A. Johnson
Navarretia peninsularis Greene
Navarretia squarrosa (Eschsch.) Hook. & Arn.
Nemacladus californicus (A. Gray) Morin
Nemacladus capillaris Greene
Nemacladus glandulerus var. *occidentalis* McVaugh
Nemacladus gracilis Eastw.
Nemacladus orientalis (McVaugh) Morin
Nemacladus ramosissimus Nuttall
Nemacladus secundiflorus var. *robbinsii* Morin
Nemacladus sigmoideus G.T. Robbins
Nemophila menziesii var. *integrifolia* Parish
Nemophila parviflora Douglas ex Benthon var. *parviflora*
Nemophila pulchella var. *fremontii* (A.D.E. Elmer) Constance
Nicotiana attenuata Torrey
Nicotiana clevelandii A. Gray
Nicotiana quadrivalvis Pursh var. *quadrivalvis*
Nicotiana quadrivalvis Pursh var. *wallacei* (Gray) Mansf.
Nolina cismontana Dice
Notholeana californica D.C. Eaton ssp. *californica*
Notholithocarpus densiflorus (Hook. & Arn.) Manos, C.H. Cannon, & S. Oh var. *densiflorus*
Oenothera deltoides ssp. *cognata* (Jepson) Klein

Common Name

Suksdorf Monkeyflower (R)
Creeping Monkeyflower (R)
Sandwort (R)
Woolly Wishbone-bush (R)
Froebel Four O'Clock (R)
Shoregrass (R)
Southern Coyote Mint (R)
White-veined Coyote Mint (U)
Flax-leaved Horsemint (R)
Flax-leaved Horsemint (CNPS 1B.3)
Flax-leaved Horsemint (R)
Sinuate Monardella (R)
Curly-leaved Horsemint (R)
Nuttall Monolepis, Poverty Weed (R)
Lanceleaf Hilltop Daisy (R)
Cupped Daisy (R)
Toad-Lily (R)
California Wax-Myrtle, Pacific Bayberry (R)
California Spineflower (R, CNPS 4.2)
Perfoliate Spineflower (R)
Foxtail Muhly (R)
Scratchgrass (U)
Pull-Up Muhly (R)
Mat Muhly (R)
Aparejo Grass (R)
Common Muilla (U)
Petaless Mousetails (R)
Common Mousetails (R)
Western Milfoil (R)
Common Water-nymph, Southern Naiad (R)
Spiny Niad (R)
Hollyleaf Skunkweed (U)
Skunk Navarretia (R)
Sticky Navarretia (R)
Ojai Navarretia (U, CNPS 1B.1)
Southern California Navarretia (R)
Downy Navarretia (R)
Parishella (R)
Common Nemacladus (R)
Western Sticky Nemacladus (R)
Slender Nemacladus (R)
Western Sticky Nemacladus (R)
Nuttall's Nemacladus (R)
Robbins' Nemacladus (R, CNPS 1B.2)
Thread Stem (R)
Baby Blue-eyes (R)
Smallflower Nemophila (R)
Fremont Baby Blue-eyes (R)
Coyote Tobacco (U)
Cleveland Indian Tobacco (R)
Indian Tobacco (R)
Wallace's Indian Tobacco (R)
Chaparral Bear-grass (U, CNPS 1B.2)
California Cloak Fern (R)
S. Oh var. *densiflorus* Tanbark Oak (R)
Birdcage Evening-primrose, Devil's Lantern (R)

Scientific Name

| Common Name |
|--|
| <i>Oenothera elata</i> ssp. <i>hookeri</i> (Torrey & A. Gray) W. Dietr. |
| <i>Oenothera longissima</i> ssp. <i>clutei</i> (Nelson) Munz |
| <i>Oligomeris linifolia</i> (M. Vahl) J.F. Macbr. |
| <i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i> |
| <i>Opuntia littoralis</i> (Engelm.) Cockerell <i>XO. oricola</i> Philbr. |
| <i>Opuntia Xoccidentalis</i> Engelm. & Bigelow |
| <i>Opuntia oricola</i> Philbr. |
| <i>Opuntia Xvaseyi</i> (J. Coulter) Britton & Rose (<i>O. littoralis</i> X <i>phaeacantha</i>) |
| <i>Orcuttia californica</i> Vasey |
| <i>Orobanche californica</i> ssp. <i>feudgei</i> (Munz) Heckard |
| <i>Orobanche californica</i> ssp. <i>grandis</i> Heckard |
| <i>Orobanche californica</i> ssp. <i>jepsonii</i> (Munz) Heckard |
| <i>Orobanche parishii</i> ssp. <i>brachyloba</i> Heckard |
| <i>Orobanche parishii</i> (Jeps.) Heckard ssp. <i>parishii</i> |
| <i>Orobanche uniflora</i> L. |
| <i>Orobanche valida</i> Jeps. ssp. <i>valida</i> |
| <i>Orobanche vallicola</i> (Jepson) Heckard |
| <i>Osmorhiza brachypoda</i> Torrey |
| <i>Osmorhiza chilensis</i> H. & A. |
| <i>Oxalis albicans</i> Kunth ssp. <i>albicans</i> |
| <i>Oxalis albicans</i> ssp. <i>californica</i> (Abrams) G. Eiten |
| <i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten |
| <i>Oxytheca perfoliata</i> T. & G. |
| <i>Oxytheca trilobata</i> A. Gray |
| <i>Packera breweri</i> (Burtt Davy) W.A. Weber & Löve |
| <i>Panicum capillare</i> ssp. <i>hillmanii</i> (Chase) Freckmann & Lelong |
| <i>Papaver californicum</i> Gray |
| <i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton |
| <i>Parietaria pensylvanica</i> Muhlenberg ex Wildenow |
| <i>Parthenocissus vitaea</i> (Knerr) Hitchc. |
| <i>Paspalum distichum</i> L. |
| <i>Pectocarya heterocarpa</i> I.M. Johnston |
| <i>Pedicularis densiflora</i> Hook. |
| <i>Pedicularis semibarbata</i> Gray |
| <i>Pediomelum castoreum</i> (S. Watson) Rydb. |
| <i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnston |
| <i>Penstemon gracilentus</i> A. Gray |
| <i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i> |
| <i>Penstemon heterophyllus</i> var. <i>australis</i> Munz & I.M. Johnston |
| <i>Penstemon laetus</i> Gray var. <i>laetus</i> |
| <i>Pentachaeta fragilis</i> Brandegee |
| <i>Pentachaeta lyonii</i> Gray |
| <i>Pentagramma triangularis</i> ssp. <i>semipallida</i> (J.T. Howell) Yatsk., Windham, & E. Wollenw. |
| <i>Pentagramma triangularis</i> ssp. <i>viscosa</i> (D.C. Eaton) Yatsk., Windham, & E. Wollenw. |
| <i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias ssp. <i>gairdneri</i> |
| <i>Perideridia parishii</i> ssp. <i>latifolia</i> (Gray) Chuang & Constance |
| <i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr. |
| <i>Peritoma arborea</i> var. <i>globosa</i> (Coville) H.H. Iltis |
| <i>Perityle emoryi</i> Torrey |
| <i>Phacelia affinis</i> Gray var. <i>affinis</i> |
| <i>Phacelia austromontana</i> J.T. Howell |
| <i>Phacelia bicolor</i> Torrey ex S. Watson |
| <i>Phacelia cicutaria</i> E. Greene var. <i>cicutaria</i> |
| <i>Phacelia cicutaria</i> var. <i>hubbyi</i> (J.F. Macbr.) J.T. Howell |
| <i>Phacelia ciliata</i> Benth. var. <i>ciliata</i> |
| <i>Phacelia crenulata</i> var. <i>minutiflora</i> (J.W. Voss ex Munz) Jepson |
| Hooker Coast Evening Primrose (R) |
| Evening Primrose (R) |
| Narrowleaf Oligomeris (U) |
| Beavertail Cactus (R) |
| Coastal-Round-pad Prickly Pear Hybrid (R) |
| Western Pricklypear Cactus (R) |
| Round-pad Prickly Pear (U) |
| Mesa Prickly Pear (R) |
| California Orcutt Grass (R, FE, SE, CNPS 1B.1) |
| California Sagebrush Broom-rape (R) |
| Coastal California Broom-rape (R) |
| Jepson Sagebrush Broom-rape (R) |
| Short-lobed Broom-rape (R, CNPS 4.2) |
| Parish Broom-rape (U) |
| Naked Broomrape (R) |
| Rock Creek Broom-rape (R, CNPS 1B.2) |
| Hillside Broomrape (R) |
| Sweet Cicely (U) |
| Mountain Sweetroot (R) |
| Radishroot Woodsorrel (R) |
| California White Wood Sorrel (R) |
| Hairy White Wood Sorrel (U) |
| Perfoliate Oxytheca (R) |
| Three-lobed Spineflower (R) |
| Brewer Butterweed or Groundsel (U) |
| Hillman Witchgrass (U) |
| Wind or Fire Poppy (R) |
| California Pellitory (U) |
| Pennsylvania Pellitory (R) |
| Woodbine (R) |
| Joint Dallis Grass or Knotgrass (U) |
| Two-faced Pectocarya (R) |
| Indian Warrior (R) |
| Pine-woods Lousewort (U) |
| Desert Indian Breadroot (R) |
| California Birdsfoot Cliffbrake or Fern (R) |
| Slender Beardtongue (R) |
| Grinnell Beardtongue (U) |
| Southern Mountain Penstemon (R) |
| Gay Penstemon (U) |
| Fragile Pentachaeta (R, CNPS 4.3) |
| Lyon's Pentachaeta (R, FE, SE, CNPS 1B.1) |
| Silverback Fern (R) |
| San Nicolas Island Fern (R) |
| Gairdner Yampah (R, CNPS 4.2) |
| Parish Yampah (R) |
| Adobe or Pringle Yampah (U, CNPS 4.3) |
| Burrow-fat Bladderpod (U) |
| Rock Daisy (U) |
| Phacelia (R) |
| Low Phacelia (R) |
| Bicolored Phacelia (R) |
| Caterpillar Phacelia (U) |
| Hubby Caterpillar Phacelia (U, CNPS 4.2) |
| Ciliate Phacelia (U) |
| Small-flowered Crenulate Phacelia (R) |

Scientific Name

Phacelia cryptantha E. Greene
Phacelia exilis (Gray) G.J. Lee
Phacelia grisea Gray
Phacelia humilis var. *dudleyi* J. Howell
Phacelia imbricata ssp. *patula* (Brand) Heckard
Phacelia minor (Harvey) Thellung
Phacelia mohavensis A. Gray
Phacelia mutabilis Greene
Phacelia oreopola Heckard ssp. *oreopela*
Phacelia platyloba A. Gray
Phacelia ramosissima var. *austrolittoralis* Munz
Phacelia ramosissima var. *latifolia* (Torrey) Cronq.
Phacelia rattanii A. Gray
Phacelia viscosa var. *albiflora* (Nuttall) A. Gray
Phalaris lemmonii Vasey
Phlox austromontana Coville
Phlox caespitosa Nuttall
Phlox diffusa Benth.
Phlox hoodii ssp. *canescens* (T. & G.) Wherry
Pholistoma membranaceum (Benth.) Constance
Pholistoma racemosum (Nutt. ex A. Gray) Constance
Phoradendron pauciflorum Torrey
Phragmites australis (Cav.) Steudel
Phyla nodiflora (L.) E. Greene var. *nodiflora*
Phyllospadix scouleri Hook.
Phyllospadix torreyi S. Watson
Pickeringia montana Nutt. var. *montana*
Pilularia americana A. Braun
Pinus contorta ssp. *murrayana* (Grev. & Balf.) Critchf.
Pinus coulteri D. Don
Pinus flexilis E. James
Pinus sabiniana Douglas
Piperia cooperi (S. Watson) Rydb.
Piperia elongata Rydb.
Piperia michaelii (Greene) Rydb.
Piperia unalascensis (Spreng.) Rydb
Plagiobothrys acanthocarpus (Piper) I.M. Johnston
Plagiobothrys arizonicus (Gray) Gray
Plagiobothrys canescens Benth.
Plagiobothrys collinus var. *fulvescens* (I.M. Johnston) Higgins
Plagiobothrys collinus var. *gracilis* (A. Gray) Higgins
Plagiobothrys hispidulus (E. Greene) I.M. Johnston
Plagiobothrys leptocladus (E. Greene) I.M. Johnston
Plagiobothrys tenellus (Nuttall) A. Gray
Plagiobothrys undulatus (Piper) I.M. Johnston
Plantago elongata Pursh
Plantago ovata var. *fastigiata* (Morris) S.C. Meyers & A. Liston
Plantago ovata var. *insularis* (Eastw.) S.C. Meyers & A. Liston
Plantago patagonica Jacq.
Plantago pusilla Nuttall
Platanthera leucostachys Lindley
Platanthera sparsiflora (S. Watson) Schltr.
Plectritis ciliosa ssp. *insignis* (Suksd.) D. Morey
Plectritis macrocera Torrey & A. Gray
Pluchea odorata (L.) Cass.
Pluchea sericea (Nutt.) Coville

Common Name

Forget-Me-Not Phacelia (R)
Transverse Range Phacelia (R, CNPS 4.3)
White-flowered Phacelia (R)
Dudley Phacelia (R)
Mountain Phacelia (R)
Wild Canterbury Bell (R)
Mojave Phacelia (R, CNPS 4.3)
Changeable Phacelia (R)
Mountain Phacelia (R)
Phacelia (R)
South Coast Branching Phacelia (R, CNPS 3.2)
Branching Phacelia (U)
Brand Phacelia (R)
White-flowered Viscid Phacelia (R)
Lemmon Canarygrass (R)
Spreading Phlox (R)
Rigid Mat Phlox (R)
Mat Phlox (R)
Fuzzy Hood Phlox (R)
White Fiesta Flower (R)
South Coast Fiesta Flower (R)
Few-flowered Mistletoe (R)
Common Reed (R)
Common Frog-fruit (R)
Scouler Surf-grass (R)
Torrey Surf-grass (U)
Chaparral Pea (U)
American Pillwort (R)
Lodgepole Pine (R)
Coulter Pine (R)
Limber Pine (R)
Foothill or Gray Pine (R)
Chaparral Rein Orchid (R, CNPS 4.2)
Dense-flowered Rein Orchid (R)
Michael Piperia (R, CNPS 4.2)
Slender-spire Orchid (R)
Adobe Popcornflower (R)
Arizona Popcornflower (R)
Valley or Bracted Popcornflower (R)
Popcornflower (R)
Slender California Popcornflower (R)
Hispid Popcornflower (R)
Alkali Popcornflower (R)
Slender Popcornflower (R)
Undulate Popcornflower (R)
Coastal Plantain (R)
Ovate Plantain (U)
Ovate Plantain (U)
Patagonia Plantain (R)
Plantain (R)
White-flowered Bog-Orchid (R)
Few-flowered Rein Orchid (R)
Petite Long-spurred Plectritis (R)
White Plectritis (R)
Saltmarsh Fleabane (U)
Arrow Weed (R)

Scientific Name

| | |
|--|--|
| <i>Poa howellii</i> Vasey & Scribn. | |
| <i>Poa secunda</i> ssp. <i>juncifolia</i> (Scribn) R. Soreng | |
| <i>Polemonium micranthum</i> Benth. | |
| <i>Polycarpon depressum</i> Nutt. | |
| <i>Polygala cornuta</i> var. <i>fishiae</i> (C. Parry) Jeps. | |
| <i>Polygonum amphibium</i> var. <i>emersum</i> Michx. | |
| <i>Polygonum douglasii</i> ssp. <i>johnstonii</i> (Munz) J. Hickman | |
| <i>Polygonum hydropiperoides</i> Michaux | |
| <i>Polygonum lapathifolium</i> L. | |
| <i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> (Greene) J. Hickman | |
| <i>Polygonum punctatum</i> Elliott | |
| <i>Polygonum sawatchense</i> Small ssp. <i>sawatchense</i> | |
| <i>Polypodium hesperium</i> Maxon | |
| <i>Polystichum imbricans</i> ssp. <i>curtum</i> (Ewan) D.H. Wagner | |
| <i>Polystichum imbricans</i> (D.C. Eaton) D.H. Wagner ssp. <i>imbricans</i> | |
| <i>Polystichum munitum</i> (Kaulf.) C. Presl | |
| <i>Populus Xparryi</i> Sargent | |
| <i>Populus trichocarpa</i> Torrey & A. Gray | |
| <i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i> | |
| <i>Potamogeton nodosus</i> Poiret | |
| <i>Potentilla biennis</i> Greene | |
| <i>Potentilla gracilis</i> var. <i>elmeri</i> (Rydb.) Jeps. | |
| <i>Prunus emarginata</i> (Hooker) Walp. | |
| <i>Prunus ilicifolia</i> ssp. <i>lyoni</i> (Eastw.) P. Raven | |
| <i>Pseudognaphalium beneolens</i> (A. Gray) Anderberg | |
| <i>Pseudognaphalium leucocephalum</i> (A. Davidson) Anderberg | |
| <i>Pseudognaphalium ramosissimum</i> (Nutt.) Anderberg | |
| <i>Pseudostellaria jamesiana</i> (Torrey) W.A. Weber & R.I. Hartman | |
| <i>Psilocarphus brevissimus</i> Nutt. var. <i>brevissimus</i> | |
| <i>Psilocarphus chilensis</i> A. Gray | |
| <i>Pterospora andromedea</i> Nutt. | |
| <i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones | |
| <i>Pyrola asarifolai</i> Michx. ssp. <i>asarifolia</i> | |
| <i>Pyrola picta</i> Smith | |
| <i>Pyrrocoma racemosa</i> var. <i>paniculata</i> (Nutt.) J. Kartesz & K. Gandhi | |
| <i>Quercus Xalvordiana</i> Eastwood (<i>Q. douglasii</i> X <i>Q. john-tuckeri</i>) | |
| <i>Quercus douglasii</i> H. & A. | |
| <i>Quercus dumosa</i> Nutt. | |
| <i>Quercus Xmacdonaldii</i> Greene | |
| <i>Quercus Xmoreha</i> Kellogg | |
| <i>Quercus palmeri</i> Engelm. | |
| <i>Quercus tomentella</i> Engelm. | |
| <i>Quercus turbinella</i> Greene ssp. <i>turbinella</i> | |
| <i>Ranunculus aquatilis</i> var. <i>capillaceus</i> (Thuill.) DC. | |
| <i>Ranunculus californicus</i> Bentham var. <i>californicus</i> | |
| <i>Ranunculus canus</i> var. <i>ludovicianus</i> (E. Greene) L.D. Benson | |
| <i>Ranunculus hebecarpus</i> Hooker & Arnott | |
| <i>Rhamnus tomentella</i> ssp. <i>cuspidata</i> (Greene) Sawyer | |
| <i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson X <i>R. ovata</i> S. Watson | |
| <i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson | |
| <i>Ribes amarum</i> McClatchie var. <i>amarum</i> | |
| <i>Ribes amarum</i> var. <i>hoffmannii</i> Munz | |
| <i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps. | |
| <i>Ribes californicum</i> Hooker & Arnott var. <i>californicum</i> | |
| <i>Ribes cereum</i> Douglas var. <i>cereum</i> | |
| <i>Ribes indecorum</i> Eastw. | |

Common Name

| | |
|--|--|
| Howell's Bluegrass (R) | |
| Rush Bluegrass (R) | |
| Phlox (U) | |
| California Allseed (R) | |
| Fish Milkwort (CNPS 4.3) | |
| Kelp, Water-Smartweed (R) | |
| Sawatch Knotweed (R) | |
| Mild Water Pepper, Water Smartweed (R) | |
| Willow Weed (U) | |
| Kellogg Knotweed (R) | |
| Dotted Smartweed (U) | |
| Sawatch Smartweed (R) | |
| Western Polypody (R) | |
| Imbricate Sword Fern (U) | |
| Imbricate Sword Fern (R) | |
| Western Sword Fern (R) | |
| Parry's Cottonwood (R) | |
| Black Cottonwood (Type) | |
| Leafy Pondweed (U) | |
| Long-leaved Pondweed (R) | |
| Biennial Cinquifoil (R) | |
| Elmer Slender Cinquifoil (U, Type) | |
| Bitter Cherry (R) | |
| Catalina Cherry (R) | |
| Coastal Everlasting (U) | |
| Whiteleaf or Sonora Everlasting (CNPS 2.2) | |
| Pink Everlasting (U) | |
| False Chickweed (R) | |
| Woolly Marbles (R) | |
| Round Woolly Marbles (R) | |
| Woodland Pinedrops (R) | |
| Antelope Bush (U) | |
| Bog Wintergreen (R) | |
| White-veined Wintergreen (R) | |
| Pyrrocoma (R) | |
| Alvord Oak (R) | |
| Blue Oak (R) | |
| Nuttall or Coastal Sage Scrub Oak (R, CNPS 1B.1) | |
| MacDonald Oak (R) | |
| Oracle Oak (R) | |
| Palmer Oak (R) | |
| Channel Island Oak (R) | |
| Sonoran Scrub Oak (R) | |
| Slender White Water Crowsfoot (R) | |
| California Buttercup (U) | |
| Transverse Ranges Buttercup (R) | |
| Hebe-fruited Buttercup (R) | |
| Cuspid Hoary Coffeeberry (R) | |
| Lemonade Berry-Sugar Bush Hybrid (R) | |
| Woolly Skunkbrush (U) | |
| Bitter Gooseberry (R) | |
| Hoffmann's Bitter Gooseberry (R, CNPS 3) | |
| Slender Golden Currant (R) | |
| Hillside Gooseberry (U) | |
| Wax Currant (U) | |
| White-flowered Currant (R) | |

Scientific Name

| Scientific Name | Common Name |
|--|--|
| <i>Ribes montigenum</i> McClatchie | Mountain Gooseberry (R) |
| <i>Ribes nevadense</i> Kellogg | Mountain Pink Currant (R) |
| <i>Ribes querectorum</i> Greene | Oak Gooseberry (U) |
| <i>Ribes roezlii</i> Regel var. <i>roezlii</i> | Sierra Gooseberry (U) |
| <i>Ribes velutinum</i> Greene | Plateau Gooseberry (R) |
| <i>Rigiopappus leptocladius</i> Gray | Rigiopappus (U) |
| <i>Romneya coulteri</i> Harvey | Coulter Matilija Poppy (U, CNPS 4.2) |
| <i>Rorippa curvisiliqua</i> (Hooker) Bessey ex Britton | Curved-pod Water-cress (R) |
| <i>Rorippa palustris</i> (L.) Besser var. <i>palustris</i> | Western Riparian Yellow-cress (R) |
| <i>Rosa woodsii</i> ssp. <i>ultramontana</i> (S. Watson) Roy L. Taylor & MacBryde | Interior Wild Rose (R) |
| <i>Rosa woodsii</i> ssp. <i>gratissima</i> (E. Greene) W.H. Lewis & Ertter | Mojave Wild Rose (R) |
| <i>Rotala ramosoир</i> (L.) Koehne | Lowland Toothcup (R) |
| <i>Rubus leucodermis</i> Torrey & A. Gray | Whitebark Raspberry (R) |
| <i>Rubus parviflorus</i> Nuttall | Thimbleberry (R) |
| <i>Rumex crassus</i> Rech. f. | Willow-leaved Dock (R) |
| <i>Rumex fueginus</i> Phil. var. <i>ovato-cordatus</i> Rech.f | Oxnard Dock (R, Type) |
| <i>Rumex hymenosepalus</i> Torrey | Wild Rhubarb, Canaigre (R) |
| <i>Rumex maritimus</i> L. | Golden Dock (R) |
| <i>Ruppertia physodes</i> (Hook.) Grimes | Surf-pea (R) |
| <i>Ruppia cirrhosa</i> (Petagna) Grande | Spiral Wigeon-grass or Ditch-grass (R) |
| <i>Ruppia maritima</i> L. | Wigeon-grass, Ditch-grass (R) |
| <i>Sagina decumbens</i> ssp. <i>occidentalis</i> (S. Wats.) G. Crow | Western Pearlwort (R) |
| <i>Sagina saginoides</i> (L.) H. Karst. | Sagina, Arctic Pearlwort (R) |
| <i>Sagittaria sanfordii</i> Greene | Sanford Arrow-head (R, CNPS 1B.2) |
| <i>Salicornia bigelovii</i> Torrey | Bigelow Pickleweed (R) |
| <i>Salicornia depressa</i> Standley | Pickleweed (R) |
| <i>Salix gooddingii</i> C. Ball | Goodding Black Willow (R) |
| <i>Salix lasiolepis</i> var. <i>bigelovii</i> (Torrey) Bebb. | Bigelow Arroyo Willow (R) |
| <i>Salix melanopsis</i> Nuttall | Dusky Willow (R) |
| <i>Saltugilia australis</i> (H. Mason & A.E. Grant) L.A. Johnson | Southern Gilia (R) |
| <i>Saltugilia latimeri</i> T.L. Weese & L.A. Johnson | Latimer's Gilia (R, 1B.2) |
| <i>Salvia Xbernardina</i> Parish ex Greene | Bernard's Sage (R) |
| <i>Salvia carduacea</i> Benth. | Thistle Sage (R) |
| <i>Salvia dorrii</i> var. <i>pilosa</i> (Gray) Strachan & Reveal | Pilose Desert Sage (R) |
| <i>Samolus parviflorus</i> Raf. | Water-pimpernel (R) |
| <i>Sanicula bipinnatafida</i> Hooker | Purple Sanicle (R) |
| <i>Sanicula graveolens</i> Peopp. ex DC. | Sanicle (R) |
| <i>Sanicula tuberosa</i> Torrey | Tuberose Sanicle (R) |
| <i>Sarcodes sanguinea</i> Torrey | Snow Plant (U) |
| <i>Saussurea americana</i> D. Eaton | American Sawwort (R) |
| <i>Schoenoplectus acutus</i> var. <i>occidentalis</i> (S. Watson) S.G. Smith | Viscid Tule (U) |
| <i>Schoenoplectus californicus</i> (C. Meyer) Soják, Čas. Nár. | California Bulrush (U) |
| <i>Schoenoplectus pungens</i> var. <i>badius</i> (J. Presl & C. Presl) S.G. Smith | Common Threesquare (U) |
| <i>Schoenoplectus pungens</i> var. <i>longispicatus</i> (Britton) S.G. Smith | Common Threesquare (U) |
| <i>Schoenoplectus saximontanus</i> (Fern.) J. Raynal | Rocky Mountain Bulrush (R) |
| <i>Schoenoplectus tabernaemontani</i> (C. Gmelin) Palla | Soft-stem Bulrush (R) |
| <i>Scirpus microcarpus</i> J. Presl & C. Presl | Small-fruited Bulrush (U) |
| <i>Scrophularia californica</i> ssp. <i>floribunda</i> (E. Greene) Shaw | Many-flowered Figwort (R) |
| <i>Scutellaria siphocampyloides</i> Vatke | Skullcap (U) |
| <i>Scutellaria tuberosa</i> Benth. | Danny Skullcap (U) |
| <i>Senecio aphanactis</i> Greene | Rayless Ragwort (R) |
| <i>Senecio flaccidus</i> var. <i>monoensis</i> (Greene) B.L. Turner & T.M. Barkley | Mono Butterweed (R) |
| <i>Setaria gracilis</i> Kunth | Knotroot Bristlegrass (R) |
| <i>Setaria parviflora</i> (Poir.) Kerguélen | Knotroot Bristlegrass (R) |
| <i>Shepherdia argentea</i> Nutt. | Buffalo Berry, Silver Buffaloberry (U) |
| <i>Sidalcea malviflora</i> ssp. <i>dolosa</i> C.L. Hitchc. | Dwarf Globemallow or Checkerbloom (R) |

Scientific Name

Sidalcea neomexicana Gray
Sidalcea pedata Gray
Sidotheca caryphylloides (C. Parry) Reveal
Silene antirrhina L.
Silene bernardina S. Watson
Silene laciniata ssp. *californica* (Durand) J.K. Morton
Silene lemmontii S. Watson
Solanum parishii A.A. Heller
Solanum umbelliferum Eschsch.
Solanum wallacei (A. Gray) Parish
Solidago guiradonis Gray
Solidago velutina ssp. *sparsiflora* (A. Gray) Semple
Spergularia macrotheca var. *leucantha* (E. Greene) Robinson
Sphaeralcea ambigua A. Gray var. *ambigua*
Sphenosciadium capitellatum Gray
Sporobolus airoides (Torey) Torrey
Stachys ajugoides Benth.
Stachys rigida Bentham var. *rigida*
Stebbinsoseris heterocarpa (Nuttall) Chambers
Stellaria nitens Nuttall
Stephanomeria exigua Nuttall ssp. *exigua*
Stephanomeria virgata ssp. *pleurocarpa* (Greene) Gottlieb
Stillingia linearifolia S. Watson
Stillingia spinulosa Torrey
Stipa arida M.E. Jones
Stipa diegoensis Swallen
Stipa occidentalis S. Watson var. *occidentalis*
Stipa occidentalis var. *pubescens* (Vasey) J.R. Maze et al.
Stipa parishii Vasey var. *parishii*
Stipa thurberiana Piper
Streptanthus campestris S. Watson
Stuckenia pectinata (L.) Börner
Stylocline gnaphaloides Nuttall
Stylomecon heterophylla (Benth.) G. Taylor
Suaeda calceoliformis (Hook.) Moq.
Suaeda californica S. Watson var. *californica*
Suaeda californica var. *pubescens* Jepson
Suaeda taxifolia (Standl.) Standl.
Suaeda esteroa Ferren & Whitmore
Suaeda nigra (Rafinesque) J.F. Macbride
Swertia neglecta (H.M. Hall) Jeps.
Symphoricarpos albus var. *laevigatus* (Fern.) S.F. Blake
Symphyotrichum ascendens (Lindl.) G.L. Nesom
Symphyotrichum greatae (Parish) G.L. Nesom
Symphyotrichum lanceolatum var. *hesperium* (A. Gray) G.L. Nesom
Syntrichopappus lemmontii (A. Gray) A. Gray
Tauschia hartwegii (A. Gray) J.F. Macbr.
Tetradymia canescens DC.
Tetradymia comosa Gray
Tetrapteron graciliflorum (Hooker & Arnott) W.L. Wagner & Hoch
Thalictrum fendleri Engelmann ex Gray
Thalictrum polycarpum (Torrey) S. Watson
Thermopsis californica var. *argentata* (Greene) Chen & Turner
Thermopsis macrophylla Hooker & Arnott var. *macrophylla*
Thermopsis macrophylla var. *venosa* (Eastwood) Isely
Thysanocarpus conchuliferus E. Greene

Common Name

Salt Spring Checkermallow (R, CNPS 2.2)
 Bird-footed Checkerbloom (R)
 Chickweed Oxytheca (R, CNPS 4.3)
 Snapdragon Campion, Catchfly (U)
 Palmer Campion (R)
 California Indian Pink (R)
 Lemmon Campion or Catchfly (R)
 Parish Nightshade (R)
 Blue Witch (U)
 Wallace's Nightshade (R)
 Guijaro Goldenrod (R, CNPS 4.2)
 Few-leaved Goldenrod (R)
 White Large[-flowered] Sandspurrey (R)
 Apricot Mallow (R)
 Ranger Buttons, Swamp White Heads (R)
 Alkali Sacaton (R)
 Hedge Nettle (R)
 Rigid Hedge Nettle (U)
 Chicory Microseris (U)
 Shining Chickweed (U)
 Small Stephanomeria (R)
 Two-fruited Wreath Plant (R)
 Narrowleaf Stillingia (R-extirpated?)
 Annual Toothleaf (R-extirpated?)
 Mormon Needlegrass (R)
 San Diego Needlegrass (CNPS 4.2)
 Western Needlegrass (R)
 Elmer Needlegrass (R)
 Parish Needlegrass (R)
 Thurber Needlegrass (R)
 Southern Jewelflower (R, CNPS 1B.3)
 Fennel-leaf Pondweed (R)
 Everlasting Nest Straw (U)
 Wind Poppy (U)
 Seablite (R)
 California Seablite (R, FE, CNPS 1B.1)
 Hairy California Seablite (FE, CNPS 1B.1)
 Woolly Seablite (O, CNPS 4.2)
 Estuary Seablite (R, CNPS 1B.2)
 Bush Seepweed (R)
 Pine Green Gentian (CNPS 4.3)
 Snowberry (R)
 Long-leaved Aster (R)
 Greatia's Aster (R, CNPS 1B.3)
 Siskiyou Aster (R)
 Lemon's Xerasid (R, CNPS 4.3)
 Hartweg Tauschia (U)
 Cottonthorn, Horsebush (R)
 Cottonthorn, Horsebush (R)
 Hill Sun-cup (U)
 Fendler Meadow-rue (R)
 Tall Western Meadow-rue (R)
 Silvery False-Lupine (U, CNPS 4.3)
 Santa Ynez False-Lupine (R, SR, CNPS 1B.3)
 Slender Santa Ynez False-Lupine (R)
 Santa Cruz Island Fringepod (R)

Scientific Name

Trichostema austromontanum Harlan Lewis ssp. *austromontanum*
Trichostema micranthum Gray
Trichostema ovatum Curran
Trifolium bifidum var. *decipiens* E. Greene
Trifolium ciliolatum Benth.
Trifolium cyathiferum Lindley
Trifolium depauperatum var. *amplectens* (T. & G.) L.F. McDermott
Trifolium depauperatum var. *truncatum* (Greene) Islay
Trifolium dictotomum H. & A.
Trifolium fucatum Lindley
Trifolium longipes ssp. *atrorubens* (Greene) J.M. Gillett
Trifolium microdon Hook. & Arn.
Trifolium monanthum var. *grantianum* (A.A. Heller) Parish
Trifolium monanthum Gray var. *monanthum*
Trifolium obtusiflorum Hooker & Arnott
Trifolium palmeri S. Watson
Trifolium variegatum Nutt. var. *variegatum*
Trifolium wormskoldii Lehm.
Triglochin concinna Davy var. *concinna*
Triglochin maritima L.
Triglochin striata R. & P.
Triteleia ixoides (Aif. F.) Greene ssp. *ixoides*
Tropidocarpum gracile Hook. [var. *dubium*]
Typha angustifolia L.
Typha latifolia L.
Typha Xdomingensis Pers.
Veratrum californicum Durand var. *californicum*
Verbena bracteata Lagasca & J.D. Rodriguez
Verbena lasiostachys var. *scabrida* Mold.
Veronica peregrina ssp. *xalapensis* (Kunth) Pennell
Veronica serpyllifolia ssp. *humifusa* (Dickson) Syme
Vicia americana Willd. ssp. *americana*
Vicia hassei S. Watson
Vicia ludoviciana Nutt. var. *ludoviciana*
Viola aurea Kellogg
Viola macloskeyi F.E. Lloyd ssp. *macloskeyi*
Viola pedunculata ssp. *tenuifolia* M.S. Baker & J.C. Clausen
Viola pinetorum ssp. *grisea* (Jeps.) R.J. Little
Viola pinetorum Greene ssp. *pinetorum*
Viola purpurea ssp. *mohavensis* (M. Baker & J. Clausen) J. Clausen
Viola purpurea Kellogg ssp. *purpurea*
Viola purpurea ssp. *quercetorum* (M. Baker & J. Clausen) R.J. Little
Vitis californica Benth.
Vitis girdiana Munson
Vulpia microstachys var. *confusa* (Piper) Lonard & Gould
Yabea microcarpa (Hooker & Arnott) Koso-Pol.
Zannichellia palustris L.
Zostera marina L.

Common Name

San Jacinto Bluecurls (R)
Bluecurls (R)
Ovate Bluecurls (R)
Pinole Clover (R)
Ciliate or Tree Clover (U)
Ciliate or Tree Clover (R)
Dwarf Sack Clover (R)
Truncate Dwarf Sack Clover (U)
Island Rancheria Clover (R)
Bull Clover (U)
Purple Clover (R)
Tiny-head Clover (R)
Carpet Clover (R)
Carpet Clover (R)
Creek Clover (U)
Palmer Pinpoint Clover (R)
Whitetip Clover (R)
Cows Clover (R)
Utah Arrow-grass (R)
Seaside Arrow-grass (R)
Three-ribbed Arrow-grass (R)
Golden Brodiaea (R)
Slender Tropidocarpum (R)
Slender Cattail (R)
Broad-leaved Cattail, Soft Flag (U)
Southern Cattail Hybrid (R)
California False Hellebore (R)
Prostrate Verbena (R)
Western Verbena (R)
Purslane Speedwell (U)
Tyme-leaved Speedwell (R)
American Vetch (U)
Hasse Vetch (R)
Vetch (R)
Golden Violet (R)
Small White Violet (R)
Johnny-Jump-Up (R)
Gray-leaved Violet (R, CNPS 1B.3)
Mountain Violet (U)
Mojave Yellow Violet (U)
Purple or Mountain Violet (U)
Oak Violet (U)
California Wild Grape (R)
Desert Wild Grape (R)
Ciliate Fescue (R)
Yabea (R)
Horned-Pondweed (R)
Eel-grass (R)

Plants Expected to Occur in Ventura County But Lacking Physical Evidence¹⁵

Scientific Name

| | |
|---|--|
| <i>Abronia latifolia</i> Eschsch. | |
| <i>Achnatherum latiglumis</i> (Swallen) Barkworth | |
| <i>Actaea rubra</i> (Aiton) Widenow | |
| <i>Adiantum aleuticum</i> (Rupr.) C.A. Paris | |
| <i>Agastache urticifolia</i> (Bentham) Kuntze var. <i>urticifolia</i> | |
| <i>Agrostis microphylla</i> Steudel | |
| <i>Agrostis scabra</i> Willd. | |
| <i>Allenrolfea occidentalis</i> (S. Watson) Kuntze | |
| <i>Alopecurus aequalis</i> Sobol. var. <i>aequalis</i> | |
| <i>Alopecurus geniculatus</i> L. | |
| <i>Ambrosia dumosa</i> (A. Gray) Payne | |
| <i>Amsinckia eastwoodae</i> J.F. Macbr. | |
| <i>Anaphalis margaritaceae</i> (L.) Benth. & Hooker F. ex C.B. Clarke | |
| <i>Arabis platysperma</i> Gray var. <i>platysperma</i> | |
| <i>Aristida purpurea</i> var. <i>nealleyi</i> (Vasey) K.W. Allred | |
| <i>Aristida purpurea</i> var. <i>wrightii</i> (A. Hitchc.) K.W. Allred | |
| <i>Artemisia ludoviciana</i> ssp. <i>incompta</i> (Nuttall) Keck | |
| <i>Aster occidentalis</i> (Nuttall) Torrey & A. Gray var. <i>occidentalis</i> | |
| <i>Athyrium filix-femina</i> var. <i>californicum</i> Butters | |
| <i>Athyrium filix-femina</i> var. <i>cyclosorum</i> Ruprecht | |
| <i>Azolla mexicana</i> C. Presl | |
| <i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i> | |
| <i>Brodiaea elegans</i> Hoover ssp. <i>elegans</i> | |
| <i>Brodiaea jolonensis</i> Eastwood | |
| <i>Calystegia longipes</i> (S. Watson) Brummitt | |
| <i>Calystegia sepium</i> ssp. <i>limnophila</i> (E. Greene) Brummitt | |
| <i>Carex serratodens</i> W. Boott | |
| <i>Castilleja campestris</i> (Bentham) Chuang & Heckard ssp. <i>campestris</i> | |
| <i>Castilleja densiflora</i> ssp. <i>gracilis</i> (Benth.) Chuang & Heckard | |
| <i>Castilleja gyroloba</i> Pennell | |
| <i>Caulanthus crassicaulis</i> (Torrey) S. Watson var. <i>crassicaulis</i> | |
| <i>Celtis reticulata</i> Torrey | |
| <i>Centaurium muhlenbergii</i> (Griseb.) W. Wright ex Piper | |
| <i>Centromadia fitchii</i> (A. Gray) E. Greene | |
| <i>Cephaelanthera austiniiae</i> (A. Gray) Heller | |
| <i>Chamaesyce serpyllifolia</i> ssp. <i>hirtula</i> (S. Watson) Koutnik | |
| <i>Chenopodium littoreum</i> Benet-Pierce & M.G. Simpson | |
| <i>Chenodium rubrum</i> var. <i>humile</i> (Hooker) S. Watson | |
| <i>Chorizanthe fimbriata</i> Nuttall var. <i>fimbriata</i> | |
| <i>Chorizanthe obovata</i> Goodman | |
| <i>Chorizanthe wheeleri</i> S. Watson | |
| <i>Circaeа alpina</i> ssp. <i>pacifica</i> (Aschers. & Magnus) Raven | |
| <i>Cladium californicum</i> (S. Watson) O'Neill | |
| <i>Clarkia similis</i> Harlan Lewis & Ernst | |
| <i>Clematis pauciflora</i> Nuttall | |
| <i>Collomia linearis</i> Nuttall | |
| <i>Comarostaphylis diversifolia</i> ssp. <i>planifolia</i> (Jeps.) G.D. Wallace | |
| <i>Corallorrhiza maculata</i> (Raf.) Raf. | |

Common Name

| |
|--|
| Coastal or Yellow Sand-verbena Φ |
| Needlegrass Φ |
| Red Banberry Φ |
| Western Five-finger Fern or Maidenhair Φ |
| Nettleleaf Horsemint, Giant Hyssop Φ |
| Small-leaved Bentgrass Φ |
| Rough Bentgrass Φ |
| Iodine Bush Φ |
| Short-awn Foxtail Φ |
| Water Foxtail Φ |
| White Bur-sage, Burro Bush, Burro-Weed Φ |
| Elegant Fiddleneck Φ |
| Pearly Everlasting Φ |
| Pioneer Rock Cress Φ |
| Nealley Three-awn Grass Φ |
| Parish Three-awn Grass Φ |
| White Sagebrush Φ |
| Western Mountain Aster Φ |
| Southwestern Lady Fern Φ |
| Northwestern Lady Fern Φ |
| Mexican Duckweed Fern Φ |
| Pinnate-leaved Barberry Φ |
| Elegant Brodiaea Φ |
| Dwarf Brodiaea Φ |
| Morning-glory Φ |
| Riparian Morning-glory Φ |
| Sawtooth Sedge Φ |
| Field Owl's Clover Φ |
| Slender Dense-flowered Owl's Clover Φ |
| Indian Paintbrush Φ |
| Thick-stem Wild Cabbage Φ |
| Netleaf Hackberry Φ |
| Monterey Centaury Φ |
| Fitch Spikeweed Φ |
| Phantom Orchid Φ |
| Hairy Thyme-leaved Spurge Φ |
| Coastal Goosefoot Φ |
| Red Goosefoot Φ |
| Fringed Spineflower (R) – Newhall Ranch |
| Obovate Spineflower Φ |
| Wheeler Spineflower Φ |
| Enchanter's Nightshade Φ |
| Saw-grass Φ |
| Copy-cat Clarkia Φ |
| Ropevine Φ |
| Narrow-leaved Collomia Φ |
| Simpleleaf Summer Holly Φ |
| Spotted Coral Root Φ |

¹⁵ Taxa that are expected to occur within Ventura County but for which no vouchers have been collected or a knowledgeable botanist observed it (and documented its occurrence). If any of these taxa are found within Ventura County, they should be considered locally rare species. Plants with a “Φ” following the common name lack vouchers from Ventura County at the following herbaria (CAS, CDA, CHSC, DAV, IRVC, JEPS, NY, POM, RSA, SBBG, SD, SJSU, UC, UCI, UCR, UCSB, USSC).

Scientific Name

Cornus nuttallii Audubon
Cornus sericea ssp. *occidentalis* (Torrey & A. Gray) Fosberg
Crassula solieri (C. Gay) F. Meigen
Cuscuta californica var. *papillosa* Yuncker
Cyperus niger Ruiz Lopez & Pavon
Damasonium californicum Bentham
Deschampsia elongata (Hooker) Bentham
Descurainia incisa (A. Gray) Britton ssp. *incisa*
Dodecatheon clevelandii E. Greene ssp. *clevelandii*
Elatine rubella Rydb.
Eleocharis parvula (Roemer & Schultes) Link
Epilobium haleeanum Hausskn.
Epilobium minutum Lindl. ex. Lehm.
Eremalche parryi ssp. *kernensis* (C. Wolf) D. Bates
Erigeron foliosus var. *franciscensis* G.L. Nesom
Erigeron philadelphicus L.
Eriophyllum ambiguum (A. Gray) A. Gray var. *ambiguum*
Eriophyllum lanatum var. *hallii* Constance
Eschscholzia lemmonii ssp. *kernensis* (Munz) C. Clark
Eustoma exaltatum (L.) Don
Euphorbia crenulata Engelmann
Fraxinus latifolia Bentham
Galium californicum ssp. *flaccidum* (E. Greene) Dempster & Stebb.
Gayophytum humile A.L. Juss.
Gayophytum oligospermum H. Lewis & J. Szweykowski
Geranium carolinianum L.
Geranium richardsonii Fischer & Trautv.
Gilia tricolor Bentham ssp. *tricolor*
Glyptopleura marginata D. Eaton
Grayia polygaloides Hooker & Arnott
Helianthus californicus DC.
Hesperolinon micranthum (A. Gray) Small
Hesperomecon linearis (Bentham) E. Greene
Hordeum jubatum L.
Hydrocotyle ranunculoides L.f.
Hydrocotyle umbellata L.
Hymenoclea monogyra Torrey & Gray
Hymenoclea salsola var. *pentalepis* (Rydb.) L. Benson
Iris douglasiana Herbert in W.J. Hooker and G.A.W. Arnott
Isoëtes orcuttii A.A. Eaton
Juncus bryoides F.J. Hermann
Juncus falcatus E. Meyer var. *falcatus*
Juncus orthophyllus Cov.
Lasthenia fremontii (A. Gray) E. Greene
Lasthenia glaberrima A. DC.
Lasthenia microglossa (A. DC.) E. Greene
Layia hieracioides (DC.) Hooker & Arnott
Lepidium latipes Hooker var. *latipes*
Lilaea scilloides (Poir.) Haum.
Lonicera hispidula var. *vacillans* A. Gray
Lonicera interrupta Benth. X *Lonicera hispidula* var. *vacillans* Gray
Luzula comosa E. Meyer
Luzula subsessilis (S. Watson) Buchenau
Mimulus palmeri A. Gray
Minuartia californica (A. Gray) Mattf.
Monardella australis Abrams

Common Name

Mountain Dogwood ♀
Western American Dogwood ♀
Solier Vernal Pool Water Pigmy-weed ♀
California Dodder ♀
Black Flatsedge ♀
Fringed Water-Plantain ♀
Slender Hairgrass ♀
Richardson Tansy Mustard ♀
Cleveland Shooting Star ♀
Waterwort ♀
Colorado Spike-rush ♀ (CNPS 4.3)
Gland Willowherb ♀
Chaparral Willowherb ♀
Kern Mallow ♀
San Francisco Leafy Fleabane ♀
Philadelphia Fleabane ♀
Ambiguous Woolly Daisy ♀
Fort Tejon Yarrow ♀
Tejon Poppy ♀
Catchfly Gentian ♀
Chinese Caps ♀
Oregon Ash ♀
California Bedstraw ♀
Low Gayophytum ♀
Southern California Mountain Gayophytum ♀
Cransebill, Carolina Geranium ♀
Mountain Geranium ♀
Birds-eye or Tricolor Gilia ♀
Sculpted-fruit ♀
Hop-Sage ♀
California Sunflower ♀
Dwarf Flax ♀
Western Poppy ♀
Foxtail Barley ♀
False-crowfoot Pennywort ♀
Marsh Pennywort ♀
Leafy Burrobrush ♀
Southern Burrobrush ♀
Mountain Iris ♀
Orcutt Quillwort ♀
Moss Rush ♀
Sickleleaf Rush ♀
Straight-leaf Rush ♀
Fremont Goldfields ♀
Rayless or Smooth Goldfields ♀
Small-rayed Goldfields ♀
Tall Layia ♀
Dwarf Peppergrass ♀
Flowering Quillwort ♀
California Honeysuckle ♀
Chaparral Honeysuckle hybrid ♀
Wood Rush ♀
Wood Rush ♀
Palmer Monkeyflower ♀
California Sandwort ♀
Southern Coyote Mint ♀

Scientific Name

Monardella villosa ssp. *obispoensis* (Hoover) Jokerst
Najas marina L.
Nemophila parviflora var. *quercifolia* (Eastw.) Chandler
Opuntia phaeacantha Engelm.
Orthocarpus linearilobus Bentham
Osmorhiza chilensis Hooker & Arnott
Panicum acuminatum Sw. var. *acuminatum*
Parnassia californica (A. Gray) E. Greene
Penstemon spectabilis Thurber var. [ssp.] *spectabilis*
Penstemon spectabilis var. [ssp.] *subviscosus* (Keck) McMinn
Phacelia congdonii Greene
Phoradendron libocedri (Engelm.) Howell
Physalis acutifolia (Miers) Sandw.
Plagiobothrys collinus var. *californicus* (A. Gray) Higgins
Plectritis brachystemon Fischer & C. Meyer
Pogogyne zizyphoroides Bentham
Polygonum amphibium var. *stipulaceum* Coleman
Polygonum douglasii E. Greene ssp. *douglasii*
Quercus garryana var. *breweri* (Engelm.) Jeps.
Ranunculus aquatilis var. *capillaceus* (Thuill.) DC.
Rubus leucodermis var. *bernardinus* (E. Greene) Jepson
Rubus parviflorus Nuttall
Sagittaria calycina Englemann
Sagittaria latifolia Willd.
Salix sitchensis Bong.
Sanicula hoffmannii (Munz) Stan & Constance
Scutellaria bolanderi ssp. *austromontana* Epling
Senecio californicus DC.
Spirodela polyrrhiza (L.) Schlied.
Spirodela punctata C. Thompson
Sporobolus airoides Torrey
Streptanthella longirostris Rydb.
Thelypteris puberula var. *sonorensis* A.R. Smith
Thermopsis macrophylla Hook. & Arn. var. *macrophylla*
Trichostema parishii Vasey
Triteleia dudleyi Hoover
Triteleia hyacinthina (Lindley) E. Greene
Triteleia ixioides ssp. *scabra* (E. Greene) L. Lenz
Triteleia laxa Bentham
Utricularia vulgaris L.
Vaccinium ovatum Pursh
Viola sheltonii Torrey
Wolfia borealis Landolt & O. Wildi
Wolfia columbiana Karsten
Wolfia globosa Hartog & Plas
Wolffiella lingulata Hegelm.
Wolffiella oblonga (Phil.) Hegelm.
Wyethia ovata T. & G.
Yucca brevifolia var. *herbertii* (J.M. Webber) Munz

Common Name

San Luis Obispo Coyote Mint Φ
Spiny Naiad Φ
Oak-leaved Nemophila (R)
Engelmann Prickly Pear Φ
Pallid Owl's Clover Φ
Mountain Sweetroot or Sweet Cicely Φ
Panicgrass Φ
Grass-of-Parnassus Φ
Royal Penstemon Φ
Sticky Royal Penstemon Φ
Congdon Phacelia Φ
Incense-cedar Mistletoe Φ
Ground-cherry Φ
California Popcornflower Φ
Small-flowered Pink Plectritis Φ
Sacramento Mesamint Φ
Stipuled Water-Smartweed Φ
Douglas Knotweed Φ
Brewer Oregon Oak Φ
Slender White Water Crowfoot Φ
Sticky Blackcap Raspberry Φ
Thimbleberry Φ
Hooded Arrowhead Φ
Broadleaf Arrowhead Φ
Sitka Willow Φ
Hoffmann's Sanicle Φ
Southern Skullcap Φ
California Ragwort
Duckmeat Φ
Duckmeat Φ
Alkali Sacaton Φ
Dwarf Jewelflower Φ
Sonoran Maiden Fern Φ
False-Lupine Φ
Parish Bluecurls Φ
Dudley Triteleia Φ
White Triteleia Φ
Golden Brodiaea Φ
Ithuriel Spear Φ
Bladderwort Φ
California Huckleberry Φ
Shelton Violet Φ
Water-meal Φ
Coastal Water-meal Φ
Globe Water-meal Φ
Mud-midget Φ
Oblong Water-meal Φ
Mule-ears Φ
Herbert Joshua Tree Φ

Plants Recently Removed from List

Below is a list of taxa that were previously included on this list, but removed after the eleventh (presumed) extant population was found (through either direct field surveys or searches of herbaria records), or there was a taxonomic change that

warranted deletion of the taxon from this list. This does not include plants listed by CNPS (2011) as rare throughout California (ranks 1 through 4). Only those taxa removed from the current edition are listed below. Consult earlier editions of this checklist for taxa removed from earlier editions.

Scientific Name

Agrostis exarata Trin.
Agrostis stolonifera var. *palustris* (Hudson) Pers.
Arceuthobium abietinum (Engelm.) Hawksw. & Wiens forma *concoloris*
Arceuthobium californicum Hawksworth & Wiens
Arceuthobium campylopodum Engelm.
Arceuthobium cyanocarpum Coulter & A. Nelson
Arceuthobium divaricatum Engelm.
Arceuthobium occidentale Engelm.
Clarkia cylindrica ssp. *clavicarpa* W. Davis
Lithophragma bolanderi Gray
Micranthes californica (Greene) Small

Common Name

Western or Spike Bentgrass (U)
Creeping Bentgrass (U)
Dwarf Fir Mistletoe (R)
Sugar Pine Dwarf Mistletoe (R)
Western Dwarf Mistletoe (U)
Limber Pine Dwarf Mistletoe (R)
Pinyon Dwarf Mistletoe (U)
Foothill Pine Dwarf Mistletoe (R)
Cylindrical Godetia (R)
Bolander Star (R)
California Saxifrage (R)