

Checklist of Ventura County Rare Plants¹

By David L. Magney
California Native Plant Society, Channel Islands Chapter
Updated 28 May 2010

Ventura County is located in southern California, USA, along the east edge of the Pacific Ocean. The coastal portion occurs along the south and southwestern quarter of the County. Ventura County is bounded by Santa Barbara County on the west, Kern County on the north, Los Angeles County on the east, and the Pacific Ocean generally on the south (Figure 1, General Location Map of Ventura County).

Ventura County extends north to 34.9014°N latitude at the northwest corner of the County. The County extends westward at Rincon Creek to 119.47991°W longitude, and eastward to 118.63233°W longitude at the west end of the San Fernando Valley just north of Chatsworth Reservoir. The mainland portion of the County reaches southward to 34.04567°N latitude between Solromar and Sequit Point west of Malibu. When including Anacapa and San Nicolas Islands, the southernmost extent of the County occurs at 33.21°N latitude and the westernmost extent at 119.58°W longitude, on the south side and west sides of San Nicolas Island, respectively.

Ventura County occupies 480,996 hectares [ha] (1,188,562 acres [ac]) or 4,810 square kilometers [sq. km] (1,857 sq. miles [mi]), which includes Anacapa and San Nicolas Islands. The mainland portion of the county is 474,852 ha (1,173,380 ac), or 4,748 sq. km (1,833 sq. mi.) in area and ranges in elevation from sea level on the southwest to 2,692 meters [m] (8,831 feet [ft.]) above sea level at its northern border on Mount Piños (Figure 2, Shade Relief Map of Mainland Ventura County). There appears to be some discrepancy in the actual area covered by Ventura County, depending on the source. For example, according to the California County Fact Book, 1983 edition (California Supervisors Association of California 1983), Ventura County occupies an area of 482,668 ha (1,192,680 ac) or 2,999 sq. km (1,863.6 sq. mi), with 3,254 ha (8,040 ac) or 20.3 sq. km (12.6 sq. mi) of that as water. The discrepancy appears to be a little over 2,469 ha (6,100 ac), which does not correspond to the area occupied by the two islands within the County. However, the difference does appear to match the area occupied by a rectangular portion of the county in the northeast corner, where the Ventura County Board of Supervisors voted to give away approximately 6,100 acres to Kern County to accommodate a proposed development that Ventura County felt it could not provide adequate County services to.

Mainland Ventura County is located between 34°00' and 35°00'N latitude and 118°38' and 119°28'W longitude, excluding Anacapa and San Nicolas Islands, and is generally longer than wide. Anacapa Islands are the smallest and easternmost of the northern Channel Islands while San Nicolas Island is an outer southern Channel Island.

¹ This document should be cited as: Magney, D.L. 2010. Checklist of Ventura County Rare Plants. 28 May 2010, Seventeenth Edition. California Native Plant Society, Channel Islands Chapter, Ojai, California. (Previous published update dated 19 October 2009.)

Figure 1. General Location Map of Ventura County





Figure 2. Shade Relief Map of Mainland Ventura County



The flora of Ventura County is comprised of approximately **2,390** native and naturalized vascular plant taxa, including those expected to occur but for which no vouchers are known (194 taxa). A total of 2,196 taxa (91.9%) are known to occur in the county that are supported by voucher specimens, or have been observed by the author. Approximately 1,732 taxa (78.87%) of the flora are native, and another 464 (21.13%) taxa are not native (based on a flora of 2,196 taxa). A small percentage (8.6%) of the flora taxa (186 taxa) are quite common (dominant or common), on a scale ranging from dominant to rare (dominant, common, occasional, scattered, uncommon, and rare). Many more of the plant taxa in Ventura County are uncommon to quite rare.

All the species (including varieties and subspecies, which are lower taxonomic units than full species) of native and naturalized plants are important components of the biodiversity of life in Ventura County. While most species do not recognize political boundaries, such as county boundaries, our government agencies set policies and manage land use and resources based on such jurisdictional boundaries.

This list represents a compilation of known records and observations (many by the author) of all native vascular plant species:

- With ten (10) or fewer populations within Ventura County;
- Listed by CNPS on a statewide basis (CNPS 2001);
- Listed by the US Fish and Wildlife Service as Threatened or Endangered under the federal Endangered Species Act;
- Listed by the California Fish and Game Commission as Rare, Threatened, or Endangered;
- Are at the limits of their distribution range (southernmost, northernmost, westernmost extent); or
- The Type Locality occurs within the County (then only the Type Locality is considered sensitive).

Some taxa are considered rare or uncommon throughout California, as established by the California Native Plant Society (CNPS) in its *Inventory of Rare and Endangered Plants of California*, sixth edition², even though more than ten populations are known from Ventura County, including Anacapa Islands and San Nicolas Island. Currently there are **1,216**³ taxa (50.9% of the known county flora) included on this list of locally rare plants (including taxa rare statewide), which include taxa on the mainland and two islands (Anacapa and San Nicolas). Another 153 (6.4% of the expected flora of 2,390 taxa) were appended that are likely to occur in the County but for which no voucher specimens or reliable locality data are available. These are included at the end of this list. Many of these potential additions are known to occur in adjacent counties and expected to occur in Ventura County. A total of 59 plants (2.5%) considered rare in Ventura County occur only on the Channel Islands (Anacapa and San Nicolas Islands) portion of the county. A number of taxa were deleted from this list when over ten occurrences were known to occur in Ventura County.

This list was compiled as the results of extensive research of the flora of Ventura County. It is based on extensive field searches; examination of specimens collected by others housed at public herbaria; and published reports. The author began research on the Ventura County flora in the late 1970s.

Soon to be published separately, *Ventura County Rare Plants* will provide much more information about those plants included in this checklist, including: a brief description of the plant, habitat preferences, associated plant communities, elevation range, and blooming period. That publication will include additional information for each taxon, including complete scientific name, known synonyms,

² California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth edition. (Special Publication No. 1.) Rare Plant Scientific Advisory Committee, David Tibor, Convening Editor, Sacramento, California. September.

³ This number is 5 fewer taxa than included on the previous edition of this list.

common name(s), habit and size, rarity status, months it is in bloom or identifiable, and general and specific locality data, with supporting voucher collection information. Each specimen cited for a specific location includes the name of the collector, the collection number (or collection date if no number was assigned), and the herbarium in which it is stored (some duplicate specimens have been deposited in more than one herbarium). Location information is provided at two levels: a general geographic area, and then specific locations.

This list should be considered the best available information at the time of publication, as our knowledge of the Ventura County flora is dynamic, and growing with each botanical survey or foray. This checklist will be updated periodically and revised according to all new verifiable information provided. Occurrences of vascular plants found in Ventura County that add to or could change the status of any plant listed here should be submitted to the author via CNPS (attention: David Magney) or via email to [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Any lists submitted must be supported by voucher specimens that are deposited in a public herbarium, according to CNPS and California Botanical Society policies based on Ferren et al. (1995⁴).

Plants not included in CNPS's *Inventory*, or listed by federal and state agencies, that have more than ten populations in Ventura County will be dropped from this list, except for those plants:

- representing range limits, such as the westernmost limit of the taxon's range; or
- the "Type Locality" sites ("Type Locality" sites are the sites from which the plant was originally collected and formally described from, and is represented by a "Type Specimen", for which a note occurs after the herbarium at which it is deposited as "Holotype" or "Isotype").

For those plants that are otherwise relatively common in Ventura County, only the populations that represent the limit of a plant's range should be considered of concern (as sensitive), with the remaining population(s) noted to provide perspective, but not considered sensitive/rare for the purposes of this checklist. *Artemisia tridentata* var. *tridentata* is an example of this, where it should be considered of local concern when it occurs in the western portion of the Santa Clara River Valley (the limit of its range) while the populations in the Upper Sespe Creek watershed and the northern part of the county are not of concern from a rarity perspective.

Special-status species are plants that are either listed as endangered or threatened under the Federal or California Endangered Species Acts; or considered to be rare under the California Native Plant Protection Act; or considered to be rare (but not formally listed) by resource agencies, professional organizations (e.g. California Native Plant Society), and the scientific community. For the purposes of this checklist, special-status species are further defined in Table 1, Definitions of Special-Status Plant Species.

Listed species are those taxa that are formally listed as endangered or threatened by the federal government (e.g. U.S. Fish and Wildlife Service [USFWS]) pursuant to the national Endangered Species Act or as endangered, threatened, or rare (for plants only) by the State of California (i.e. California Fish and Game Commission) pursuant to the California Endangered Species Act or the California Native Plant Protection Act.

The CNDB Element Ranking system provides a numeric global and state ranking system for all special-status plant and wildlife species and rare habitats tracked by the CNDB. The global rank (G-rank) is a reflection of the overall condition of an element (species or natural community) throughout its global range. The state ranking (S-rank) is assigned much the same way as the global rank, except state

⁴ Ferren, W.R., Jr., D.L. Magney, and T.A. Sholars. 1995. The Future of California Floristics and Systematics: Collecting Guidelines and Documentation Techniques. *Madroño* 42(2):197-210.

ranks in California often also contain a threat designation attached to the S-rank. This Element Ranking system is defined below in Table 2, Natural Diversity Data Base Element Ranking System. Not all special-status species considered in this checklist are tracked by the CNDDDB, nor have global or state rarity ranking been given to them; therefore, the author has applied the rules described above to “rank” those special-status species lacking such ranking. Taxa for which Global and State rarity ranking have been devised here are followed by a “?” in parentheses, denoting tentative assignment.

Table 1. Definitions of Special-Status Plant Species

1. Plants legally protected under the California and Federal Endangered Species Acts or under other regulations.
2. Plants considered sufficiently rare by the scientific community to qualify for such listing; or
3. Plants considered to be sensitive because they are unique, declining regionally or locally, or are at the extent of their natural range.
Special-Status Plant Species
<ul style="list-style-type: none">◆ Plants listed or proposed for listing as threatened or endangered under the Federal Endangered Species Act (50 CFR 17.12 for listed plants and various notices in the Federal Register for proposed species).◆ Plants that are Category 1 or 2 (species of special concern) candidates for possible future listing as threatened or endangered under the Federal Endangered Species Act (55 CFR 6184, February 21, 1990).◆ Plants that meet the definitions of rare or endangered species under the CEQA (<i>State CEQA Guidelines</i>, Section 15380).◆ Plants considered by the CNPS to be "rare, threatened, or endangered" in California (Lists 1A, 1B, and 2 in CNPS [2001]⁵).◆ Plants listed by CNPS as plants about which we need more information and plants of limited distribution (Lists 3 and 4 in CNPS [2001]).◆ Plants listed or proposed for listing by the State of California as threatened or endangered under the California Endangered Species Act (14 CCR 670.5).◆ Plants listed under the California Native Plant Protection Act (California Fish and Game Code 1900 <i>et seq.</i>).◆ Plants considered sensitive by other federal agencies (i.e. U.S. Forest Service, Bureau of Land Management) or state and local agencies or jurisdictions.◆ Plants considered sensitive or unique by the scientific community or occurring at the limits of its natural range (<i>State CEQA Guidelines</i>, Appendix G).

CNPS's *Inventory of Rare and Endangered Plants of California*⁶ categorizes rare California plants into one of five lists (1A, 1B, 2, 3, & 4) representing the five levels of species status, one of which is assigned to a sensitive species to indicate its status of rarity or endangerment and distribution. A CNPS List is a more general designation than the three separate sets of information provided in a CNPS R-E-D Code (see the CNPS *Inventory* for definitions). However, the CNPS List is a significant designation in terms of a species' overall status throughout all of California, and it works well in conjunction to the specifications of the R-E-D Code. The CNPS R-E-D Code is a three-numbered numeric ranking, which is assigned to a special-status species, consisting of one number (1, 2, or 3) for each of the three categories (Rarity-Endangerment-Distribution). Each number accurately describes the species' population levels and distribution patterns within each category.

As described for the NDDB ranking, not all special-status species (most) considered in this checklist are tracked by CNPS, nor have R-E-D codes been given to them; however, the author has applied the rules described above to “rank” those special-status species lacking such ranking to either “rare” or “uncommon”; however, these rankings are not included in the checklist. Rather the occurrence

⁵ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth Edition.
Sacramento, California. September.

⁶ Ibid.

rankings for each are provided in the *Ventura County Rare Plants* and in the *Flora of Ventura County* to be published in 2006 by the author.

The large number of taxa on this list is the result of several factors:

1. Development in Ventura County has eliminated a majority of the natural vegetation in the southern half of the County, eliminating many occurrences of native plant species;
2. A number of taxa found nowhere else are present in Ventura County, local endemics, and several of these are listed as threatened or endangered by either the California Department of Fish and Game or the U.S. Fish and Wildlife Service;
3. Ventura County is geographically situated such that floral influences from the north, south, and east enter the County at its edges (limits of some species' ranges);
4. Anacapa and San Nicolas Islands support many species found only on the California Channel Islands, including island endemics;
5. Ventura County is topographically and climatically diverse, providing numerous habitats for uncommon and rare species; and
6. Botanical surveys have not been conducted systematically everywhere in the County. In other words, the flora of Ventura County is not fully understood or documented, and additional populations of a number of the plants listed below likely occur in the County, we just aren't aware of them yet. Regardless, significant collecting has occurred in the County over the last 150 years, and the author has a reasonably good understanding of the flora.

This list was compiled according to definitions under the California Environmental Quality Act (CEQA) under Initial Study Checklist Section 6, Subsections A and E. Projects reviewed under CEQA should consider impacts to one or more of the species included in this checklist as potentially significant. Generally, if a project would impact a population of one or more of the plants listed herein, that/those impact(s) should be considered significant unless substantial evidence is provided that may support an alternate conclusion.

What significance does a list of locally rare species have under CEQA?

The following answer is provided by John Buse, Esq., of the Environmental Defense Center of Ventura, California⁷. The CEQA Guidelines provide that a lead agency shall find that a project may have a significant effect on the environment if the project "... has the potential to ... reduce the number or restrict the range of an endangered, rare or threatened species ...". Guidelines §15065(a). In addition, the CEQA Guidelines Appendix G Environmental Checklist Form considers whether a project would "have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations ...".

According to the CEQA Guidelines, a species is considered "rare" when either:

- (A) Although not presently threatened with extinction, the species is existing in such small numbers throughout all or a significant portion of its range that it may become endangered if its environment worsens; or
- (B) The species is likely to become endangered within the foreseeable future throughout all or a significant portion of its range and may be considered "threatened" as that term is used in the Federal Endangered Species Act. Guidelines §15380(b)(2).

⁷ Buse, John, Esq., Environmental Defense Center, memorandum to David Magney of CNPS dated 14 September 2002.

Table 2. Natural Diversity Database Element Ranking System

Global Ranking (G)	
G1	Less than 6 viable element occurrences (populations for species) OR less than 1,000 individuals OR less than 809.4 hectares (ha) (2,000 acres [ac]).
G2	6 to 20 element occurrences OR 809.4 to 4,047 ha (2,000 to 10,000 ac).
G3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac).
G4	Apparently secure; this rank is clearly lower than G3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat).
G5	Population or stand demonstrably secure to ineradicable due to being commonly found in the world.
GH	All sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
GX	All sites are extirpated ; this element is extinct in the wild.
GXC	Extinct in the wild; exists in cultivation.
G1Q	The element is very rare, but there is a taxonomic question associated with it.

Subspecies Level

Subspecies receive a **T-rank** attached to the G-rank. With the subspecies, the G-rank reflects the condition of the entire species, whereas the T-rank reflects the global situation of just the subspecies or variety.

For example: *Chorizanthe robusta* var. *hartwegii*. This plant is ranked G2T1. The G-rank refers to the whole species range (i.e. *Chorizanthe robusta*, whereas the T-rank refers only to the global condition of var. *hartwegii*.

State Ranking (S)	
S1	Less than 6 element occurrences OR less than 1,000 individuals OR less than 809.4 ha (2,000 ac). S1.1 = very threatened S1.2 = threatened S1.3 = no current threats known
S2	6 to 20 element occurrences OR 3,000 individuals OR 809.4 to 4,047 ha (2,000 to 10,000 ac). S2.1 = very threatened S2.2 = threatened S2.3 = no current threats known..
S3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac). S3.1 = very threatened S3.2 = threatened S3.3 = no current threats known
S4	Apparently secure within California; this rank is clearly lower than S3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat). NO THREAT RANK.
S5	Demonstrably secure to ineradicable in California. NO THREAT RANK.
SH	All California sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
SX	All California sites are extirpated ; this element is extinct in the wild.

Notes: 1. Other considerations used when ranking a species or natural community include the pattern of distribution of the element on the landscape, fragmentation of the population/stands, and historical extent as compared to its modern range. It is important to take a bird's eye or aerial view when ranking sensitive elements rather than simply counting element occurrences.

2. Uncertainty about the rank of an element is expressed in two major ways: by expressing the rank as a range of values (e.g., S2S3 means the rank is somewhere between S2 and S3), and by adding a ? to the rank (e.g. S2?). This represents more certainty than S2S3, but less than S2. (CNDBB 2002.)

Species already listed under the California or federal ESA shall be presumed to be endangered, rare, or threatened. Guidelines §15380(c). A species not currently listed shall nevertheless be considered to be endangered, threatened, or rare if it meets the criteria in the CEQA definitions of "endangered" or

“rare”. The term “sensitive” species, which appears in the Appendix G checklist, is not defined in CEQA.

If a species is considered locally rare due to its limited occurrence within a political boundary, such as the County of Ventura, and if the species’ local population constitutes a significant portion of its range, the species must be considered a rare species under CEQA. The mere placement of a species on a list of locally rare species is probably not enough to meet the CEQA criteria for endangered, threatened, or rare species. However, if the list contains some additional explanation indicating why the species meets the CEQA criteria, such as the fact that the local population constitutes a significant portion of the species’ range, the list should provide substantial evidence of rarity.

If the CEQA criteria are satisfied, it is irrelevant that a species is relatively common in other locations. For example, the Pacific Coast populations of the Snowy Plover are listed as threatened under the federal ESA, despite the fact that inland populations are relatively common and are not protected. The existence of the non-listed populations does not diminish the Snowy Plover’s status as an endangered, threatened, or rare species under CEQA. By extension, if the Pacific Coast populations of the Snowy Plover were not listed as threatened, these populations would still be considered endangered, threatened, or rare under CEQA. Accordingly, the special status for Snowy Plover in Ventura County under CEQA would still apply even if Snowy Plover was relatively common in, for example, Mono County. Assertions implying that a species necessarily does not warrant inclusion on a list of locally rare species if it is common elsewhere in California simply because it occurs rarely in Ventura County within a political boundary are incorrect. As the Snowy Plover example indicates, there will be instances when a locally rare species must be considered rare under CEQA despite the species’ common occurrence elsewhere in California.

Snowy Plover on the Pacific Coast is protected under the federal ESA based on the concept of a “distinct population segment” (DPS). Something similar to the DPS concept could be used to determine whether a locally rare species is, in fact, endangered, threatened, or rare under CEQA. The federal ESA allows a DPS, defined according to geographic or reproductive isolation, to be treated as a “species”. Therefore, as in the Snowy Plover example, a DPS can be listed even though the populations of the taxonomic species are common elsewhere. CEQA does not preclude use of the DPS concept to assist in understanding whether a species is endangered, threatened, or rare based on its local rarity; on the contrary, the CEQA Guidelines definition of “rare” appears to invite the consideration of similar circumstances that would inform the determination of a DPS under the federal ESA.

Under CEQA, lead agencies have considerable discretion in determining whether a species should be considered rare or sensitive. See, for example, the *State CEQA Guidelines* Appendix G checklist cited above, which indicates that lead agencies may designate candidate, sensitive, or special-status species in local or regional plans, policies, or regulations. A list of locally rare or sensitive species, if it is developed based on evidence that the local rarity meets the CEQA criteria for rarity, will effectively establish a rebuttable presumption of significance for species that may be adversely affected by a project. In this respect, a list of locally rare species as presented below will function in a manner similar to the threshold of significance that a lead agency may establish. CEQA requires, however, that thresholds of significance for general use in a lead agency’s environmental review process “must be adopted by ordinance, resolution, rule, or regulation, and developed through a public review process and be supported by substantial evidence.” Guidelines §15064.7. For a list of locally rare or sensitive species to function as a set of thresholds of significance, therefore, the list should be adopted through a public review process. Even if the list is not adopted through a public review process, it will establish substantial evidence of rarity if it is accompanied by additional information showing, for example, that the local occurrences of a listed species constitute a substantial portion of the species’ range.

CNPS believes that this list of locally rare plants meets the definitions of rarity, at least locally, to satisfy consideration under CEQA. This checklist is supported by substantial evidence in the files of the author and data obtained from public herbaria and knowledgeable local botanists. Many of the taxa listed in this checklist are also listed by CNPS as rare or sensitive statewide, as well as those taxa formally listed under the California and/or federal ESA.

This checklist is updated regularly based on new information on the Ventura County flora. Species are added or deleted from this list as the new data warrant; therefore, be sure to obtain the most up-to-date version of this checklist. For example, for this update, compared to the 18 October 2009 edition (previous), 21 taxa were added, 17 were dropped (listed at end of this list), 11 had their rarity status changed (usually lowered from Rare to Uncommon), 0 taxa were added to the “expected to occur” list, and 4 had a name change. Changes in nomenclature were also made, where appropriate. Future changes to this list will not likely be as dramatic as the status of the flora of Ventura County is now better understood after extensive searches of California public herbaria were conducted through the Jepson Herbarium on-line Consortium database.

The most up-to-date version can be downloaded (as a PDF) from the Channel Islands Chapter CNPS website at www.cnpsc.org, or by contacting the author directly. Please send your notes on corrections, errors, and plant populations/occurrences you are aware of that may not be on this checklist to the author: David Magney, P.O. Box 1346, Ojai, CA 93024-1346 or via email at [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Also contact the author if you need any specific locality data on any particular taxon included in this checklist.

Checklist of Rare Plants

Scientific Name⁸

<i>Abies concolor</i> (Gordon & Glendinning) Lindl. ex Hildebr.
<i>Abronia maritima</i> Nutt. ex S. Watson X <i>A. umbellata</i> Lam.
<i>Abronia maritima</i> Nutt. ex S. Watson
<i>Abronia pogonantha</i> Heimerl
<i>Abronia turbinata</i> Torr. ex S. Watson
<i>Abronia villosa</i> S. Watson var. <i>aurita</i> (Abrams) Jeps.
<i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst
<i>Acanthoscyphus</i> [<i>Oxytheca</i>] <i>parishii</i> (Parry) Small var. <i>parishii</i>
<i>Achnatherum aridum</i> (M.E. Jones) Barkworth
<i>Achnatherum occidentalis</i> (Thurber) Barkworth ssp. <i>occidentalis</i>
<i>Achnatherum occidentalis</i> ssp. <i>pubescens</i> (Vasey) Barkworth
<i>Achnatherum parishii</i> (Vasey) Barkworth
<i>Achnatherum thurberianum</i> (Piper) Barkworth
<i>Achyrrachaena mollis</i> Schauer
<i>Adenostoma sparsifolium</i> Torrey
<i>Agoseris elata</i> (Nuttall) E. Greene
<i>Agoseris heterophylla</i> var. <i>cryptopleura</i> Greene
<i>Agrostis exarata</i> Trin.

Common Name⁹

California White Fir (U) LPNF
Hybrid Sand-verbena (R)
Red or Sticky Sand-verbena (U) CNPS 4
Desert Sand-verbena (R)
Turbinate Sand-verbena (R)
Woolly Sand-verbena (R)
Heartleaf Thoernmint (U)
Parish's Oxytheca (R) CNPS 4.2
Mormon Needlegrass (R)
Western Needlegrass (R)
Elmer Needlegrass (R)
Parish Needlegrass (R)
Thurber Needlegrass (R)
Blow-Wives (U)
Red Shank, Ribbon-bush (R)
Tall Mountain Dandelion (R)
Mountain Dandelion (U)
Western or Spike Bentgrass (U)

⁸ Scientific name: The complete scientific name is provided for each taxon and consists of the genus, species, and author (person who formally described and named the plant). Underlined entries indicate taxa found only on the Channel Islands (Anacapa or San Nicolas Islands).

⁹ Common names are given for all taxa, many of which are invented by the author as no common name has been identified otherwise. “R”, “U”, “Limits”, or “Type” in parentheses indicated the category of rarity: R = rare (formally listed by USFWS, CDFG, CNPS, or with 5 or fewer occurrences in Ventura County); U = uncommon (with 6 to 10 occurrences in Ventura County); Limits = indicate taxon reaches its distribution limits in Ventura County; Type = type locality is within Ventura County.

Scientific Name

Agrostis hallii Vasey
Agrostis pallens Trin.
Agrostis stolonifera var. *palustris* (Hudson) Pers.
Alisma plantago-aquaticum L.
Allium amplectens Torrey
Allium cratericola Eastw.
Allium denticulatum (Traub) D. McNeal
Allium diaboloense (Traub) D. McNeal
Allium haematochiton S. Watson
Allium howellii var. *clokeyi* Traub
Allium lacunosum S. Watson var. *lacunosum*
Allium lacunosum var. *davisiæ* (M.E. Jones) D. McNeal
Allium monticola Davidson
Allium parryi S. Watson
Allium parvum Kellogg
Allium peninsulare Lemmon var. *peninsulare*
Allium praecox Brandegee
Allium sanbornii Alph. Wood var. *sanbornii*
Allium tribracteatum Torrey
Allium vineale L.
Allophylum divaricatum (Nuttall) A.D. Grant & V. Grant
Allophylum giliooides (Bentham) A.D. Grant & V. Grant ssp. *giliooides*
Allophylum integrifolium (Brand) A.D. Grant & V. Grant
Alnus incana ssp. *tenuifolia* (Nuttall) Breitung
Alopecurus carolinianus Walter
Alopecurus saccatus Vasey
Amaranthus blitoides S. Watson
Amaranthus californicus (Moq.) S. Watson
Amaranthus palmeri S. Watson
Amaranthus powellii S. Watson ssp. *powellii*
Amaranthus powellii ssp. *bouchenii* (Thell.) Costea & Carretero
Ambrosia chamissonis (Less.) E. Greene
Ambrosia confertiflora DC.
Ambrosia salsola (T.&G. Ex G.) Stother & B.G. Baldwin var. *salsola*
Ambrosia salsola var. *fasiculata* (A. Nelson) Stother & B.G. Baldwin
Amelanchier alnifolia var. *pumila* (Nuttall) Nelson
Amelanchier pallida E. Greene
Amelanchier utahensis Koehne
Ammannia coccinea Rottb.
Amsinckia douglasiana A. DC.
Amsinckia menziesii (Lehm.) Nelson & J.F. Macbr. var. *menziesii*
Amsinckia spectabilis Fischer & C. Meyer var. *spectabilis*
Amsinckia tessellata Gray var. *tessellata*
Amsinckia tessellata var. *gloriosa* (Suksd.) Hoover
Amsinckia vernicosa Hook. & Arn. var. *vernicosa*
Ancistrocarphus filagineus Gray
Andropogon glomeratus var. *pumilus* Vasey ex Dewey
Andropogon glomeratus var. *scabriglumis* C.S. Campbell
Androsace elongata ssp. *acuta* (E. Greene) G. Robb.
Anisocoma acaulis Torrey & A. Gray
Antennaria dimorpha (Nuttall) Torrey & A. Gray
Antirrhinum coulterianum Bentham ssp. *coulterianum*
Antirrhinum nuttallianum Benth. ssp. *nuttallianum*
Antirrhinum nuttallianum ssp. *subsessile* (A. Gray) D. Thompson
Antirrhinum ovatum Eastwood
Aphanes occidentalis (Nuttall) Rydb.

Common Name

Hall's Bentgrass (R)
Thinggrass (R)
Creeping Bentgrass (U)
Common or Broadleaf Water-plantain (R)
Narrowleaf Onion (R)
Cratered Onion (R)
Dentate Fringed Onion (R)
Diablo Onion (U)
Red-skinned Onion (U)
Mount Pinos Onion (R, Type) CNPS 1B
Pitted Onion (R)
Davis Onion (R, W Limits)
Mountain Onion (R)
Parry Fringed Onion (R)
Small Onion (R)
Peninsular Onion (R)
Early Onion (R)
Sanborn Onion (R)
Three-bracted Onion (R)
Wild Garlic (R)
Divaricate Allophylum (R)
Straggling Gilia (U)
Sticky Allophylum (R)
Mountain Alder (R, Disjunct, S Limits)
Carolina Foxtail (R)
Pacific Foxtail (R)
Prostrate Amaranth (U)
California Amaranth (R)
Palmer Amaranth (U)
Powell Amaranth (U)
Bouchenl Amaranth (R)
Beach Bur (U)
Weak-leaved Burweed or Bur-sage (R)
Burrobrush (R)
White Burrobrush (R)
Alderleaf Service-berry (R)
Western or Pallid Service-berry (R, Type)
Utah Service-berry (R)
Long-leaved or Purple Ammannia (R)
Douglas Fiddleleneck (R)
Common or Menzeis Fiddleleneck (U)
Showy Fiddleneck (R)
Devil's Lettuce, Tessellate Fiddleneck (R)
Glorious Fiddleneck (R)
Vernal or Green Fiddleneck (R)
Woolly Fishhooks (U)
Bushy Bluestem (R)
Southwestern Bushy Bluestem (U)
Rock-jasmine (R)
Scale Bud (U)
Low Everlasting (R)
White Snapdragon (U)
Nuttall Snapdragon (R)
Nuttall Snapdragon (R)
Oval-leaved Snapdragon (R)
Dew-cup, Lady's Mantle (R)

Scientific Name

Common Name
<i>Aphanisma blitoides</i> Moq.
<i>Apocynum androsaemifolium</i> L.
<i>Apocynum Xmedium</i> E. Greene (<i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> X <i>A. cannabinum</i> var. <i>hypericifolium</i>) Bitter Dogbane (R)
<i>Aquilegia eximia</i> Van Houtte ex Planchon
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker
<i>Aralia californica</i> S. Watson
<i>Arbutus menziesii</i> Pursh
<i>Arceuthobium abietinum</i> (Engelm.) Hawksw. & Wiens
<i>Arceuthobium californicum</i> Hawksworth & Wiens
<i>Arceuthobium campylopodium</i> Engelm.
<i>Arceuthobium cyanocarpum</i> Coulter & A. Nelson
<i>Arceuthobium divaricatum</i> Engelm.
<i>Arceuthobium occidentale</i> Engelm.
<i>Arctostaphylos canescens</i> Eastw.
<i>Arctostaphylos glandulosa</i> Eastw. X. <i>A. glauca</i> Lindley
<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i> (Munz) Munz
<i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i> (Eastw.) Keeley, Vasey & Parker Cushing's Eastwood Manzanita (R)
<i>Arctostaphylos patula</i> Greene
<i>Arctostaphylos pungens</i> H.B.K.
<i>Aristida adscensionis</i> L.
<i>Aristida divaricata</i> Humb. & Bonpl. ex Willd.
<i>Aristida purpurea</i> Nuttall var. <i>purpurea</i>
<i>Aristida ternipes</i> var. <i>hamulosa</i> (Henrard) J.S. Trent
<i>Arnica discoidea</i> Benth. var. <i>discoidea</i>
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>
<i>Artemisia nesiotica</i> Raven
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements
<i>Artemisia tridentata</i> ssp. <i>vaseyanus</i> (Rydb.) Beetle
<i>Arthrocnemum [Salicornia] subterminalis</i> (Parish) Standley
<i>Asclepias erosa</i> Torrey
<i>Asclepias vestita</i> Hook. & Arn.
<i>Aspidotis californica</i> (Hooker) Nuttall ex Copeland
<i>Asplenium vespertinum</i> Maxon
<i>Aster ascendens</i> Lindley
<i>Aster chilensis</i> Nees
<i>Aster greatae</i> Parish
<i>Aster lanceolatus</i> ssp. <i>hesperius</i> (Gray) Semple & Chmielewski
<i>Aster latus</i> E. Greene
<i>Astragalus asymmetricus</i> E. Sheldon
<i>Astragalus brauntonii</i> Parish
<i>Astragalus coccineus</i> Brandegee
<i>Astragalus curtipes</i> A. Gray
<i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i>
<i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jepson
<i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps.
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps.
<i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones
<i>Astragalus filipes</i> Gray
<i>Astragalus gambelianus</i> E. Sheldon
<i>Astragalus lentiginosus</i> Hook. var. <i>diphysus</i>
<i>Astragalus lentiginosus</i> Hooker var. <i>fremontii</i> (A. Gray) S. Watson
<i>Astragalus lentiginosus</i> var. <i>nigricalyctis</i> M.E. Jones
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones
<i>Astragalus leucolobus</i> M.E. Jones
<i>Astragalus leucopsis</i> Torrey var. <i>leucopsis</i>
<i>Astragalus macrodon</i> (Hook. & Arn.) Gray

Scientific Name

Astragalus miquelianus Greene

Astragalus nuttallii (Torrey & A. Gray) J.T. Howell

Astragalus oxyphysus Gray

Astragalus pomonensis M.E. Jones

Astragalus purshii Douglas ex Hooker var. *purshii*

Astragalus pycnostachyus var. *lanosissimus* (Rydb.) Munz

Astragalus traskiae Eastwood

Astragalus trichopodus (Nutt.) Gray var. *trichopodus*

Astragalus trichopodus var. *lonchus* (M.E. Jones) Barneby

Astragalus whitneyi Gray var. *whitneyi*

Astragalus whitneyi var. *pinosus* Elmer

Atriplex argentea var. *mohavensis* M.E. Jones

Atriplex californica Moq.

Atriplex canescens ssp. *linearis* (S. Watson) H.M. Hall & Clements

Atriplex coulteri (Moq.) D. Dietr.

Atriplex lentiformis (Torrey) S. Watson ssp. *lentiformis*

Atriplex leucophylla (Moq.) D. Dietr.

Atriplex pacifica Nelson

Atriplex polycarpa (Torrey) S. Watson

Atriplex serenana Nelson var. *serenana*

Atriplex serenana var. *davidsonii* (Standley) Munz

Atriplex subspicata (Nutt.) Rydb.

Atriplex triangularis Willd.

Atriplex watsonii Nelson

Azolla filiculoides Lam.

Baccharis douglasii DC.

Baccharis emoryi Gray

Baccharis malibuensis Beauchamp & Henrickson

Baccharis plummerae Gray

Batis maritima L.

Berberis dictyota Jeps.

Berberis pinnata ssp. *insularis* Munz

Berula erecta (Huds.) Coville

Bidens frondosa L.

Bidens laevis (L.) Britton, Sterns & Pogg.

Bloomeria crocea var. *montana* (E. Greene) Ingram

Boechera breweri (S. Watson) Al-Shehbaz ssp. *breweri*

Boechera repanda (S. Watson) Al-Shehbaz

Boechera retrofracta (Graham) A. Löve & D. Löve

Boechera xylopoda Windham & Al-Shehbaz

Bolboschoenus maritimus (L.) Palla var. *paludosus* (Nelson) Koyama

Bolboschoenus maritimus X *B. robustus*

Bolboschoenus robustus (Pursh) Soják, Čas. Nár.

Boschniakia strobilacea Gray

Bothriochloa barbinodis (Lagasca) Herter

Botrychium simplex E. Hitchc.

Bowlesia incana Ruiz Lopez & Pavon

Boykinia occidentalis T. & G.

Boykinia rotundifolia C. Parry

Brickellia californica (T. & G.) Gray X *B. nevinii* Gray

Brickellia desertorum Coville

Brickellia multiflora Kellogg

Brodiaea coronaria (Salisbury) Jepson ssp. *coronaria*

Brodiaea terrestris ssp. *kernensis* (Hoover) Niehaus

Bromus arizonicus (Shear) Stebbins

Bromus laevipes Shear

Common Name

San Miguel Milkvetch (R)

Nuttall's Milkvetch (R)

Robust Milkvetch (R)

Pomona Locoweed (R)

Pursh's Woollypod Milkvetch (R)

Ventura Marsh Milkvetch (R/E)

Trask Locoweed or Milkvetch (R)

Three-pod Milkvetch (U)

Three-pod Milkvetch (U)

Whitney Locoweed (R)

Mount Pinos Locoweed (R, Type)

Mojave Silverscale (R)

California Saltbush (U)

Narrowleaf Fourwing Saltbush (R)

Coulter Saltbush (R)

Big Saltbush, Quailbrush (U, W Limits)

Whiteleaf, Beach Saltbush or Seaside (U)

South Coast Saltbush (R)

Common Saltbush, Allscale (R)

Bractscale (R)

Davidson Bractscale (R)

Saline Saltscale (R)

Spearscale (U)

Matscale (R)

Duckweed Fern (U)

Marsh Baccharis, Douglas False-willow (U)

Emory Baccharis (R)

Malibu Baccharis (R)

Plummer Baccharis (U) CNPS List 4

Saltwort, Beachwort (R)

Dull-leaf or Jeps. Holly-leaved Barberry (R)

Island Barberry (R)

Cutleaf Water-parsnip (R)

Sticktight (R)

Bur-marigold (R)

Mountain Goldenstars (U)

Brewer Rock Cress (R, S Limits)

Yosemite Rock Cress (U)

Holboell Rock Cress (R)

Desert Rock Cress (R, SW Limits)

Saltmarsh Bulrush (R)

Hybrid Bulrush (R)

Seashore Bulrush (R)

California Ground Cone (R)

Cane Bluestem (U)

Least Moonwort, Little Grapefern (R)

Hoary Bowlesia (U)

Santa Lucia Brookfoam (R)

Roundleaved Boykinia (R)

California-Nevin Brickellbush Hybrid (R)

Desert Brickellbush (R)

Gum-leaved Brickellbush (R)

Crown Brodiaea (R)

Harvest Brodiaea (R)

Arizona Brome (U)

Woodland Brome (R)

Scientific Name

Common Name
<i>Bromus orcuttianus</i> (Shear) A. Hitchc.
<i>Bromus pseudolaevipes</i> Wagnon
<i>Cakile edentula</i> (Bigelow) Hooker ssp. <i>edentula</i>
<i>Calandrinia breweri</i> S. Watson
<i>Calandrinia maritima</i> Nutt.
<i>Californica macrophylla</i> (H.& A.) Aldas., C. Navarro, P. Vargas, Ll. Saez & Aedo
<i>Callitricha marginata</i> Torrey
<i>Calocedrus decurrens</i> (Torrey) Florin
<i>Calochortus catalinae</i> S. Watson
<i>Calochortus clavatus</i> S. Watson ssp. <i>clavatus</i>
<i>Calochortus clavatus</i> ssp. <i>pallidus</i> (Hoover) Munz
<i>Calochortus luteus</i> Lindley
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>
<i>Calochortus plummerae</i> Greene
<i>Calochortus weedi</i> var. <i>vestus</i> Purdy
<i>Calyptodium monospermum</i> Greene
<i>Calyptodium parryi</i> Gray var. <i>parryi</i>
<i>Calyptodium umbellatum</i> (Torrey) Greene
<i>Calystegia macrostegia</i> ssp. <i>amplissima</i> Brummitt
<i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoides</i> (Greene) Munz
<i>Calystegia occidentalis</i> ssp. <i>fulcrata</i> (Gray) Brummitt
<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i> var. <i>tomentella</i> (Greene) Brummitt
<i>Calystegia peirsonii</i> (Abrams) Brummitt
<i>Calystegia sepium</i> ssp. <i>binghamiae</i> (Greene) Brummitt
<i>Calystegia soldanella</i> (L.) R. Br.
<i>Camissonia brevipes</i> (A. Gray) Raven ssp. <i>brevipes</i>
<i>Camissonia campenstris</i> cf. ssp. <i>obispoensis</i> Raven
<i>Camissonia cheiranthifolia</i> (Sprengel) Raim ssp. <i>cheiranthifolia</i>
<i>Camissonia cheiranthifolia</i> ssp. <i>suffruticosa</i> (S. Watson) Raven
<i>Camissonia confusa</i> Raven
<i>Camissonia graciliflora</i> (Hooker & Arnott) Raven
<i>Camissonia ignota</i> (Jepson) Raven
<i>Camissonia luciae</i> Raven
<i>Camissonia micrantha</i> (Sprengel) Raven
<i>Camissonia pallida</i> (Abrams) Raven ssp. <i>pallida</i>
<i>Camissonia palmeri</i> (S. Watson) Raven
<i>Cardamine breweri</i> S. Watson var. <i>breweri</i>
<i>Cardamine oligosperma</i> Torrey & Gray
<i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i>
<i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr.
<i>Carex abrupta</i> Mackenzie
<i>Carex alma</i> L. Bailey
<i>Carex athrostachya</i> Olney
<i>Carex aurea</i> Nuttall
<i>Carex barbara</i> Dewey
<i>Carex bolanderi</i> Olney
<i>Carex brainerdii</i> Mack.
<i>Carex densa</i> L. Bailey
<i>Carex douglasii</i> Boott
<i>Carex filifolia</i> var. <i>erostrata</i> Kük.
<i>Carex fracta</i> Mackenzie
<i>Carex globosa</i> Boott
<i>Carex hassei</i> L. Bailey
<i>Carex lanuginosa</i> Michaux
<i>Carex multicaulis</i> L. Bailey
<i>Carex nebrascensis</i> Dewey
Orcutt Brome (R)
Woodland Brome (R)
American Searocket (R)
Brewer Calandrinia (R) CNPS List 4
Seaside Redmaids (R) CNPS List 4
Largeleaf Filaree (R)
California Water-starwort, Wallow Starwort (R)
Incense Cedar (U)
Catalina Mariposa Lily (R) CNPS List 4
Club-haired Mariposa Lily (U) CNPS List 4
Pale Yellow Mariposa Lily (R)
Gold Nuggets (R)
Palmer Mariposa Lily (R) CNPS List 1B
Plummer Mariposa Lily (R) CNPS List 1B
Weed Mariposa Lily (R) CNPS List 1B
One-seeded Pussypaws (R)
Parry Calyptodium (U)
Pussypaws (U)
Island Morning-glory (R)
Tehachapi Morning-glory (R)
Western Morning-glory (R)
Woolly Western Morning-glory (R)
Peirson's Morning-glory (R)
Bingham Morning-glory (R) CNPS List 1A
Beach Morning-glory (U)
Yellow Cups (R)
San Luis Obispo Sun-cup (R)
Beach Primrose (R)
Beach Primrose (U)
Confusing Primrose (R)
Hill Sun-cup (R)
Small Primrose (U)
Santa Lucia Sun-cup (R)
Tiny Primrose (U)
Pale Primrose (R)
Palmer Primrose (R)
Brewer's Bitter-cress (R)
Few-seeded Bitter-cress (R)
Toothwort (R)
Sand Mat (R)
Abrupt-beaked Sedge (R)
Sturdy Sedge (U)
Slender-beaked Sedge (R)
Golden-fruited Sedge (R)
Santa Barbara Sedge (R)
Bolander Sedge (R)
Brainerd Sedge (R)
Dense Sedge (R)
Douglas Sedge (R)
Short-grass Sedge (R)
Fragile-sheathed Sedge (R)
Round-fruited Sedge (R)
Hasse Sedge (R)
Woolly Sedge (R)
Many-stemmed Sedge (R)
Nebraska Sedge (R)

Scientific Name

Common Name
<i>Carex pansa</i> L. Bailey
<i>Carex schottii</i> Dewey
<i>Carex spissa</i> L.H. Bailey
<i>Carex subfusca</i> W. Boott
<i>Carex triquetra</i> Boott
<i>Castilleja angustifolia</i> (Nuttall) G. Don
<i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard
<i>Castilleja applegatei</i> ssp. <i>pinetorum</i> (Fern.) Chuang & Heckard
<i>Castilleja attenuata</i> (Gray) Chuang & Heckard
<i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i>
<i>Castilleja gyroloba</i> Pennell
<i>Castilleja lanata</i> ssp. <i>hololeuca</i> (Greene) Chuang & Heckard
<i>Castilleja linariifolia</i> Benth.
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>
<i>Castilleja minor</i> (A. Gray) A. Gray ssp. <i>minor</i>
<i>Castilleja minor</i> ssp. <i>spiralis</i> (Jeps.) Chuang & Heckard
<i>Castilleja mollis</i> Pennell
<i>Castilleja plagiotoma</i> A. Gray
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard
<i>Castilleja tenuis</i> (A.A. Heller) Chuang & Heckard
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>
<i>Caulanthus anceps</i> Payson
<i>Caulanthus californicus</i> (S. Watson) Payson
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>
<i>Caulanthus inflatus</i> S. Watson
<i>Caulanthus lemmonii</i> S. Watson
<i>Ceanothus dentatus</i> T. & G.
<i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastw.) Munz
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover
<i>Ceanothus palmeri</i> Trel.
<i>Ceanothus papillosus</i> ssp. <i>roweanus</i> McMinn
<i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i>
<i>Ceanothus tomentosus</i> var. <i>olivaceous</i> Jepson
<i>Celtis reticulata</i> Torrey
<i>Centaurium exaltatum</i> (Griseb.) W. Wright ex Piper
<i>Centaurium venustum</i> (A. Gray) B.L. Robins. ssp. <i>venustum</i>
<i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin
<i>Centrostegia thurberi</i> var. <i>macrotheca</i>
<i>Ceratophyllum demersum</i> L.
<i>Cercocarpus betuloides</i> var. <i>blancheae</i> (C. Schneider) Little
<i>Cercocarpus ledifolius</i> Nuttall var. <i>ledifolius</i>
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> N. Holmgren
<i>Chaenactis artemisiifolia</i> (Gray) Gray
<i>Chaenactis fremontii</i> A. Gray
<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i> (A. Gray) H.M. Hall
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i> (DC.) H.M. Hall
<i>Chaenactis glabriuscula</i> var. <i>megacephala</i> A. Gray
<i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i> (Greene) H.M. Hall
<i>Chaenactis steviosides</i> Hook. & Arn.
<i>Chaenactis xantiana</i> Gray
<i>Chamaesyce micromera</i> (Engelm.) Wooton & Standl.
<i>Chamaesyce melanadenia</i> (Torrey) Millsp.
<i>Chamaesyce ocellata</i> (Durand & Hilg.) Millsp. ssp. <i>ocellata</i>
<i>Chamaesyce polycarpa</i> (Benth.) Millsp.
<i>Chamaesyce polycarpa</i> var. <i>hirtella</i> (Boiss.) Parish
Sand Dune Sedge (R)
Schott Sedge (R)
San Diego Sedge (R)
Brown Sedge (U)
Triangular-fruited Sedge (R)
Desert Indian Paintbrush (R)
Eastwood Indian Paintbrush (R)
Wavyleaf Indian Paintbrush (R)
Valley Tassels (R)
Dense-flowered Owl's Clover (R)
Indian Paintbrush (R, Type)
White-felted Indian Paintbrush (R)
Linaria-leaved Indian Paintbrush (R)
Great Red Indian Paintbrush (R)
Annual Indian Paintbrush (R)
Large-flowered Annual Indian Paintbrush (R)
Soft-leaved Indian Paintbrush (R)
Mojave Indian Paintbrush (R)
San Francisco Long-leaved Indian Paintbrush (R)
Bristle Owl's Clover (R)
Clasping-leaved Jewelflower (R)
Lemmon Mustard (R)
California Jewelflower (R) Fed-Endangered
Different-leaved Jewelflower (R)
Desert Candle (R)
Lemmon Jewelflower (R)
Dentate Ceanothus (R)
Island Ceanothus (R)
Pendulous Bigpod Ceanothus (R)
Jim Brush (R)
Palmer Ceanothus (U)
Wartleaf Ceanothus (R)
Wartleaf Ceanothus (U)
Woollyleaf Ceanothus (R)
Netleaf Hackberry (R)
Great Basin Centaury (U)
Beautiful Centaury, Canchalagua (R)
Southern Tarplant (R)
Thurber Spineflower (R)
Hornwort, Coontail (R)
Island Mountain Mahogany (R)
Mountain Mahogany (R)
Cut-leaved Mountain Mahogany (U)
White Pincushion (U)
Desert Pincushion (R)
Different-seeded Yellow Pincushion (R)
Woolly Yellow Pincushion (U)
Big-flowered Yellow Pincushion (U)
Woolly Yellow Pincushion (R) CNPS List 1B
Desert Pincushion (R)
Xantu Pincushion (U)
Sonoran Sandmat (R)
Squaw Spurge (R)
Littleeye Spurge (R)
Golondrina (R)
Hairy Golondrina (R)

Scientific Name

Chamaesyce serpens (Kunth) Small
Chamaesyce serpyllifolia (Pers.) Small ssp. *serpyllifolia*
Cheilanthes clevelandii D.C. Eaton.
Cheilanthes cooperae D.C. Eaton
Cheilanthes newberryi (D.C. Eaton) Domin
Chenopodium atrovirens Rydb.
Chenopodium desiccatum A. Nelson
Chenopodium fremontii S. Watson
Chenopodium pratericola Rydb.
Chorizanthe blakleyi Hardham
Chorizanthe clevelandii C. Parry
Chorizanthe douglasii Benth.
Chorizanthe membranacea Benth.
Chorizanthe parryi var. *fernandina* (S. Watson) Jepson
Chorizanthe procumbens Nutt.
Chorizanthe staticoides forma *bracteata* Goodman
Chorizanthe uniaristata T. & G.
Chrysanthus nauseosus ssp. = *Ericameria nauseosa* var.
Chrysanthus viscidiflorus (Hook.) Nutt. ssp. *viscidiflorus*
Cicuta douglasii (DC.) Coulter & Rose
Cirsium brevistylum Cronq.
Cirsium scariosum Nuttall
Clarkia affinis Lewis & Lewis
Clarkia cylindrica (Jepson) H. Lewis & M. Lewis ssp. *cylindrica*
Clarkia cylindrica ssp. *clavicarpa* W. Davis
Clarkia dudleyana (Abrams) J.F. Macbr.
Clarkia modesta Jeps.
Clarkia purpurea ssp. *viminea* (Douglas) Lewis & Lewis
Clarkia rhomboidea Douglas
Clarkia xantiana Gray ssp. *xantiana*
Claytonia exigua T. & G. ssp. *exigua*
Claytonia parviflora Hook. ssp. *parviflora*
Claytonia parviflora ssp. *viridis* (Davidson) J.M. Miller & Chambers
Claytonia rubra (J.T. Howell) Tidestrom ssp. *rubra*
Collinsia bartsiifolia var. *davidsonii* (Parish) V. Newsom
Collinsia childii A. Gray
Collinsia parryi A. Gray
Collinsia parviflora Lindley
Collinsia torreyi var. *wrightii* (S. Watson) I.M. Johnston
Collomia grandiflora Lindley
Collomia tinctoria Kellogg
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G. Wallace
Convolvulus simulans Perry
Conzya coulteri Gray
Cordylanthus maritimus Benth. ssp. *maritimus* [= *Chloropyron maritimum*] Saltmarsh Birds-beak (R) Listed E
Cordylanthus rigidus ssp. *setiferus* Chuang & Heckard
Coreopsis calliopsis (DC.) A. Gray
Cornus glabrata Bentham
Cornus sericea L. ssp. *sericea*
Crassula aquatica (L.) Schönl.
Crepis acuminata Nuttall
Crepis occidentalis Nuttall ssp. *occidentalis*
Crepis occidentalis ssp. *pumila* (Rydb.) Babcock & Stebbins
Cressa truxillensis Kunth var. *truxillensis*
Cryptantha barbigera (A. Gray) E. Greene
Cryptantha corollata (I.M. Johnston) I.M. Johnston

Common Name

Matted Sandmat (R)
Thyme-leaved Spurge (R)
Cleveland Lip-fern (R)
Mrs. Cooper Lip-fern (R)
Cotton Fern (R)
Pigweed (R)
Aridland Goosefoot (R)
Fremont Goosefoot (U)
Narrow-leaved Goosefoot (R)
Blakley's Spineflower (R)
Cleveland Spineflower (R)
Douglas Spineflower (R)
Pink Spineflower (R)
San Fernando Valley Spineflower (R) Endangered
Prostrate Spineflower (R)
Bracted Turkish Rugging (R, Type)
One-awned Spineflower (R)
taxonomic revisions
Yellow Rabbitbrush (R)
Western Water-hemlock (R)
Indian Thistle (R)
Elk Thistle (R)
Hairy Clarkia (R)
Cylindrical Godetia (R)
Cylindrical Godetia (R)
Dudley Godetia (R)
Modest Clarkia (R)
Large Purple Clarkia (R)
Rhomboid Clarkia (U)
Xantu Clarkia (R)
Small Miner's Lettuce (U)
Small-flowered Miner's Lettuce (U)
Green Small-flowered Miner's Lettuce (R)
Red Miner's Lettuce (U)
Davidson White Chinese Houses (R)
Child Blue-eyed Mary (R)
Parry Blue-eyed Mary (U)
Blue-eyed Mary, Blue Lips (R)
Wright Blue-eyed Mary (U)
Large-flowered Collomia (U)
Yellow-staining Collomia (R)
Simpleleaf Summer Holly (R)
Small-flowered Morning-glory (R)
Coulter Horseweed (R)
Dark-tipped Rigid Bird's-Beak (U)
Leafy-stemmed Coreopsis (R)
Brown Dogwood (R)
American or Creek Dogwood (R)
Water Pigmy-Weed (R)
Long-leaved Hawksbeard (R)
Western Hawksbeard (U)
Western Hawksbeard (R)
Spreading Alkali-Weed (U)
Bearded Forget-Me-Not (R)
Crowned Forget-Me-Not (R, Type)

Scientific Name

Common Name
<i>Cryptantha decipiens</i> (M.E. Jones) A.A.Heller
<i>Cryptantha echinella</i> E. Greene
<i>Cryptantha flaccida</i> (Lehm.) E. Greene
<i>Cryptantha leiocarpa</i> (Fischer & C. Meyer) E. Greene
<i>Cryptantha maritima</i> (Greene) Greene
<i>Cryptantha micrantha</i> (Torrey) I.M. Johnston
<i>Cryptantha micromerces</i> (A. Gray) E. Greene
<i>Cryptantha microstachys</i> (A. Gray) E. Greene
<i>Cryptantha mohavensis</i> (Greene) Greene
<i>Cryptantha nemaclada</i> E. Greene
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy var. <i>nevadensis</i>
<i>Cryptantha oxygona</i> (A. Gray) E. Greene
<i>Cryptantha simulans</i> E. Greene
<i>Cryptantha torreyana</i> (A. Gray) E. Greene
<i>Cryptantha traskiae</i> I.M. Johnston
<i>Cucurbita palmata</i> S. Watson
<i>Cuscuta californica</i> var. <i>breviflora</i> Engelmann
<i>Cuscuta campestris</i> Yuncker
<i>Cuscuta denticulata</i> Engelmann
<i>Cuscuta indecora</i> Choisy var. <i>indecora</i>
<i>Cuscuta indecora</i> var. <i>neuropetala</i> (Engelmann) Hitchc.
<i>Cuscuta pacifica</i> Costea & M.A.R. Wright var. <i>pacifica</i>
<i>Cuscuta salina</i> Englem. in W.H. Brewer, S. Watson, & A. Gray
<i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz
<i>Cyperus acuminatus</i> Torrey & Hook.
<i>Cyperus erythrorhizos</i> Muhlenb.
<i>Cyperus laevigatus</i> L.
<i>Cyperus odoratus</i> L.
<i>Cyperus squarrosus</i> L.
<i>Cystopteris fragilis</i> (L.) Bernhardi
<i>Deinandra clementina</i> (Brandegee) B.G. Baldwin
<i>Deinandra kelloggii</i> (E. Greene) E. Greene
<i>Deinandra minthornii</i> (Jepson) B.G. Baldwin
<i>Delphinium gracilentum</i> Greene
<i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i>
<i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling
<i>Delphinium parryi</i> ssp. <i>maritimum</i> (Davidson) M.J. Warnock
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock
<i>Delphinium patens</i> ssp. <i>hepaticoideum</i> Ewan
<i>Delphinium patens</i> ssp. <i>montanum</i> (Munz) Ewan
<i>Delphinium umbraculorum</i> F.H. Lewis & Epling
<i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitosa</i>
<i>Deschampsia danthonoides</i> (Trin.) Munro ex Bentham
<i>Descurainia obtusa</i> ssp. <i>adenophora</i> (Wooton & Standley) Detl.
<i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detl.
<i>Descurainia pinnata</i> ssp. <i>halicotorum</i> (Cockerell) Detl.
<i>Descurainia pinnata</i> ssp. <i>menziesii</i> (DC.) Detl.
<i>Dicentra ochroleuca</i> Engelm.
<i>Dicentra pauciflora</i> S. Watson
<i>Dichelostemma congestum</i> (Sm.) Kunth
<i>Dichondra occidentalis</i> House
<i>Dieteria [Machaeranthera] canescens</i> (Pursh) Torrey ssp. <i>canescens</i>
<i>Dithyrea maritima</i> (A. Davids.) Davidson
<i>Dodecatheon alpinum</i> (A. Gray) E. Greene
<i>Dodecatheon clevelandii</i> ssp. <i>insulare</i> H.L. Thompson
Gravel Forget-Me-Not (R)
Prickly Forget-Me-Not (U)
Flaccid Forget-Me-Not (R)
Coast Forget-Me-Not (R)
Seaside Forget-Me-Not (R)
Eremocarya (R)
Minute-flowered Forget (R)
Tejon Forget-Me-Not (U)
Mojave Forget-Me-Not (R)
Colusa Forget-Me-Not (U)
Nevada Forget-Me-Not (R)
Sharp-not Forget-Me-Not (R)
Pine Forget-Me-Not (U)
Torrey Forget-Me-Knot (R)
Trask Forget-Me-Not (R)
Coyote Melon (R)
California Dodder (R)
Western Field Dodder (R)
Desert Dodder (R)
Pretty Dodder (R)
Pretty Dodder (R)
Pacific Saltmarsh Dodder (R)
Saltmarsh Dodder (R)
Elegant Cycladenia (R)
Short-pointed Umbrella-sedge (R)
Red-root Flatsedge (R)
Smooth Flatsedge (R)
Flatsedge (R)
Awned Flatsedge (R)
Brittle or Fragile Fern (U)
Island or Catalina Tarplant (R)
Kellogg Tarplant (R)
Santa Susana Tarplant (R, Type) Listed R
Coast Larkspur (R)
Gypsum Larkspur (R) CNPS List 4
Unexpected Larkspur (R) CNPS List 1B
Dune Larkspur (R) CNPS List 1B
Maritime Larkspur (R)
Mount Pinos Larkspur (U) CNPS List 4
Spreading Larkspur (U)
Mountain Spreading Larkspur (R)
Umbrella Larkspur (R) CNPS List 1B
Tufted Hairgrass (R)
Annual Hairgrass (R)
Desert Tansy Mustard (R)
Naked Western Tansy Mustard (R)
Western Tansy Mustard (R)
Menzies Tansy Mustard (U)
White Eardrops, Yellow Dicentra (R)
Few-flowered Bleeding Heart (R)
Ookow (R)
Western Dichondra (R) CNPS List 4
Hoary-Aster (U)
Beach Spectacle-pod (R)
Alpine Shooting Star (R)
Island Shooting Star (R)

Scientific Name

Dodecatheon clevelandii ssp. *patulum* (Greene) Thompson
Dodecatheon clevelandii ssp. *sanctarum* (E. Greene) Abrams
Downingia bella Hoover
Downingia pulchella (Lindl.) Torrey
Draba cuneifolia T. & G.
Draba verna L.
Dudleya abramsii ssp. *parva* (Rose & Davids.) J. Bartel
Dudleya blochmaniae (Eastw.) Moran ssp. *blochmaniae*
Dudleya caespitosa (Haw.) Britt. & Rose
Dudleya cymosa ssp. *marcescens* Moran
Dudleya cymosa ssp. *ovatifolia* (Britt.) Moran
Dudleya cymosa ssp. *pumila* (Rose) K. Nakai
Dudleya farinosa (Lindley) Britt. & Rose
Dudleya pulverulenta ssp. *arizonica* (Rose) Moran
Dudleya verityi N. Nakai
Dudleya virens (Rose) Moran
Eastwoodia elegans Brandegee
Echinochloa crus-pavonis (Kunth) Shultes
Echinodorus berteroii (Spreng.) Fassett
Eclipta prostrata (L.) L.
Elatine brachysperma Gray
Elatine californica Gray
Eleocharis bernardina Munz & Johnston
Eleocharis montevidensis Kunth
Eleocharis rostellata (Torrey) Torrey
Eleocharis suksdorffiana Beauv.
Elodea canadensis Rich.
Elymus glaucus ssp. *jepsonii* (Burtt Davy) Gould
Elymus stebbinsii (Scribner & J.G. Smith) Gould
Elymus trachycaulus (Link) Shinn. ssp. *trachycaulus*
Elymus trachycaulus ssp. *subsecundus* (Link) Gould
Emmenanthe penduliflora var. *rosea* Brand
Encelia actoni Elmer
Encelia farinosa Torrey & A. Gray
Encelia frutescens (Gray) Gray
Encelia virginicensis Nelson
Enemion occidentale (H. & A.) J.R. Drummond & Hutchinson
Ephedra californica S. Watson
Ephedra nevadensis S. Watson
Epilobium brachycarpum C. Presl
Epilobium canum ssp. *latifolium* (Hook.) Raven
Epilobium ciliatum ssp. *glandulosum* (Lehm.) P. Hoch & Raven
Epilobium densiflorum (Lindley) P. Hoch & Raven
Epilobium foliosum (T. & G.) Suksd.
Epilobium glaberrimum Barbey ssp. *glaberrimum*
Epilobium oregonense Hausskn.
Epilobium pygmaeum (Speg.) P. Hoch & Raven
Epilobium torreyi (S. Watson) P. Hoch & Raven
Epipactis gigantea Hook.
Equisetum arvense L.
Equisetum hyemale var. *affine* (Engelm.) Calder & R.L. Taylor
Equisetum telmateia ssp. *braunii* (Milde) R.L. Hauke
Equisetum Xferrissii Clute
Eragrostis mexicana (Hornem.) Link ssp. *mexicana*
Eragrostis mexicana var. *virescens* (C. Presl) Koch & E. Sanchez
Eragrostis pectinacea (Michx.) Nees var. *pectinacea*

Common Name

Lowland Padre Shooting Star (R)
 Cleveland Shooting Star (U)
 Hoover Downingia (R)
 Flat-face Downingia (R)
 Wedgeleaf Draba (R)
 Vernal Whitlow-grass (R)
 Conejo Live-forever (R) Listed T
 Blochman Live-forever (R) CNPS List 1B
 Sea Lettuce (R)
 Marcescent Live-forever (R, Type) Listed T
 Santa Monica Mtns. Live-forever (R) Listed T
 Pygmy Live-forever (U)
 Farinose Live-forever (R)
 Chalky Live-forever (R)
 Verity Live-forever (R) Listed T
 Bright Green Live-forever (R)
 Yellow Mock Aster (R)
 Gulf Barnyard Grass (R)
 Bur Head (R)
 False Daisy (R)
 Slender Waterwort (R)
 California Waterwort (R)
 Few-flowered Club-rush (R)
 Sand Spike-rush (R)
 Beaked Spike-rush (R)
 Suksdorf's Spike-rush (R)
 Common Waterweed (R)
 Jepson Blue or Woodland Wildrye (R)
 Wheatgrass (R)
 Slender Wheatgrass (R)
 Rose Whispering Bells (R)
 Acton Brittlebush (U)
 Brittlebush, Incienso (R)
 Brittlebush, Incienso (R)
 Brittlebush (R)
 Western Meadow-rue (R)
 California Desert Tea, Cañatillo (R)
 Nevada Ephedra or Mormon-tea (R)
 Paniced Willow-herb (U)
 Broad-leaved California Fuchsia (U)
 Sticky Northern Willow-herb (R)
 Dense-flowered Spike-primrose (R)
 Leafy Spike-primrose (R)
 Waxy Willow-herb (R)
 Oregon Spike-primrose (R)
 Smooth Spike-primrose (R)
 Brook Spike-primrose (R)
 Stream Orchid (U)
 Common or Field Horsetail (U)
 Common or Giant Scouring Rush (U)
 Giant Horsetail (U)
 Ferris Horsetail (R)
 Mexican Lovegrass (R)
 Orcutt Lovegrass (R)
 Tufted Lovegrass (R)

Scientific Name

Common Name
<i>Eremalche parryi</i> (E. Greene) E. Greene ssp. <i>parryi</i>
<i>Eriastrum densifolium</i> (Benth.) Mason ssp. <i>densifolium</i>
<i>Eriastrum densifolium</i> ssp. <i>mohavensis</i> (Craig) H. Mason
<i>Eriastrum eremicum</i> (Jeps.) H. Mason ssp. <i>eremicum</i>
<i>Eriastrum hooveri</i> (Jepson) H. Mason
<i>Eriastrum pluriflorum</i> (A.A. Heller) H. Mason
<i>Ericameria arborescens</i> (A. Gray) E. Greene
<i>Ericameria cooperi</i> (Gray) H.M. Hall var. <i>cooperi</i>
<i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i>
<i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall
<i>Ericameria ericoides</i> (Less.) Jeps. ssp. <i>ericoides</i>
<i>Ericameria nauseosa</i> var. <i>bernardina</i> (Hall) Nesom & Baird
<i>Ericameria nauseosa</i> var. <i>speciosa</i> (Nutt.) Nesom & Baird
<i>Ericameria palmeri</i> var. <i>pachylepis</i> (H.M. Hall) Nesom
<i>Ericameria parryi</i> var. <i>aspera</i> (Greene) G.L. Newson & G.I. Baird
<i>Ericameria pinifolia</i> (Gray) H.M. Hall
<i>Ericameria teretifolia</i> (Durand & Hilg.) Jepson
<i>Erigeron breweri</i> var. <i>covillei</i> (Greene) G. Neswom
<i>Erigeron glaucus</i> Ker-Gawler
<i>Eriodictyon californicum</i> (Hooker & Arnott) Torrey
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>
<i>Eriodictyon traskiae</i> Eastw.
<i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i>
<i>Eriogonum arborescens</i> Greene
<i>Eriogonum covilleanum</i> Eastw.
<i>Eriogonum crocatum</i> Davidson
<i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal
<i>Eriogonum elegans</i> Greene
<i>Eriogonum gracillimum</i> S. Watson
<i>Eriogonum grande</i> Greene var. <i>grande</i>
<i>Eriogonum grande</i> Greene var. <i>rubescens</i> Munz
<i>Eriogonum grande</i> Greene var. <i>timorum</i> Reveal
<i>Eriogonum heermannii</i> Durand & Hilg. var. <i>heermannii</i>
<i>Eriogonum hirtiflorum</i> S. Watson
<i>Eriogonum hooveri</i> (Reveal) Reveal
<i>Eriogonum inerme</i> (S. Watson) Jeps.
<i>Eriogonum kennedyi</i> ssp. <i>alpinum</i> (Munz & Johnston) Munz & Johnston
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston
<i>Eriogonum latifolium</i> Smith
<i>Eriogonum maculatum</i> A.A. Heller
<i>Eriogonum molestum</i> Greene
<i>Eriogonum nudum</i> var. <i>auriculatum</i> (Benth.) J.P. Tracy ex Jeps.
<i>Eriogonum nudum</i> var. <i>pubiflorum</i> Benth.
<i>Eriogonum nudum</i> var. <i>westonii</i> (S. Stokes) J.T. Howell
<i>Eriogonum ordii</i> S. Watson
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal
<i>Eriogonum pusillum</i> T. & G.
<i>Eriogonum roseum</i> Durand & Hilg.
<i>Eriogonum saxatile</i> S. Watson
<i>Eriogonum spargulinum</i> ssp. <i>reddingianum</i> (Jones) J.T. Howell
<i>Eriogonum thurberi</i> Torrey
<i>Eriogonum trichopes</i> Torrey var. <i>trichopes</i>
<i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (T. & G.) Jepson
<i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal
<i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes
<i>Eriogonum vimineum</i> Benth.
Parry Mallow (R)
Woolly Star (R)
Mojave Woolly Star (R)
Woolly Star (R)
Hoover Woolly Star (R) CNPS List 4
Woolly Star (R)
Golden-fleece (R)
Cooper Goldenbush (R)
Wedgeleaf Goldenbush (U)
Spatulate-leaved Goldenbush (R)
Heatherleaf Goldenbush (U)
San Bernardino Rubber Rabbitbrush (R)
White-stemmed Rubber Rabbitbrush (R)
Palmer Goldenbush (R)
Parry Rabbitbrush (R)
Pine Goldenbush (R)
Round-leaved Rabbitbrush (R)
Fleabane Daisy (R)
Seaside Daisy (R)
California Yerba Santa (R)
Thickleaf Yerba Santa (U)
Trask Yerba Santa (R)
Yerba Santa (U)
Arborescent Buckwheat (U)
Coville Buckwheat (R)
Conejo or Saffron Buckwheat (R, Type)
Flat-crown Buckwheat (R, Type)
Elegant Buckwheat (R)
Slender Buckwheat (R)
Island Buckwheat (U)
Red Island Buckwheat (U)
San Nicolas Island Buckwheat (U)
Heerman Buckwheat (U)
Hairy-flowered Buckwheat (U)
Hoover's Little Trumpet (U)
Unarmed Buckwheat (U)
Alpine Kennedy Buckwheat (R) CNPS List 1B
Southern Mountain Buckwheat (R) CNPS List 1B
Coast or Seaside Buckwheat, Tibinagua (R)
Spotted Buckwheat (U)
Pine Buckwheat (U)
Big-eared Wild Buckwheat (R)
Hairy-flowered Barestem Buckwheat (U)
Weston Barestem Buckwheat (U)
Ord Buckwheat (U)
Payne Dune Buckwheat (U, Type)
Puny Buckwheat (R)
Rose Buckwheat (U)
Rock Buckwheat (U)
Spurry Buckwheat (R)
Thurber's Wild Buckwheat (R)
Little Trumpet (U)
Sulphur-flower Buckwheat (R)
Sulphur Buckwheat (R)
Sulphur Buckwheat (R)
Wicker Buckwheat (R)

Scientific Name

Common Name
<i>Eriogonum viridescens</i> A. Heller
<i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps.
<i>Eriogonum wrightii</i> var. <i>trachyonum</i> (Torr. ex Benth.) Jeps.
<i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (E. Greene) Jepson
<i>Eriophyllum jepsonii</i> Greene
<i>Eriophyllum staechadifolium</i> Lagasca
<i>Eryngium vaseyi</i> J. Coulter & Rose
<i>Erysimum insulare</i> Greene ssp. <i>insulare</i>
<i>Erysimum insulare</i> ssp. <i>suffrutescens</i> (Abrams) R.A. Price
<i>Eschscholzia hypocoides</i> Bentham
<i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i>
<i>Eschscholzia minutiflora</i> S. Watson
<i>Eschscholzia ramosa</i> (Greene) Greene
<i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i>
<i>Euphorbia spathulata</i> Lam.
<i>Festuca rubra</i> L.
<i>Fimbristylis thermalis</i> S. Watson
<i>Forestiera pubescens</i> Nutt.
<i>Fraxinus velutina</i> Torrey
<i>Fritillaria agrestis</i> E. Greene
<i>Fritillaria biflora</i> Lindley var. <i>biflora</i>
<i>Fritillaria ojaiensis</i> A. Davidson
<i>Fritillaria pinetorum</i> A. Davidson
<i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb. <u>Channel Islands Bedstraw (R, Type)</u>
<i>Galium bifolium</i> S. Watson
<i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i>
<i>Galium cliftonsmithii</i> (Dempster) Dempster & Stebb.
<i>Galium trifidum</i> var. <i>pacificum</i> Wiegand
<i>Galium triflorum</i> Michaux
<i>Gaura coccinea</i> Pursh
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> H. Lewis & J. Szweykowski
<i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski
<i>Gayophytum racemosum</i> T. & G.
<i>Geranium californicum</i> G. Jones & F. Jones
<i>Geranium viscosissimum</i> Fischer & C. Meyer
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>
<i>Gilia achilleifolia</i> Benth. ssp. <i>multicaulis</i> (Benth.) V. & A. Grant
<i>Gilia aliquanta</i> A. D. Grant & V. E. Grant
<i>Gilia australis</i> (Mason & A. Grant) V. Grant & A. Grant
<i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E.Grant
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>
<i>Gilia brecciarum</i> ssp. <i>jacens</i> (A. Grant & V. Grant) Day
<i>Gilia capillaris</i> Kellogg
<i>Gilia interior</i> (Mason & A. Grant) A. Grant
<i>Gilia latiflora</i> (Gray) Gray ssp. <i>latiflora</i>
<i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant
<i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant
<i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant
<i>Gilia malior</i> A.G. Day & V.E. Grant
<i>Gilia minor</i> A.D. Grant & V.E. Grant
<i>Gilia modocensis</i> Eastwood
<i>Gilia nevinii</i> Gray
<i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i>
<i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A.& V. Grant
<i>Gilia sinuata</i> Benth.
<i>Gilia splendens</i> H. Mason & A. Grant ssp. <i>splendens</i>

Scientific Name

Common Name
<i>Gilia tenuiflora</i> Benth. ssp. <i>tenuiflora</i>
<i>Gilia tetrabreccia</i> A. & V. Grant
<i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant
<i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i>
<i>Grindelia camporum</i> E. Greene var. <i>camporum</i>
<i>Grindelia camporum</i> var. <i>bracteosa</i> (J.T. Howell) M.A. Lane
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>
<i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane
<i>Grindelia Xlatifolia</i> Kellogg ssp. <i>latifolia</i>
<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby
<i>Hazardia detonsa</i> (Greene) Greene
<i>Helenium bigelovii</i> Gray
<i>Helenium puberulum</i> DC.
<i>Helianthemum scoparium</i> Nutt.
<i>Helianthus gracilentus</i> Gray
<i>Hemizonella minima</i> (Gray) Gray
<i>Hesperevax sparsiflora</i> (A. Gray) E. Greene var. <i>sparsiflora</i>
<i>Hesperochiron californicus</i> (Benth.) S. Watson
<i>Hesperochiron pumilus</i> (Griseb.) Porter
<i>Hesperocnide tenella</i> Torrey
<i>Hesperoyucca whipplei</i> ssp. <i>percursa</i>
<i>Heterocodon rariflorum</i> Nuttall
<i>Heterotheca psammophila</i> B. Wagenknecht
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple
<i>Heterotheca villosa</i> (Pursh) Shinners var. <i>hispida</i> (Hook.) V. Harms
<i>Heuchera abramsii</i> Rydb.
<i>Heuchera cespitosa</i> Eastw.
<i>Heuchera elegans</i> Abrams
<i>Heuchera maxima</i> Greene
<i>Hieracium albiflorum</i> Hooker
<i>Hieracium argutum</i> Nuttall
<i>Hieracium horridum</i> Fries
<i>Hoffmannseggia glauca</i> (Ortega) Eifert
<i>Hoita orbicularis</i> (Lindley) Rydb.
<i>Hollisteria lanata</i> S. Watson
<i>Holocarpha heermannii</i> (E. Greene) Keck
<i>Holodiscus discolor</i> (Pursh) Maxim.
<i>Holodiscus microphyllus</i> Rydb. var. <i>macrophyllus</i>
<i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i>
<i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb.
<i>Hordeum intercedens</i> Nevski
<i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i>
<i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck
<i>Horkelia rydbergii</i> Elmer
<i>Hulsea heterochroma</i> Gray
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken
<i>Hutchinsia procumbens</i> (L.) Desv.
<i>Hydrocotyle verticillata</i> Thunb.
<i>Hypericum formosum</i> var. <i>scouleri</i> (Hook.) J. Coulter
<i>Imperata brevifolia</i> Vasey
<i>Iris missouriensis</i> Nuttall
<i>Isocoma acradenia</i> (E. Greene) E. Greene
<i>Isocoma menziesii</i> var. <i>sedoides</i> (E. Greene) G. Nesom
<i>Isoëtes howellii</i> Engelm. var. <i>howellii</i>
<i>Isoëtes howellii</i> var. <i>minima</i> (A.A. Eaton) N.E. Pfeiffer
<i>Isoëtes nuttallii</i> A. Braun
Greater Yellowthroat Gilia (R)
Mount Piños Gilia (U)
Desert Gilia (U)
Southern Bluecup (R)
Great Valley Gumplant (R)
Gumplant (U)
Hirsute Gumplant (U, Type)
Island Gumplant (R)
Coastal Gumplant (R)
Broom Snakeweed, Matchweed (U)
Island Goldenbush (U) CNPS 4
Bigelow Sneezeweed (U)
Rosilla (U)
Peak Rushrose (U)
Wild Mountain or Slender Sunflower (R)
Hemizonella (U)
Few-leaved Evax (R)
California Hesperochiron (R)
Hesperochiron (R)
Western Nettle (R)
Our Lord's Candle (R)
Western Pearl-flower (R)
Camphor Weed (R)
Camphor Golden-aster (R)
Woolly Golden-aster (R)
Abrams Alumroot (R)
Alumroot (R)
Urn-flowered Alumroot (R)
Island Alumroot (R)
White-flowered Hawkweed (R)
Southern California Hawkweed (U)
Shaggy or Woolly Hawkweed (R)
Pig-nut, Hog Potato (R)
Round-leaved Hoita (R)
Hollisteria (R)
Heermann Tarplant (R)
Oceanspray, Cream Bush (R)
Rock Spiraea (R)
Meadow Barley (U)
Low Barley (R)
Vernal Barley (U)
Wedgeleaf Horkelia (R)
Fuzzy Horkelia (R)
Rydberg Horkelia (U)
Red-rayed Hulsea (R)
San Gabriel Hulsea (R)
Desert Hutchinsia (U)
Marsh Pennywort (R)
St. John's Wort (R)
Satintail (R)
Western Blue Flag [Iris] (U)
Desert Goldenbush (R)
Coastal Goldenbush (U)
Howell Quillwort (R)
Small Howell Quillwort (R)
Nuttall Quillwort (R)

Scientific Name

<i>Isolepis cernua</i> (Vahl) Roemer & Schultes var. <i>cernua</i>	
<i>Ivesia santolinoides</i> A.Gray	
<i>Ivesia saxosa</i> (Greene) B. Ertter	
<i>Jaumea carnosa</i> (Less.) Gray	
<i>Jensia yosemitana</i> (Parry ex A. Gray) B.G. Baldwin	
<i>Jepsonia malvifolia</i> (Greene) Small	
<i>Juglans californica</i> S. Watson var. <i>californica</i>	
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	
<i>Juncus arcticus</i> ssp. <i>vallicola</i> (Rydb.) Lint	
<i>Juncus balticus</i> Willd. var. <i>ater</i> (Rydb.) Snogerup	
<i>Juncus bufonius</i> L. var. <i>bufonius</i>	
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Hermann	
<i>Juncus confusus</i> Cov.	
<i>Juncus effusus</i> ssp. <i>pacificus</i> (Fern. & Wieg.) H.L. Lint	
<i>Juncus ensifolius</i> Wikström var. <i>ensifolius</i>	
<i>Juncus macranthus</i> Cov.	
<i>Juncus macrophyllus</i> Cov.	
<i>Juncus nevadensis</i> S. Watson	
<i>Juncus occidentalis</i> (Coville) Wiegand	
<i>Juncus oxymeris</i> Engelm.	
<i>Juncus patens</i> E. Meyer	
<i>Juncus phaeocephalus</i> var. <i>paniculatus</i> Engelm.	
<i>Juncus rugulosus</i> Engelm.	
<i>Juncus textilis</i> Buchenau	
<i>Juncus torreyi</i> Coville	
<i>Krascheninnikovia lanata</i> (Pursh) A.D.J. Meeuse & Smit	
<i>Lagophylla ramosissima</i> Nutt. ssp. <i>ramosissima</i>	
<i>Lastariaea coriacea</i> (Goodman) Hoover	
<i>Lasthenia coronaria</i> (Nutt.) Ornduff	
<i>Lasthenia ferrisiae</i> Ornduff	
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i> (Gray) Ornduff	
<i>Lathyrus vestitus</i> ssp. <i>bolanderi</i> (S. Watson) C. Hitchc.	
<i>Lathyrus vestitus</i> ssp. <i>laetiflorus</i> (Greene) Broich	
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	
<i>Lavatera assurgentiflora</i> Kellogg ssp. <i>assurgentiflora</i>	
<i>Layia glandulosa</i> ssp. <i>lutea</i> Keck	
<i>Layia glandulosa</i> ssp. <i>rosea</i> Gray	
<i>Layia heterotricha</i> (DC.) Hook. & Arn.	
<i>Layia pentachaeta</i> ssp. <i>albida</i> Keck	
<i>Layia platyglossa</i> (Fischer & C. Meyer) A. Gray	
<i>Lemna gibba</i> L.	
<i>Lemna minor</i> L.	
<i>Lemna minuscula</i> Herter	
<i>Lemna turionifera</i> Landolt	
<i>Lemna valdiviana</i> Philippi	
<i>Lepechinia calycina</i> (Bentham) Epling	
<i>Lepechinia fragrans</i> (E. Greene) Epling	
<i>Lepechinia rossii</i> S. Boyd & O. Mistretta	
<i>Lepidium campestre</i> (L.) R. Br.	
<i>Lepidium dictyonum</i> A. Gray var. <i>dictyonum</i>	
<i>Lepidium dictyonum</i> var. <i>acutidens</i> A. Gray	
<i>Lepidium lasiocarpum</i> Nutt. var. <i>lasiocarpum</i>	
<i>Lepidium oblongum</i> Small var. <i>oblongum</i>	
<i>Lepidium strictum</i> (S. Watson) Rattan	
<i>Lepidium virginicum</i> var. <i>pubescens</i> (Greene) Thell.	
<i>Lepidium virginicum</i> var. <i>robinsonii</i> (Thell.) C.L. Hitchc.	

Common Name

Low Clubrush (R)
Mousetail Ivesia (R)
Five-finger Silverweed (R)
Fleshy Jaumea (U)
Yosemite Tarplant (R)
Island Jepsonia (R)
Southern California Black Walnut (U) CNPS List 4
Spiny Rush (U) CNPS List 4
Valley Baltic Rush (R)
Rocky Mountain Rush (R)
Common Toad Rush (R)
Western Toad Rush (R)
Colorado Rush (R)
Pacific Rush (U)
Swordleaf or Three-stamen Rush (R)
Long-anthered Rush (R)
Large-leaf Rush (U)
Sierra Rush (R)
Western Rush (R)
Iris-leaved or Pointed Rush (R)
Spreading Rush (R)
Brown-fruited Rush (R)
Wrinkled Rush (U)
Indian or Basket Rush (U)
Torrey Rush (R)
Winter Fat (R)
Branched Lagophylla, Common Hareleaf (U)
Lastariaea (R)
Crown-pappus Goldfields (R)
Ferris Goldfields (R)
Rayless Goldfields (R)
White-petaled Peavine (R)
Pacific Peavine (R)
Pacific Peavine (U, Type)
Malva Rose (R)
Yellow Layia (U)
Rose Layia (R, Type)
Pale-yellow Layia (R) CNPS List 1B
White Tidy Tips (R)
Tidy Tips (U)
Gibbose Duckweed (R)
Duckweed (R)
Tiny Duckweed (R)
Duckweed (R)
Big Duckweed (U)
Pitcher Sage (R)
Fragrant Pitcher Sage (R)
Ross' Pitcher Sage (R)
Peppergrass (R)
Veiny Peppergrass (R)
Short-toothed Peppergrass
Hairy-pod Peppergrass (U)
Oblong Peppergrass (U)
Prostrate Peppergrass (R)
Hairy Poorman's Peppergrass (R)
Robinson's Poorman's Peppergrass (R, CNPS 1B.2)

Scientific Name

<i>Leptodactylon pungens</i> ssp. <i>hallii</i> (Parish) H. Mason	
<i>Leptodactylon pungens</i> ssp. <i>pulchriflorum</i> (Brand) H. Mason	
<i>Leptosiphon androsaceus</i> Bentham	
<i>Leptosiphon bicolor</i> Nuttall	
<i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson	
<i>Leptosiphon ciliatus</i> (Benth.) Jepson	
<i>Leptosiphon liniflorus</i> (Bentham) J.M. Porter & L.A. Johnson	
<i>Leptosiphon nudatus</i> (E. Greene) J.M. Porter & L.A. Johnson	
<i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i> (Raven) Porter & Johnson	
<i>Lessingia glandulifera</i> var. <i>peirsonii</i> (J.T. Howell) Markos	
<i>Lessingia pectinata</i> var. <i>tenuipes</i> (J.T. Howell) Markos	
<i>Lessingia tenuis</i> (Gray) Cov.	
<i>Lewisia rediviva</i> ssp. <i>minor</i> (Rydb.) Munz	
<i>Leymus cinereus</i> A. Löve	
<i>Leymus Xhansenii</i> Scribnér	
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne	
<i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i>	
<i>Limonium californicum</i> (Boiss.) A.A. Heller	
<i>Limosella acaulis</i> Sesse & Mocino	
<i>Linanthus bigelovii</i> (Gray) Greene	
<i>Linanthus dianthiflorus</i> (Benth.) Greene	
<i>Linanthus parryae</i> (Gray) Greene	
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>canadensis</i>	
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>texana</i> (Scheele) Pennell	
<i>Linum lewisii</i> Pursh	
<i>Lipocarpha micrantha</i> (M. Vahl.) G.C. Tucker	
<i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehder	
<i>Lithophragma bolanderi</i> Gray	
<i>Lithophragma cymbalaria</i> T. & G.	
<i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G.	
<i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i>	
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	
<i>Loeflingia squarrosa</i> Nuttall var. <i>squarrosa</i>	
<i>Loeseliastrum schottii</i> S. Timbrook	
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	
<i>Lomatium caruifolium</i> (H. & A.) J.M. Coulter & Rose var. <i>caruifolium</i>	
<i>Lomatium dissectum</i> var. <i>multifidum</i> (T. & G.) Mathias & Constance	
<i>Lomatium insulare</i> (Eastw.) Munz	
<i>Lomatium lucidum</i> (T. & G.) Jeps.	
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	
<i>Lomatium mohavense</i> (Coulter. & Rose) Coulter. & Rose ssp. <i>mohavense</i>	
<i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps.	
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	
<i>Lonicera interrupta</i> Benth.	
<i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i>	
<i>Lotus argophyllus</i> ssp. <i>argenteus</i> Dunkle	
<i>Lotus argophyllus</i> ssp. <i>nivius</i> (E. Greene) Ottley	
<i>Lotus crassifolius</i> (Benth.) Greene var. <i>crassifolius</i>	
<i>Lotus dendroideus</i> (Greene) Greene var. <i>dendroideus</i>	
<i>Lotus dendroideus</i> var. <i>veatchii</i> (Greene) Isley	
<i>Lotus hamatus</i> Greene	
<i>Lotus heermanii</i> (Durand & Hilg.) Greene var. <i>heermanii</i>	
<i>Lotus heermanii</i> var. <i>orbicularis</i> (Gray) Isley	
<i>Lotus junceus</i> (Benth.) Greene	
<i>Lotus micranthus</i> Benth.	
<i>Lotus nevadensis</i> (S. Watson) Greene var. <i>davidsonii</i> (Greene) Isley	

Common Name

Granite Prickly Phlox (R)	
Granite Prickly Phlox (U)	
Baby Tears (R)	
Bicolored Linanthus (R)	
Short-stemmed Linanthus (R)	
Whisker Brush (R)	
Narrow Flaxflower (U)	
Tehachapi Linanthus or Flaxflower (R)	
Continental Pygmy Linanthus (R)	
Peirson's Lessingia (R) CNPS List 4	
Sticky Lessingia (R)	
Spring Lessingia (U, Type) CNPS List 4	
Small Bitterroot (U)	
Cespitose Wildrye (R)	
Hansen's Wildrye (R)	
Ocellated Humboldt Lily (U) CNPS List 4	
Leopard Lily (R)	
Marsh Rosemary (R)	
Tufted Mudwort (R)	
Bigelow Linanthus (R)	
Ground Pink (U)	
Parry Linanthus (R)	
Toadflax (R)	
Toadflax (U)	
Western Blue Flax (U)	
Tiny Lipocarpha (R)	
Tanbark Oak (R)	
Bolander Star (R)	
Mission Star (U)	
Hill Star (R)	
Prairie Star (R)	
Rothrock (Ojai) Lobelia (Type Locality only)	
California Loeflingia (R)	
Schott Loeseliastrum (R)	
California Lomatium (R)	
Alkali Desertparsley (R)	
Carrotleaf Biscuitroot (R)	
San Nicolas Island Lomatium (R)	
Shiny Lomatium (R)	
Large-fruited Lomatium (R)	
Desert-parsley (U)	
Small-leaved Lomatium (R)	
Foothill Lomatium (U)	
Chaparral Honeysuckle (U)	
Santa Ynez Mountains Honeysuckle (R)	
Silver Deervetch (R)	
Santa Cruz Island Silverhosackia (R)	
Broad-leaved Hosackia (U)	
Island Broom (R)	
San Miguel Island Deerweed (R)	
Grab Hosackia or Lotus (R)	
Heerman Lotus or Hosackia (R)	
Heerman Lotus (R)	
Lotus (R)	
Tiny Lotus (R)	
Sulphur-flowered Hosackia (U)	

Scientific Name

<i>Lotus nevadensis</i> (S. Watson) Greene var. <i>nevadensis</i>	
<i>Lotus nuttallianus</i> E. Greene	
<i>Lotus oblongifolius</i> (Benth.) Greene var. <i>cupreus</i> (Greene) Ottley	
<i>Lotus oblongifolius</i> (Benth.) Greene var. <i>oblongifolius</i>	
<i>Lotus scoparius</i> var. <i>brevialatus</i> Ottley	
<i>Lotus stipularis</i> (Benth.) Greene var. <i>stipularis</i>	
<i>Ludwigia palustris</i> (L.) Elliot	
<i>Ludwigia peploides</i> (Kunth) Raven ssp. <i>peploides</i>	
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	
<i>Lupinus agardhianus</i> Heller	
<i>Lupinus albicaulis</i> Hooker	
<u><i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh)</u> C.P. Smith	
<i>Lupinus andersonii</i> S. Watson	
<i>Lupinus arboreus</i> Sims	
<i>Lupinus benthamii</i> A. Heller var. <i>benthamii</i>	
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	
<i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith	
<u><i>Lupinus chamissonis</i> Eschsch.</u>	
<i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn	
<i>Lupinus concinnus</i> spp. <i>orcuttii</i> (S. Watson) D. Dunn	
<i>Lupinus excubitus</i> M.E. Jones var. <i>excubitus</i>	
<i>Lupinus excubitus</i> var. <i>austromontanus</i> (A.A. Heller) C.P. Smith	
<i>Lupinus excubitus</i> var. <i>johnstonii</i> C.P. Smith	
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	
<i>Lupinus latifolius</i> J. Agardh var. <i>latifolius</i>	
<i>Lupinus latifolius</i> var. <i>parishii</i> C.P. Smith	
<i>Lupinus lepidus</i> var. <i>confertus</i> (Kellogg) C.P. Smith	
<i>Lupinus luteolus</i> Kellogg	
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	
<i>Lupinus microcarpus</i> var. <i>horizontalis</i> (A.A. Heller) Jeps.	
<i>Lupinus nanus</i> Benth.	
<i>Lupinus paynei</i> Davidson	
<i>Lupinus polyphyllus</i> Lindley var. <i>burkei</i>	
<i>Lycium andersonii</i> Gray	
<u><i>Lycium californicum</i> Nuttall ex Gray</u>	
<u><i>Lycium verrucosum</i> Eastwood</u>	
<i>Lythrum californicum</i> T. & G.	
<i>Madia elegans</i> ssp. <i>densifolia</i> (E. Greene) Keck	
<i>Madia elegans</i> ssp. <i>vernalis</i> Keck	
<i>Madia elegans</i> ssp. <i>wheeleri</i> (Gray) Keck	
<i>Madia exigua</i> (Smith) A. Gray	
<i>Madia sativa</i> Molina	
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie	
<i>Maianthemum stellatum</i> (L.) Link	
<i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney	
<i>Malacothamnus fremontii</i> (Torrey ex Gray) Torrey ex. Greene	
<i>Malacothamnus marrubiooides</i> (D. & H.) Greene	
<i>Malacothamnus nuttallii</i> Abrams	
<i>Malacothrix californica</i> DC. var. <i>californica</i>	
<i>Malacothrix clevelandii</i> Gray	
<i>Malacothrix coulteri</i> Gray	
<u><i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i></u>	
<u><i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis</u>	
<u><i>Malacothrix foliosa</i> ssp. <i>polycephala</i> W.S. David</u>	
<i>Malacothrix glabrata</i> A. Gray	

Common Name

Sierra Nevada Hosackia (R)
Nuttall's Lotus (R)
Stream Trefoil (R)
Narrow-leaved Hosackia, Stream Trefoil (U)
Deerweed (R)
Balsam Lotus (R)
Streamside Water Primrose (R)
Floating Seedbox (R)
Silky Lupine (R)
Wavyleaf Silky Lupine (R)
Lupine (R)
Whitestem Lupine (R)
<u>Island Silver Bush Lupine</u> (R)
Anderson Lupine (R)
Yellow Bush Lupine (U)
Spider Lupine (R)
Brewer Mat Lupine (U)
Alpine Brewer Lupine (U)
<u>Coastal Bush Lupine</u> (R)
Bajada Lupine (R)
Orcutt Bajada Lupine (R)
Grape Soda Lupine (U)
Southern Mountain Bush Lupine (U)
Johnston Bush Lupine (R)
Summer Bush Lupine (R)
Broad-leaved Lupine (R)
Parish Broad-leaved Lupine (U)
Prairie Lupine (U)
Butter Lupine (U)
Densely Red-flowered Lupine (R)
Prostrate Red-flowered Lupine (U, Type)
Small Lupine (R)
Payne's Bush Lupine (R, Type)
Large-leaved Lupine (R)
Anderson Desert-thorn (R)
<u>California Desert-thorn</u> (R)
<u>San Nicolas Island Desert-thorn</u> (R, Type)
California Loosestrife (U)
Dense-flowered Tarplant or Madia (R)
Vernal Tarplant or Madia (R)
Wheeler Tarplant or Madia (R)
Small or Threadstem Tarplant or Madia (R)
Coast Tarplant (R)
False Solomon's Seal, Wild Lily of the Valley (R)
False Solomon's Seal, Wild Lily of the Valley (R)
Lax-flowered Bushmallow (R)
Fremont Bushmallow (U)
Pink-flowered Bush[Globe]mallow (U)
Nuttall Bushmallow (Type)
California Cliff-aster (U)
Cleveland Cliff-aster (R)
Snake-head (R)
<u>Leafy Cliff-aster</u> (R)
<u>Leafy Cliff-aster</u> (R)
Many-headed Leafy Cliff-aster (R)
Desert Dandelion (R)

Scientific Name

Common Name
<i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray var. <i>incana</i>
<i>Malacothrix junakii</i> W.S. Davis
<i>Malacothrix phaeocarpa</i> W.S. Davis
<i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i>
<i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris
<i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall
<i>Malacothrix similis</i> Davis & Raven
<i>Malacothrix squalida</i> Greene
<i>Malvella leprosa</i> (Ortega) Krapov
<i>Marah macrocarpus</i> var. <i>major</i> (Dunn) Stocking
<i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i>
<i>Meconella denticulata</i> E. Greene
<i>Melica californica</i> Scribner var. <i>californica</i>
<i>Melica frutescens</i> Scribner
<i>Melica stricta</i> Bolander var. <i>albicaulis</i>
<i>Melica stricta</i> Bolander var. <i>stricta</i>
<i>Mentha arvensis</i> L.
<i>Mentzelia affinis</i> Greene
<i>Mentzelia albicaulis</i> (Hook.) T. & G.
<i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i>
<i>Mentzelia congesta</i> var. <i>davidsoniana</i> (Abrams) J.F. Macbr.
<i>Mentzelia dispersa</i> S. Watson
<i>Mentzelia gracilenta</i> T. & G.
<i>Mentzelia micrantha</i> (Hook. & Arnott) T. & G.
<i>Mentzelia pectinata</i> Kellogg
<i>Mentzelia veatchiana</i> Kellogg
<i>Micropus californicus</i> Fischer & C. Meyer var. <i>californicus</i>
<i>Microseris douglasii</i> (DC.) Schultz-Bip. ssp. <i>douglasii</i>
<i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers
<i>Microseris elegans</i> A. Gray
<i>Mimulus puniceus</i> Nuttall
<i>Mimulus androsaceus</i> Greene
<i>Mimulus aurantiacus</i> var. <i>parviflorus</i> (Greene) D.M. Thompson
<i>Mimulus bigelovii</i> (Gray) Gray var. <i>bigelovii</i>
<i>Mimulus bolanderi</i> Gray
<i>Mimulus breweri</i> (E. Greene) Cov.
<i>Mimulus congdonii</i> Robinson
<i>Mimulus constrictus</i> (A.L. Grant) Pennell
<i>Mimulus flemingii</i> Munz
<i>Mimulus floribundus</i> Lindley
<i>Mimulus fremontii</i> (Benth.) Gray var. <i>fremontii</i>
<i>Mimulus johnstonii</i> A.L. Grant
<i>Mimulus longiflorus</i> var. <i>rutilus</i> A. Grant
<i>Mimulus moschatus</i> var. <i>longiflorus</i> A. Gray
<i>Mimulus parishii</i> E. Greene
<i>Mimulus primuloides</i> Benth. var. <i>primuloides</i>
<i>Mimulus rattanii</i> Gray
<i>Mimulus rubellus</i> Gray
<i>Mimulus suksdorfii</i> Gray
<i>Mimulus tilingii</i> Regel
<i>Minuartia douglasii</i> (Fenzl ex T. & G.) Mattf.
<i>Minuartia pusilla</i> (S. Watson) Mattf.
<i>Mirabilis multiflora</i> var. <i>pubescens</i> S. Watson
<i>Monanthochloe littoralis</i> Engelm.
<i>Monardella australis</i> Abrams
Dunedelion (U) CNPS List 4
<i>Junak Dandelion</i> (R, Type)
Brown-fruited Dandelion (R) CNPS List 4
Cliff-aster (U)
Cliff-aster (R)
Cliff-aster (U)
Implicated Cliff-aster (U, Type)
Mexican Cliff-aster (R)
<i>Island Dandelion</i> (R)
Alkali-mallow, White-Weed (U)
<i>Island Man-root</i> (R)
Hairy Pepperwort, Clover Fern (R)
Tiny Poppy (R)
California Melic Grass (R)
Melic Grass (R)
Whitestem Rock Melic Grass (R)
Nodding or Rock Melic Grass (R)
Field Mint (R)
Stickleleaf (R)
Whitestem Stickleleaf (R)
Congested Stickleleaf (U)
Ventana Stickleleaf (R)
Scattered Stickleleaf (R)
Slender Stickleleaf (R)
Tiny-flowered Stickleleaf (U)
Stickleleaf (R)
Veatch Stickleleaf (R)
Slender Cottonweed (U)
<i>Douglas Microseris</i> (R)
Slender Douglas Microseris (R)
Elegant Microseris (R)
Red Bush Monkeyflower (R)
Naked Sepal Monkeyflower (R)
Bush Monkeyflower (R)
Bigelow Monkeyflower (R)
Bolander Monkeyflower (R)
Brewer Monkeyflower (R)
Congdon Monkeyflower (R)
Narrow-throated Monkeyflower (U)
<i>Island Bush Monkeyflower</i> (R)
Floriferous Monkeyflower (U)
Fremont Monkeyflower (U)
Johnston Monkeyflower (R)
Red Sticky Bush Monkeyflower (R)
Musk Monkeyflower (R)
Parish's Monkeyflower (R)
Primrose Monkeyflower (R)
Rattan's Monkeyflower (R)
Little Redstem Monkeyflower (R)
Suksdorf Monkeyflower (R)
Creeping Monkeyflower (R)
Douglas Sandwort (R)
Sandwort (R)
Froebel Four O'Clock (R)
Shoregrass (R)
Southern Coyote Mint (R)

Scientific Name

Common Name
<i>Monardella breweri</i> Gray Brewer Coyote Mint (U)
<i>Monardella hypoleuca</i> Gray ssp. <i>hypoleuca</i> White-veined Coyote Mint (R)
<i>Monardella linioides</i> ssp. <i>oblonga</i> (Greene) Abrams Flax-leaved Horsemint (R) CNPS List 1B
<i>Monardella undulata</i> Benth. Curly-leaved Horsemint (R)
<i>Monolepis nuttalliana</i> (Schultes) E. Greene Nuttall Monolepis, Poverty Weed (R)
<i>Monolopia lanceolata</i> Nuttall Lanceleaf Hilltop Daisy (R)
<i>Monolopia major</i> DC. Cupped Daisy (R)
<i>Montia chamissoi</i> (Ledeb. Ex Spreng.) Greene Toad-Lily (R)
<i>Mucronea californica</i> Benth. var. <i>californica</i> California Spineflower (R)
<i>Mucronea perfoliata</i> (Gray) A.A. Heller var. <i>perfoliata</i> Perfoliate Spineflower (R)
<i>Muhlenbergia andina</i> (Nuttall) A. Hitchc. Foxtail Muhly (R)
<i>Muhlenbergia asperifolia</i> (Nees & Meyen) Parodi Scratchgrass (U)
<i>Muhlenbergia richardsonis</i> (Trin.) Rydberg Mat Muhly (R)
<i>Muhlenbergia utilis</i> (Torrey) A. Hitchc. Aparejo Grass (R)
<i>Muilla maritima</i> (Torrey) S. Watson Common Muilla (U)
<i>Myosurus apetalus</i> Gay Petaless Mousetails (R)
<i>Myosurus minimus</i> L. Common Mousetails (R)
<i>Myrica californica</i> Chamisso California Wax-Myrtle, Pacific Bayberry (R)
<i>Myriophyllum hippuroides</i> Torrey & A. Gray Western Milfoil (R)
<i>Najas guadalupensis</i> (Sprengel) Magnus Common Water-nymph, Southern Naiad (R)
<i>Nama californicum</i> (Gray) J.D. Bacon Lemmon California Waterleaf (U)
<i>Navarretia atractyloides</i> (Benth.) Hook. & Arn. Hollyleaf Skunkweed (U)
<i>Navarretia hamata</i> E. Greene ssp. <i>hamata</i> Navarretia (R)
<i>Navarretia mellita</i> E. Greene Sticky Navarretia (R)
<i>Navarretia ojaiensis</i> Elvin, J.M. Porter & L.A. Johnson Ojai Navarretia (U) CNPS List 1B.1
<i>Navarretia peninsularis</i> Greene Southern California Navarretia (R)
<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn. Downy Navarretia (R)
<i>Nemacladus californicus</i> (A. Gray) Morin Parishella (R)
<i>Nemacladus capillaris</i> Greene Common Nemacladus (R)
<i>Nemacladus gracilis</i> Eastw. Slender Nemacladus (R)
<i>Nemacladus orientalis</i> (McVaugh) Morin Western Sticky Nemacladus (R)
<i>Nemacladus ramosissimus</i> Nuttall Nuttall's Nemacladus (R)
<i>Nemacladus secundiflorus</i> var. <i>robbinsii</i> Morin Robbins' Nemacladus (R)
<i>Nemacladus sigmoideus</i> G.T. Robbins Thread Stem (R)
<i>Nemophila menziesii</i> var. <i>integrifolia</i> Parish Baby Blue-eyes (R)
<i>Nemophila parviflora</i> Douglas ex Benth. var. <i>parviflora</i> Smallflower Nemophila (R)
<i>Nemophila pulchella</i> var. <i>fremontii</i> (A.D.E. Elmer) Constance Fremont Baby Blue-eyes (R)
<i>Nicotiana attenuata</i> Torrey Coyote Tobacco (U)
<i>Nicotiana clevelandii</i> A. Gray Cleveland Indian Tobacco (R)
<i>Nicotiana quadrivalvis</i> Pursh var. <i>quadrivalvis</i> Indian Tobacco (R)
<i>Nicotiana quadrivalvis</i> Pursh var. <i>wallacei</i> (Gray) Mansf. Wallace's Indian Tobacco (R)
<i>Nolina cismontana</i> Dice Chaparral Bear-grass (R) CNPS List 1B
<i>Notholeana californica</i> D.C. Eaton California Cloak Fern (R)
<i>Oenothera deltoides</i> ssp. <i>cognata</i> (Jepson) Klein Birdcage Evening-primrose, Devil's Lantern (R)
<i>Oenothera elata</i> ssp. <i>hookeri</i> (Torrey & A. Gray) W. Dietr. Hooker Coast Evening Primrose (R)
<i>Oenothera longissima</i> ssp. <i>clutei</i> (Nelson) Munz Evening Primrose (R)
<i>Oligomeris linifolia</i> (M. Vahl) J.F. Macbr. Narrowleaf Oligomeris (U)
<i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i> Beavertail Cactus (R)
<i>Opuntia littoralis</i> (Engelm.) Cockerell X <i>O. oricola</i> Philbr. Coastal-Round-pad Prickly Pear Hybrid (R)
<i>Opuntia oricola</i> Philbr. Round-pad Prickly Pear (U)
<i>Opuntia parryi</i> Engelm. Cane or Snake Cholla (R)
<i>Opuntia prolifera</i> Engelm. Coastal Cholla (R)
<i>Opuntia</i> <i>Xvaseyi</i> (J. Coulter) Britton & Rose (<i>O. littoralis</i> X <i>phaeacantha</i>) Mesa Prickly Pear (R)
<i>Orcuttia californica</i> Vasey California Orcutt Grass (R)
<i>Orobanche bulbosa</i> (Gray) G. Beck Chamise Broom-rape (U)
<i>Orobanche californica</i> ssp. <i>feudgei</i> (Munz) Heckard California Sagebrush Broom-rape (R)

Scientific Name

Scientific Name	Common Name
<i>Orobanche fasciculata</i> Nuttall	Clustered Broom-rape (U)
<i>Orobanche parishii</i> (Jeps.) Heckard ssp. <i>parishii</i>	Parish Broom-rape (R)
<i>Orobanche parishii</i> ssp. <i>brachyloba</i> Heckard	Short-lobed Broom-rape (R)
<i>Orobanche uniflora</i> L.	Naked Broomrape (R)
<i>Orobanche valida</i> Jeps. ssp. <i>valida</i>	Rock Creek Broom-rape (R)
<i>Orobanche vallicola</i> (Jepson) Heckard	Hillside Broomrape (R)
<i>Osmorrhiza chilensis</i> H.& A.	Mountain Sweetroot (R)
<i>Oxalis albicans</i> ssp. <i>californica</i> (Abrams) G. Eiten	California White Wood Sorrel (R)
<i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten	Hairy White Wood Sorrel (U)
<i>Oxytheca caryphyloides</i> Parry	Chickweed Oxytheca (R) CNPS List 4
<i>Oxytheca parishii</i> var. <i>abramsii</i> (McGregor) Munz	Abrams Oxytheca (R, Type) CNPS List 1B
<i>Oxytheca perfoliata</i> T. & G.	Perfoliate Oxytheca (R)
<i>Oxytheca trilobata</i> A. Gray	Three-lobed Spineflower (R)
<i>Packera breweri</i> (Burtt Davy) W.A. Weber & Löve	Brewer Butterweed or Groundsel (U)
<i>Panicum capillare</i> ssp. <i>hillmanii</i> (Chase) Freckmann & Lelong	Hillman Witchgrass (U)
<i>Papaver californicum</i> Gray	Wind or Fire Poppy (R)
<i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton	California Pellitory (R)
<i>Parietaria pensylvanica</i> Muhlenberg ex Wildenow	Pennsylvania Pellitory (R)
<i>Parthenocissus vitaea</i> (Knerr) Hitchc.	Woodbine (R)
<i>Paspalum distichum</i> L.	Joint Dallis Grass or Knotgrass (R)
<i>Pectocarya heterocarpa</i> I.M. Johnston	Two-faced Pectocarya (R)
<i>Pedicularis densiflora</i> Hook.	Indian Warrior (R)
<i>Pedicularis semibarbata</i> Gray	Pine-woods Lousewort (U)
<i>Pediomelum castoreum</i> (S. Watson) Rydb.	Desert Indian Breadroot (R)
<i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnston	California Birdsfoot Cliffbrake or Fern (R)
<i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i>	Grinnell Beardtongue (U)
<i>Penstemon heterophyllus</i> var. <i>australis</i> Munz & I.M. Johnston	Southern Mountain Penstemon (R)
<i>Penstemon laetus</i> Gray var. <i>laetus</i>	Gay Penstemon (R)
<i>Penstemon speciosus</i> Lindley	Showy Beardtongue (R)
<i>Pentachaeta fragilis</i> Brandegee	Fragile Pentachaeta (R)
<i>Pentachaeta lyonii</i> Gray	Lyon's Pentachaeta (R) Listed Endangered
<i>Pentagramma triangularis</i> ssp. <i>semipallida</i> (J.T. Howell) Yatsk., Windham, & E. Wollenw.	Silverback Fern (R)
<i>Pentagramma triangularis</i> ssp. <i>viscosa</i> (D.C. Eaton) Yatsk., Windham, & E. Wollenw.	San Nicolas Island Fern (R)
<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias ssp. <i>gairdneri</i>	Gairdner Yampah (R)
<i>Perideridia parishii</i> ssp. <i>latifolia</i> (Gray) Chuang & Constance	Parish Yampah (R)
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah (U) CNPS List 4
<i>Perityle emoryi</i> Torrey	Rock Daisy (U)
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Phacelia (R)
<i>Phacelia austromontana</i> J.T. Howell	Low Phacelia (R)
<i>Phacelia bicolor</i> Torrey ex S. Watson	Bicolored Phacelia (R)
<i>Phacelia cicutaria</i> E. Greene var. <i>cicutaria</i>	Caterpillar Phacelia (U)
<i>Phacelia cicutaria</i> var. <i>hubbyi</i> (J.F. Macbr.) J.T. Howell	Hubby Caterpillar Phacelia (U)
<i>Phacelia ciliata</i> Benth. var. <i>ciliata</i>	Ciliate Phacelia (U)
<i>Phacelia exilis</i> (Gray) G.J. Lee	Transverse Range Phacelia (R) CNPS 4.3
<i>Phacelia grisea</i> Gray	White-flowered Phacelia (R)
<i>Phacelia humilis</i> var. <i>dudleyi</i> J. Howell	Dudley Phacelia (R)
<i>Phacelia imbricata</i> ssp. <i>patula</i> (Brand) Heckard	Mountain Phacelia (R)
<i>Phacelia minor</i> (Harvey) Thellung	Wild Canterbury Bell (R)
<i>Phacelia mohavensis</i> A. Gray	Mojave Phacelia (R) CNPS 4.3
<i>Phacelia mutabilis</i> Greene	Changeable Phacelia (R)
<i>Phacelia oreopola</i> Heckard ssp. <i>oreopela</i>	Mountain Phacelia (R)
<i>Phacelia ramosissima</i> var. <i>austrolittoralis</i> Munz	South Coast Branching Phacelia (R) CNPS 4.3
<i>Phacelia ramosissima</i> var. <i>latifolia</i> (Torrey) Cronq.	Branching Phacelia (U)
<i>Phacelia rattanii</i> A. Gray	Brand Phacelia (R)
<i>Phacelia viscosa</i> var. <i>albiflora</i> (Nuttall) A. Gray	White-flowered Viscid Phacelia (R)
<i>Phalaris lemmonii</i> Vasey	Lemmon Canarygrass (R)

Scientific Name

Scientific Name	Common Name
<i>Phlox austromontana</i> Coville	Spreading Phlox (R)
<i>Phlox caespitosa</i> Nuttall	Rigid Mat Phlox (R)
<i>Phlox diffusa</i> Benth.	Mat Phlox (R)
<i>Phlox hoodii</i> ssp. <i>canescens</i> (T. & G.) Wherry	Fuzzy Hood Phlox (R)
<i>Pholistoma membranaceum</i> (Benth.) Constance	White Fiesta Flower (R)
<i>Pholistoma racemosum</i> (Nutt. ex A. Gray) Constance	South Coast Fiesta Flower (R)
<i>Phoradendron pauciflorum</i> Torrey	Few-flowered Mistletoe (R)
<i>Phragmites australis</i> (Cav.) Steudel	Common Reed (R)
<i>Phyla nodiflora</i> (L.) E. Greene var. <i>nodiflora</i>	Common Frog-fruit (R)
<i>Phyllospadix scouleri</i> Hook.	Scouler Surf-grass (R)
<i>Phyllospadix torreyi</i> S. Watson	Torrey Surf-grass (R)
<i>Pickeringia montana</i> Nutt. var. <i>montana</i>	Chaparral Pea (R)
<i>Pilularia americana</i> A. Braun	American Pillwort (R)
<i>Pinus contorta</i> ssp. <i>murrayana</i> (Grev. & Balf.) Critchf.	Lodgepole Pine (R)
<i>Pinus coulteri</i> D. Don	Coulter Pine (R)
<i>Pinus flexilis</i> E. James	Limber Pine (R)
<i>Pinus sabiniana</i> Douglas	Foothill or Gray Pine (R)
<i>Piperia elongata</i> Rydb.	Dense-flowered Rein Orchid (R)
<i>Piperia michaelii</i> (Greene) Rydb.	Michael Piperia (R) CNPS 4.2
<i>Piperia unalascensis</i> (Spreng.) Rydb	Slender-spire Orchid (R)
<i>Plagiobothrys acanthocarpus</i> (Piper) I.M. Johnston	Adobe Popcornflower (R)
<i>Plagiobothrys arizonicus</i> (Gray) Gray	Arizona Popcornflower (R)
<i>Plagiobothrys canescens</i> Benth.	Valley or Bracted Popcornflower (R)
<i>Plagiobothrys collinus</i> var. <i>fulvescens</i> (I.M. Johnston) Higgins	Popcornflower (R)
<i>Plagiobothrys collinus</i> var. <i>gracilis</i> (A. Gray) Higgins	Slender California Popcornflower (R)
<i>Plagiobothrys hispidulus</i> (E. Greene) I.M. Johnston	Hispid Popcornflower (R)
<i>Plagiobothrys tenellus</i> (Nuttall) A. Gray	Slender Popcornflower (R)
<i>Plagiobothrys undulatus</i> (Piper) I.M. Johnston	Undulate Popcornflower (R)
<i>Plantago elongata</i> Pursh	Coastal Plantain (R)
<i>Plantago patagonica</i> Jacq.	Patagonia Plantain (R)
<i>Plantago pusilla</i> Nuttall	Plantain (R)
<i>Platanthera leucostachys</i> Lindley	White-flowered Bog-Orchid (R)
<i>Platanthera sparsiflora</i> (S. Watson) Schltr.	Few-flowered Rein Orchid (R)
<i>Platystemon californicus</i> Benth. var. <i>californicus</i>	Cream Cups (U)
<i>Plectritis ciliosa</i> ssp. <i>insignis</i> (Suksd.) D. Morey	Petite Long-spurred Plectritis (R)
<i>Plectritis macrocera</i> Torrey & A. Gray	White Plectritis (R)
<i>Pluchea odorata</i> (L.) Cass.	Saltmarsh Fleabane (U)
<i>Pluchea sericea</i> (Nutt.) Coville	Arrow Weed (R)
<i>Poa secunda</i> ssp. <i>juncifolia</i> (Scribner) R. Soreng	Rush Bluegrass (R)
<i>Polemonium micranthum</i> Benth.	Phlox (U)
<i>Polycarpon depressum</i> Nutt.	California Allseed (R)
<i>Polygala cornuta</i> var. <i>fishiae</i> (C. Parry) Jeps.	Fish Milkwort (U) CNPS List 4
<i>Polygonum amphibium</i> var. <i>emersum</i> Michx.	Kelp, Water-Smartweed (R)
<i>Polygonum douglasii</i> ssp. <i>johnstonii</i> (Munz) J. Hickman	Sawatch Knotweed (R)
<i>Polygonum hydropiperoides</i> Michaux	Mild Water Pepper, Water Smartweed (R)
<i>Polygonum lapathifolium</i> L.	Willow Weed (U)
<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> (Greene) J. Hickman	Kellogg Knotweed (R)
<i>Polygonum punctatum</i> Elliott	Dotted Smartweed (U)
<i>Polygonum sawatchense</i> Small ssp. <i>sawatchense</i>	Sawatch Smartweed (R)
<i>Polypodium hesperium</i> Maxon	Western Polypody (R)
<i>Polystichum imbricans</i> (D.C. Eaton) D.H. Wagner ssp. <i>imbricans</i>	Imbricate Sword Fern (R)
<i>Polystichum imbricans</i> ssp. <i>curtum</i> (Ewan) D.H. Wagner	Imbricate Sword Fern (R)
<i>Polystichum munitum</i> (Kaulf.) C. Presl	Western Sword Fern (R)
<i>Populus balsamifera</i> ssp. <i>trichocarpa</i> (T. & G.) Brayshaw	Black Cottonwood (Type)
<i>Populus fremontii</i> Wats. XP. <i>balsamifera</i> ssp. <i>trichocarpa</i> (T. & G.) Brayshaw	Brayshaw Hybrid Fremont Cottonwood (R)
<i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i>	Leafy Pondweed (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Potamogeton nodosus</i> Poiret	Long-leaved Pondweed (R)
<i>Potamogeton pectinatus</i> L.	Fennel-leaf Pondweed (R)
<i>Potentilla anserina</i> ssp. <i>pacifica</i> (Howell) Rousi	Pacific Coast Cinquifoil or Silverweed (R)
<i>Potentilla biennis</i> Greene	Biennial Cinquifoil (R)
<i>Potentilla glandulosa</i> Lindley ssp. <i>glandulosa</i>	Sticky Cinquifoil (U)
<i>Potentilla glandulosa</i> ssp. <i>nevadensis</i> (S. Watson) Keck	Sierra Nevada Sticky Cinquifoil (R)
<i>Potentilla glandulosa</i> ssp. <i>reflexa</i> (Greene) Keck	Greene Cinquifoil (R)
<i>Potentilla gracilis</i> var. <i>elmeri</i> (Rydb.) Jeps.	Elmer Slender Cinquifoil (R, Type)
<i>Prunus emarginata</i> (Hooker) Walp.	Bitter Cherry (R)
<i>Prunus ilicifolia</i> ssp. <i>lyonii</i> (Eastw.) P. Raven	Catalina Cherry (R)
<i>Pseudognaphalium beneolens</i> (A. Gray) Anderberg	Coastal Everlasting (U)
<i>Pseudognaphalium leucocephalum</i> (A. Davidson) Anderberg	Whiteleaf or Sonora Everlasting (R) CNPS 2.2
<i>Pseudognaphalium ramosissimum</i> (Nutt.) Anderberg	Pink Everlasting (R)
<i>Pseudostellaria jamesiana</i> (Torrey) W.A. Weber & R.I. Hartman	False Chickweed (R)
<i>Psilocarphus brevissimus</i> Nutt. var. <i>brevissimus</i>	Woolly Marbles (R)
<i>Psilocarphus tenellus</i> var. <i>globiferus</i> (DC.) Morefield	Round Woolly Marbles (R)
<i>Pterospora andromedea</i> Nutt.	Woodland Pinedrops (R)
<i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones	Antelope Bush (U)
<i>Pyrola asarifolia</i> Michx. ssp. <i>asarifolia</i>	Bog Wintergreen (R)
<i>Pyrola picta</i> Smith	White-veined Wintergreen (R)
<i>Pyrrocoma racemosa</i> var. <i>paniculata</i> (Nutt.) J. Kartesz & K. Gandhi	Pyrrocoma (R)
<i>Quercus douglasii</i> H. & A.	Blue Oak (R)
<i>Quercus dumosa</i> Nutt.	Nuttall or Coastal Sage Scrub Oak (R) CNPS 1B
<i>Quercus palmeri</i> Engelm.	Palmer Oak (R)
<i>Quercus tomentella</i> Engelm.	Channel Island Oak (R)
<i>Quercus turbinella</i> Greene ssp. <i>turbinella</i>	Sonoran Scrub Oak (R)
<i>Quercus wislizenii</i> ssp. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak (U)
<i>Quercus Xalvodiana</i> Eastwood (<i>Q. douglasii</i> X <i>Q. john-tuckeri</i>)	Alvord Oak (R)
<i>Quercus Xmacdonaldii</i> Greene	MacDonald Oak (R)
<i>Ranunculus californicus</i> Bentham var. <i>californicus</i>	California Buttercup (U)
<i>Ranunculus hebecarpus</i> Hooker & Arnott	Hebe-fruited Buttercup (R)
<i>Rhamnus tomentella</i> ssp. <i>cuspidata</i> (Greene) Sawyer	Cuspid Hoary Coffeeberry (R)
<i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson XR. <i>ovata</i> S. Watson	Lemonade Berry-Sugar Bush Hybrid (R)
<i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson	Woolly Skunkbrush (U)
<i>Ribes amarum</i> McClatchie var. <i>amarum</i>	Bitter Gooseberry (R)
<i>Ribes amarum</i> var. <i>hoffmannii</i> Munz	Hoffmann's Bitter Gooseberry (R, CNPS 3)
<i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps.	Slender Golden Currant (R)
<i>Ribes californicum</i> Hooker & Arnott var. <i>californicum</i>	Hillside Gooseberry (R)
<i>Ribes californicum</i> var. <i>hesperium</i> (McClatchie) Jeps.	Southern Calif. Gooseberry (U)
<i>Ribes cereum</i> Douglas var. <i>cereum</i>	Wax Currant (U)
<i>Ribes indecorum</i> Eastw.	White-flowered Currant (R)
<i>Ribes montigenum</i> McClatchie	Mountain Gooseberry (R)
<i>Ribes nevadense</i> Kellogg	Mountain Pink Currant (R)
<i>Ribes quercentorum</i> Greene	Oak Gooseberry (R)
<i>Ribes roezlii</i> Regel var. <i>roezlii</i>	Sierra Gooseberry (U)
<i>Ribes velutinum</i> Greene	Plateau Gooseberry (R)
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus (U)
<i>Romneya coulteri</i> Harvey	Coulter Matilija Poppy (R) CNPS List 4
<i>Rorippa curvisiliqua</i> (Hooker) Bessey ex Britton	Curved-pod Water-cress (R)
<i>Rorippa palustris</i> var. <i>occidentalis</i> (S. Watson) Rollins	Western Riparian Yellow-cress (R)
<i>Rosa woodsii</i> var. <i>ultramontana</i> (S. Watson) Jeps.	Interior Wild Rose (R)
<i>Rubus leucodermis</i> var. <i>bernardinus</i> (E. Greene) Jepson	Whitebark Raspberry (R)
<i>Rumex fueginus</i> Phil. var. <i>ovato-cordatus</i> Rech.f	Oxnard Dock (R, Type)
<i>Rumex hymenosepalus</i> Torrey	Wild Rhubarb, Canaigre (R)
<i>Rumex maritimus</i> L.	Golden Dock (R)
<i>Rumex salicifolius</i> var. <i>crassus</i> (Rech. f.) J. Howell	Willow Dock (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Rupertia physodes</i> (Hook.) Grimes	Surf-pea (R)
<i>Ruppia cirrhosa</i> (Petagna) Grande	Spiral Wigeon-grass or Ditch-grass (R)
<i>Ruppia maritima</i> L.	Wigeon-grass, Ditch-grass (R)
<i>Sagina apetala</i> L. ssp. <i>apetala</i>	Dwarf Pearlwort (R)
<i>Sagina decumbens</i> ssp. <i>occidentalis</i> (S. Wats.) G. Crow	Western Pearlwort (R)
<i>Sagina saginoides</i> (L.) H. Karst.	Sagina, Arctic Pearlwort (R)
<i>Sagittaria sanfordii</i> Greene	Sanford Arrow-head (R) CNPS List 1B
<i>Salicornia bigelovii</i> Torrey	Bigelow Pickleweed (R)
<i>Salicornia depressa</i> Standley	Pickleweed (R)
<i>Salix gooddingii</i> C. Ball	Goodding Black Willow (R)
<i>Salix lasiolepis</i> var. <i>bigelovii</i> (Torrey) Bebb.	Bigelow Arroyo Willow (R)
<i>Salix melanopsis</i> Nuttall	Dusky Willow (R)
<i>Salvia carduacea</i> Benth.	Thistle Sage (R)
<i>Salvia dorrii</i> var. <i>pilosa</i> (Gray) Strachan & Reveal	Pilose Desert Sage (R)
<i>Samolus parviflorus</i> Raf.	Water-pimpernel (R)
<i>Sanicula bipinnata</i> Hooker & Arnott	Poison Sanicle (U)
<i>Sanicula bipinnatifida</i> Hooker	Purple Sanicle (R)
<i>Sanicula graveolens</i> Peopp. ex DC.	Sanicle (R)
<i>Sanicula tuberosa</i> Torrey	Tuberose Sanicle (R)
<i>Sarcocornia pacifica</i> (Standley) A.J. Scott [<i>Salicornia virginica</i> L.]	Pacific Pickleweed or Swampfire (R)
<i>Sarcodes sanguinea</i> Torrey	Snow Plant (U)
<i>Satureja douglasii</i> (Benth.) Briq.	Yerba Buena (R)
<i>Satureja mimuloides</i> (Bentham) Briq.	Monkeyflower Yerba Buena (R)
<i>Saussurea americana</i> D. Eaton	American Sawwort (R)
<i>Saxifraga californica</i> Greene	California Saxifrage (R)
<i>Schoenoplectus acutus</i> var. <i>occidentalis</i> (S. Watson) S.G. Smith	Viscid Tule (R)
<i>Schoenoplectus californicus</i> (C. Meyer) Soják, Čas. Nár.	California Bulrush (R)
<i>Schoenoplectus pungens</i> (Vahl) Palla	Common Threesquare (U)
<i>Schoenoplectus saximontanus</i> (Fern.) J. Raynal	Rocky Mountain Bulrush (R)
<i>Schoenoplectus tabernaemontani</i> (C. Gmelin) Palla	Soft-stem Bulrush (R)
<i>Scirpus microcarpus</i> J. Presl & C. Presl	Small-fruited Bulrush (U)
<i>Scrophularia californica</i> ssp. <i>floribunda</i> (E. Greene) Shaw	Many-flowered Figwort (R)
<i>Scutellaria siphocampyloides</i> Vatke	Skullcap (U)
<i>Scutellaria tuberosa</i> Benth.	Danny Skullcap (U)
<i>Senecio aphanactis</i> Greene	Rayless Ragwort (R)
<i>Senecio flaccidus</i> var. <i>monoensis</i> (Greene) B.L.Turner & T.M.Barkley	Mono Butterweed (R)
<i>Setaria gracilis</i> Kunth	Knotroot Bristlegrass (R)
<i>Setaria parviflora</i> (Poir.) Kerguélen	Knotroot Bristlegrass (R)
<i>Shepherdia argentea</i> Nutt.	Buffalo Berry, Silver Buffaloberry (U)
<i>Sidalcea malviflora</i> ssp. <i>californica</i> (T. & G.) C.L. Hitchc.	California Globemallow (U)
<i>Sidalcea malviflora</i> ssp. <i>dolosa</i> C.L. Hitchc.	Dwarf Globemallow or Checkerbloom (R)
<i>Sidalcea neomexicana</i> Gray	Salt Spring Checkermallow (R) CNPS List 2
<i>Sidalcea pedata</i> Gray	Bird-footed Checkerbloom (R)
<i>Silene antirrhina</i> L.	Snapdragon Campion, Catchfly (U)
<i>Silene bernardina</i> S. Watson	Palmer Campion (R)
<i>Silene californica</i> Durand	California Indian Pink (R)
<i>Silene lemmonii</i> S. Watson	Lemmon Campion or Catchfly (R)
<i>Silene multinervia</i> S. Watson	Many-veined Campion (U)
<i>Solanum parishii</i> A.A. Heller	Parish Nightshade (R)
<i>Solanum umbelliferum</i> Eschsch.	Blue Witch (U)
<i>Solidago confinis</i> Gray	Southern Goldenrod (U)
<i>Solidago guiradonis</i> Gray	Guirado Goldenrod (R)
<i>Spergularia macrotheca</i> (Hornem.) Heynh. var. <i>macrotheca</i>	Large[-flowered] Sandspurrey (R)
<i>Spergularia macrotheca</i> var. <i>leucantha</i> (E. Greene) Robinson	White Large[-flowered] Sandspurrey (R)
<i>Spergularia marina</i> (L.) Griseb.	Saltmarsh Sandspurrey (R)
<i>Sphaeralcea ambigua</i> A. Gray	Apricot Mallow (R)

Scientific Name

Sphenosciadium capitellatum Gray
Sporobolus airoides (Torey) Torrey
Stachys ajugoides var. *rigida* Jeps. & Hoover
Stebbinsoseris heterocarpa (Nuttall) Chambers
Stellaria nitens Nuttall
Stephanomeria exigua Nuttall ssp. *exigua*
Stephanomeria exigua ssp. *carotifera* (Hoover) Gottlieb
Stephanomeria exigua ssp. *coronaria* (Greene) Gottlieb
Stephanomeria pauciflora (Nutt.) Nelson var. *pauciflora*
Stephanomeria virgata ssp. *pleurocarpa* (Greene) Gottlieb
Stillingia linearifolia S. Watson
Stillingia spinulosa Torrey
Streptanthus campestris S. Watson
Stylocline gnaphaloides Nuttall
Stylomecon heterophylla (Benth.) G. Taylor
Suaeda calceoliformis (Hook.) Moq.
Suaeda esteroa Ferren & Whitmore
Suaeda moquinii (Torrey) Greene
Suaeda taxifolia (Standl.) Standl.
Swertia neglecta (H.M. Hall) Jeps.
Symphoricarpos albus var. *laevigatus* (Fern.) S.F. Blake
Syntrichopappus lemmontii (A. Gray) A. Gray
Tauschia hartwegii (A. Gray) J.F. Macbr.
Tetradymia canescens DC.
Tetradymia comosa Gray
Thalictrum fendleri Engelmann ex Gray
Thalictrum polycarpum (Torrey) S. Watson
Thermopsis californica var. *argentata* (Greene) Chen & Turner
Thermopsis macrophylla var. *venosa* (Eastwood) Isely
Thysanocarpus conchuliferus E. Greene
Trichostema micranthum Gray
Trichostema ovatum Curran
Trifolium albopurpureum var. *dictotomum* (H. & A.) Isely
Trifolium ciliolatum Benth.
Trifolium cyathiferum Lindley
Trifolium depauperatum var. *amplectens* (T. & G.) L.F. McDermott
Trifolium depauperatum var. *truncatum* (Greene) Islay
Trifolium fucatum Lindley
Trifolium gracilentum var. *palmeri* (Watson) McDermott
Trifolium longipes ssp. *atrorubens* (Greene) J.M. Gillett
Trifolium microcephalum Pursh
Trifolium microdon Hook. & Arn.
Trifolium monanthum Gray var. *monanthum*
Trifolium monanthum var. *grantianum* (A.A. Heller) Parish
Trifolium obtusiflorum Hooker & Arnott
Trifolium variegatum Nutt.
Trifolium wormskioeldii Lehm.
Triglochin concinna Davy var. *concinna*
Triglochin maritima L.
Triglochin striata R. & P.
Triteleia ixoides (Ait. F.) Greene ssp. *ixoides*
Tropidocarpum gracile Hook. [var. *dubium*]
Typha angustifolia L.
Typha latifolia L.
Typha Xdomingensis Pers.
Veratrum californicum Durand var. *californicum*

Common Name

Ranger Buttons, Swamp White Heads (R)
Alkali Sacaton (R)
Rigid Hedge Nettle (R)
Chicory Microseris (U)
Shining Chickweed (R)
Small Stephanomeria (R)
Carrot Stephanomeria (U)
Small Stephanomeria (U)
Wire-lettuce (U)
Two-fruited Wreath Plant (R)
Narrowleaf Stilligia (R-extirpated?)
Annual Toothleaf (R-extirpated?)
Southern Jewelflower (R)
Everlasting Nest Straw (U)
Wind Poppy (R)
Seablite (R)
Estuary Seablite (R) CNPS List 1B
Bush Seepweed (R)
Woolly Seablite (R) CNPS List 4
Pine Green Gentian (U) CNPS List 4
Snowberry (R)
Lemmon's Xerasid (R) CNPS List 4
Hartweg Tauschia (R)
Cottonthorn, Horsebush (R)
Cottonthorn, Horsebush (R)
Fendler Meadow-rue (R)
Tall Western Meadow-rue (R)
Silvery False-Lupine (U) CNPS List 4
Slender Santa Ynez False-Lupine (R)
Santa Cruz Island Fringepod (R)
Bluecurls (R)
Ovate Bluecurls (R)
Island Rancheria Clover (R)
Ciliate or Tree Clover (U)
Ciliate or Tree Clover (R)
Dwarf Sack Clover (R)
Truncate Dwarf Sack Clover (U)
Bull Clover (R)
Palmer Pinpoint Clover (R)
Purple Clover (R)
Tiny-head Clover (U)
Tiny-head Clover (R)
Carpet Clover (R)
Carpet Clover (R)
Creek Clover (R)
Whitetip Clover (R)
Cows Clover (R)
Utah Arrow-grass (R)
Seaside Arrow-grass (R)
Three-ribbed Arrow-grass (R)
Golden Brodiaea (R)
Slender Tropidocarpum (R)
Slender Cattail (R)
Broad-leaved Cattail, Soft Flag (U)
Southern Cattail Hybrid (R)
California False Hellebore (R)

Scientific Name

Verbena bracteata Lagasca & J.D. Rodriguez
Verbena lasiostachys var. *scabrida* Mold.
Veronica peregrina ssp. *xalapensis* (Kunth) Pennell
Veronica serpyllifolia ssp. *humifusa* (Dickson) Syme
Vicia americana Willd. var. *americana*
Vicia hassei S. Watson
Vicia ludoviciana Nutt. var. *ludoviciana*
Viguiera laciniata Gray
Viola aurea Kellogg
Viola macloskeyi F.E. Lloyd ssp. *macloskeyi*
Viola pedunculata ssp. *tenuifolia* M.S. Baker & J.C. Clausen
Viola pinetorum Greene ssp. *pinetorum*
Viola pinetorum ssp. *grisea* (Jeps.) R.J. Little
Viola purpurea Kellogg ssp. *purpurea*
Viola purpurea ssp. *mohavensis* (M. Baker & J. Clausen) J. Clausen
Viola purpurea ssp. *quercketorum* (M. Baker & J. Clausen) R.J. Little
Vitis californica Benth.
Vitis girdiana Munson
Vulpia microstachys var. *confusa* (Piper) Lonard & Gould
Yabea microcarpa (Hooker & Arnott) Koso-Pol.
Zannichellia palustris L.
Zostera marina L.

Common Name

Prostrate Verbena (R)
Western Verbena (R)
Purslane Speedwell (U)
Tyme-leaved Speedwell (R)
American Vetch (U)
Hasse Vetch (R)
Vetch (R)
San Diego County Viguiera (R)
Golden Violet (R)
Small White Violet (R)
Johnny-Jump-Up (U)
Mountain Violet (U)
Gray-leaved Violet (R) CNPS 1B
Purple or Mountain Violet (U)
Mojave Yellow Violet (U)
Oak Violet (U)
California Wild Grape (R)
Desert Wild Grape (R)
Ciliate Fescue (R)
Yabea (R)
Horned-Pondweed (R)
Eel-grass (R)

Plants Expected to Occur in Ventura County But Lacking Physical Evidence¹⁰

Scientific Name

Abronia latifolia Eschsch.
Achnatherum latiglumis (Swallen) Barkworth
Actaea rubra (Aiton) Wildenow
Adiantum aleuticum (Rupr.) C.A. Paris
Agastache urticifolia (Bentham) Kuntze var. *urticifolia*
Agrostis microphylla Steudel
Agrostis scabra Willd.
Allenrolfea occidentalis (S. Watson) Kuntze
Alopecurus aequalis Sobol. var. *aequalis*
Alopecurus geniculatus L.
Ambrosia dumosa (A. Gray) Payne
Amsinckia eastwoodae J.F. Macbr.
Anaphalis margaritaceae (L.) Benth. & Hooker F. ex C.B. Clarke
Arabis platysperma Gray var. *platysperma*
Aristida purpurea var. *nealleyi* (Vasey) K.W. Allred
Aristida purpurea var. *wrightii* (A. Hitchc.) K.W. Allred
Artemisia ludoviciana ssp. *incompta* (Nuttall) Keck
Aster occidentalis (Nuttall) Torrey & A. Gray var. *occidentalis*
Athyrium filix-femina var. *californicum* Butters
Athyrium filix-femina var. *cyclosum* Ruprecht
Atriplex parishii S. Watson
Azolla mexicana C. Presl
Berberis pinnata Lagasca ssp. *pinnata*

Common Name

Coastal or Yellow Sand-verbena Φ
Needlegrass Φ
Red Banberry Φ
Western Five-finger Fern or Maidenhair Φ
Nettleleaf Horsemint, Giant Hyssop Φ
Small-leaved Bentgrass Φ
Rough Bentgrass Φ
Iodine Bush Φ
Short-awn Foxtail Φ
Water Foxtail Φ
White Bur-sage, Burro Bush, Burro-Weed Φ
Elegant Fiddleneck Φ
Pearly Everlasting Φ
Pioneer Rock Cress Φ
Nealley Three-awn Grass Φ
Parish Three-awn Grass Φ
White Sagebrush Φ
Western Mountain Aster Φ
Southwestern Lady Fern Φ
Northwestern Lady Fern Φ
Parish Brittlescale Φ
Mexican Duckweed Fern Φ
Pinnate-leaved Barberry Φ

¹⁰ Taxa that are expected to occur within Ventura County but for which no vouchers have been collected or observed. If any of these taxa are found within Ventura County, they should be considered locally rare species. Plants with a “Φ” following the common name lack vouchers from Ventura County at the following herbaria (CHSC, DAV, IRVC, JEPS, POM, RSA, SBBG, SD, SJSU, UC, UCI, UCR, UCSB, USSC).

Scientific Name

<i>Brodiaea elegans</i> Hoover ssp. <i>elegans</i>	Elegant Brodiaea ♀
<i>Brodiaea polystachys</i> Eastwood	Dwarf Brodiaea ♀
<i>Calystegia longipes</i> (S. Watson) Brummitt	Morning-glory ♀
<i>Calystegia sepium</i> ssp. <i>limnophila</i> (E. Greene) Brummitt	Riparian Morning-glory ♀
<i>Carex serratodens</i> W. Boott	Sawtooth Sedge ♀
<i>Castilleja campestris</i> (Bentham) Chuang & Heckard ssp. <i>campestris</i>	Field Owl's Clover ♀
<i>Castilleja densiflora</i> ssp. <i>gracilis</i> (Benth.) Chuang & Heckard	Slender Dense-flowered Owl's Clover ♀
<i>Caulanthus crassicaulis</i> (Torrey) S. Watson var. <i>crassicaulis</i>	Thick-stem Wild Cabbage ♀
<i>Centaurium muhlenbergii</i> (Griseb.) W. Wright ex Piper	Monterey Centaury ♀
<i>Centromadia fitchii</i> (A. Gray) E. Greene	Fitch Spikeweed ♀
<i>Cephalanthera austiniiae</i> (A. Gray) Heller	Phantom Orchid ♀
<i>Chamaesyce serpyllifolia</i> ssp. <i>hirtula</i> (S. Watson) Koutnik	Hairy Thyme-leaved Spurge ♀
<i>Chorizanthe fimbriata</i> Nuttall var. <i>fimbriata</i>	Fringed Spineflower (R) – Newhall Ranch
<i>Chorizanthe obovata</i> Goodman	Obovate Spineflower ♀
<i>Chorizanthe wheeleri</i> S. Watson	Wheeler Spineflower ♀
<i>Circaeа alpina</i> ssp. <i>pacifica</i> (Aschers. & Magnus) Raven	Enchanter's Nightshade ♀
<i>Cladonia californicum</i> (S. Watson) O'Neill	Saw-grass ♀
<i>Clarkia heterandra</i> (Torrey) H. Lewis & Raven	California Gaura ♀
<i>Clarkia similis</i> Harlan Lewis & Ernst	Copy-cat Clarkia ♀
<i>Clematis pauciflora</i> Nuttall	Ropevine ♀
<i>Collomia linearis</i> Nuttall	Narrow-leaved Collomia ♀
<i>Comarostaphylis diversifolia</i> ssp. <i>planifolia</i> (Jeps.) G.D. Wallace	Simpleleaf Summer Holly ♀
<i>Corallorrhiza maculata</i> (Raf.) Raf.	Spotted Coral Root ♀
<i>Coreopsis californica</i> (Nuttall) H.K. Sharsmith var. <i>californica</i>	California Coreopsis ♀
<i>Cornus nuttallii</i> Audubon	Mountain Dogwood ♀
<i>Cornus sericea</i> ssp. <i>occidentalis</i> (Torrey & A. Gray) Fosberg	Western American Dogwood ♀
<i>Crassula solieri</i> (C. Gay) F. Meigen	Solier Vernal Pool Water Pigmy-weed ♀
<i>Cuscuta californica</i> var. <i>papillosa</i> Yuncker	California Dodder ♀
<i>Cyperus niger</i> Ruiz Lopez & Pavon	Black Flatsedge ♀
<i>Damasonium californicum</i> Bentham	Fringed Water-Plantain ♀
<i>Deschampsia elongata</i> (Hooker) Bentham	Slender Hairgrass ♀
<i>Descurainia incisa</i> (A. Gray) Britton ssp. <i>incisa</i>	Richardson Tansy Mustard ♀
<i>Dodecatheon clevelandii</i> E. Greene ssp. <i>clevelandii</i>	Cleveland Shooting Star ♀
<i>Elatine rubella</i> Rydb.	Waterwort ♀
<i>Eleocharis parvula</i> (Roemer & Schultes) Link	Colorado Spike-rush ♀
<i>Epilobium hirsutum</i> Hausskn.	Gland Willow-herb ♀
<i>Eremalche exilis</i> (A. Gray) E. Greene	White-flowered Mallow ♀
<i>Eremalche parryi</i> ssp. <i>kernensis</i> (C. Wolf) D. Bates	Kern Mallow ♀
<i>Erigeron philadelphicus</i> L.	Philadelphia Fleabane ♀
<i>Eriophyllum ambiguum</i> (A. Gray) A. Gray var. <i>ambiguum</i>	Ambiguous Woolly Daisy ♀
<i>Eriophyllum lanatum</i> var. <i>hallii</i> Constance	Fort Tejon Yarrow ♀
<i>Eschscholzia lemmonii</i> ssp. <i>kernensis</i> (Munz) C. Clark	Tejon Poppy ♀
<i>Eustoma exaltatum</i> (L.) Don	Catchfly Gentian ♀
<i>Euphorbia crenulata</i> Engelmann	Chinese Caps ♀
<i>Fraxinus latifolia</i> Bentham	Oregon Ash ♀
<i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb.	California Bedstraw ♀
<i>Garrya elliptica</i> Lindley	Silk-tassel Bush ♀
<i>Gayophytum humile</i> A.L. Juss.	Low Gayophytum ♀
<i>Gayophytum oligospermum</i> H. Lewis & J. Szweykowski	Southern California Mountain Gayophytum ♀
<i>Geranium carolinianum</i> L.	Cransebill, Carolina Geranium ♀
<i>Geranium richardsonii</i> Fischer & Trautv.	Mountain Geranium ♀
<i>Gilia tricolor</i> Bentham ssp. <i>tricolor</i>	Birds-eye or Tricolor Gilia ♀
<i>Glyptopleura marginata</i> D. Eaton	Sculpted-fruit ♀
<i>Grayia polygaloides</i> Hooker & Arnott	Hop-Sage ♀
<i>Helianthus californicus</i> DC.	California Sunflower ♀
<i>Hesperolinon micranthum</i> (A. Gray) Small	Dwarf Flax ♀

Scientific Name

Hesperomecon linearis (Bentham) E. Greene
Hordeum jubatum L.
Hydrocotyle ranunculoides L.f.
Hydrocotyle umbellata L.
Hymenoclea monogyra Torrey & Gray
Hymenoclea salsola var. *pentalepis* (Rydb.) L. Benson
Iris douglasiana Herbert in W.J. Hooker and G.A.W. Arnott
Isoëtes orcuttii A.A. Eaton
Juncus bryoides F.J. Hermann
Juncus falcatus E. Meyer var. *falcatus*
Juncus orthophyllus Cov.
Lasthenia fremontii (A. Gray) E. Greene
Lasthenia glaberrima A. DC.
Lasthenia microglossa (A. DC.) E. Greene
Layia hieracioides (DC.) Hooker & Arnott
Lepidium latipes Hooker var. *latipes*
Lilaea scilloides (Poir.) Haum.
Lonicera hispidula var. *vacillans* A. Gray
Lonicera interrupta Benth. X *Lonicera hispidula* var. *vacillans* Gray
Luzula comosa E. Meyer
Luzula subsessilis (S. Watson) Buchenau
Mimulus palmeri A. Gray
Minuartia californica (A. Gray) Mattf.
Monardella australis Abrams
Monardella villosa ssp. *obispoensis* (Hoover) Jokerst
Najas marina L.
Nemophila parviflora var. *quercifolia* (Eastw.) Chandler
Opuntia phaeacantha Engelm.
Orthocarpus linearilobus Bentham
Osmorhiza chilensis Hooker & Arnott
Panicum acuminatum Sw. var. *acuminatum*
Parnassia californica (A. Gray) E. Greene
Penstemon spectabilis Thurber var. [ssp.] *spectabilis*
Penstemon spectabilis var. [ssp.] *subviscosus* (Keck) McMinn
Phacelia congdonii Greene
Phoradendron libocedri (Engelm.) Howell
Physalis acutifolia (Miers) Sandw.
Plagiobothrys collinus var. *californicus* (A. Gray) Higgins
Plectritis brachystemon Fischer & C. Meyer
Pogogyne zizyphoroides Bentham
Polygonum amphibium var. *stipulaceum* Coleman
Polygonum douglasii E. Greene ssp. *douglasii*
Quercus garryana var. *breweri* (Engelm.) Jeps.
Ranunculus aquatilis var. *capillaceus* (Thuill.) DC.
Rubus leucodermis var. *bernardinus* (E. Greene) Jepson
Rubus parviflorus Nuttall
Sagittaria calycina Englemann
Sagittaria latifolia Willd.
Salix sitchensis Bong.
Sanicula hoffmannii (Munz) Stan & Constance
Scutellaria bolanderi ssp. *austromontana* Epling
Senecio californicus DC.
Spirodela polyrrhiza (L.) Schlied.
Spirodela punctata C. Thompson
Sporobolus airoides Torrey
Streptanthella longirostris Rydb.

Common Name

Western Poppy Φ
Foxtail Barley Φ
False-crowfoot Pennywort Φ
Marsh Pennywort Φ
Leafy Burrobrush Φ
Southern Burrobrush Φ
Mountain Iris Φ
Orcutt Quillwort Φ
Moss Rush Φ
Sickleleaf Rush Φ
Straight-leaf Rush Φ
Fremont Goldfields Φ
Rayless or Smooth Goldfields Φ
Small-rayed Goldfields Φ
Tall Layia Φ
Dwarf Peppergrass Φ
Flowering Quillwort Φ
California Honeysuckle Φ
Chaparral Honeysuckle hybrid Φ
Wood Rush Φ
Wood Rush Φ
Palmer Monkeyflower Φ
California Sandwort Φ
Southern Coyote Mint Φ
San Luis Obispo Coyote Mint Φ
Spiny Naiad Φ
Oak-leaved Nemophila (R)
Engelmann Prickly Pear Φ
Pallid Owl's Clover Φ
Mountain Sweetroot or Sweet Cicely Φ
Panicgrass Φ
Grass-of-Parnassus Φ
Royal Penstemon Φ
Sticky Royal Penstemon Φ
Congdon Phacelia Φ
Incense-cedar Mistletoe Φ
Ground-cherry Φ
California Popcornflower Φ
Small-flowered Pink Plectritis Φ
Sacramento Mesamint Φ
Stipuled Water-Smartweed Φ
Douglas Knotweed Φ
Brewer Oregon Oak Φ
Slender White Water Crowfoot Φ
Sticky Blackcap Raspberry Φ
Thimbleberry Φ
Hooded Arrowhead Φ
Broadleaf Arrowhead Φ
Sitka Willow Φ
Hoffmann's Sanicle Φ
Southern Skullcap Φ
California Ragwort
Duckmeat Φ
Duckmeat Φ
Alkali Sacaton Φ
Dwarf Jewelflower Φ

Scientific Name

<i>Thelypteris puberula</i> var. <i>sonorensis</i> A.R. Smith	Common Name
<i>Thermopsis macrophylla</i> Hook. & Arn. var. <i>macrophylla</i>	Sonoran Maiden Fern ♀
<i>Trichostema austromontanum</i> Harlan Lewis ssp. <i>austromontanum</i>	False-Lupine ♀
<i>Trichostema parishii</i> Vasey	San Jacinto Bluecurls ♀
<i>Triteleia dudleyi</i> Hoover	Parish Bluecurls ♀
<i>Triteleia hyacinthina</i> (Lindley) E. Greene	Dudley Triteleia ♀
<i>Triteleia ixoides</i> ssp. <i>scabra</i> (E. Greene) L. Lenz	White Triteleia ♀
<i>Triteleia laxa</i> Bentham	Golden Brodiaea ♀
<i>Utricularia vulgaris</i> L.	Ithuriel Spear ♀
<i>Vaccinium ovatum</i> Pursh	Bladderwort ♀
<i>Viola sheltonii</i> Torrey	California Huckleberry ♀
<i>Wolfia borealis</i> Landolt & O. Wildi	Shelton Violet ♀
<i>Wolfia columbiana</i> Karsten	Water-meal ♀
<i>Wolfia globosa</i> Hartog & Plas	Coastal Water-meal ♀
<i>Wolffiella lingulata</i> Hegelm.	Globe Water-meal ♀
<i>Wolffiella oblonga</i> (Phil.) Hegelm.	Mud-midget ♀
<i>Wyethia ovata</i> T. & G.	Oblong Water-meal ♀
<i>Yucca brevifolia</i> var. <i>herbertii</i> (J.M. Webber) Munz	Mule-ears ♀
	Herbert Joshua Tree ♀

Plants Recently Removed from List

Below is a list of taxa that were previously included on this list, but removed after the eleventh (presumed) extant population was found (through either direct field surveys or searches of herbaria records), or there was a taxonomic change that warranted deletion of the taxon from this list. Only those taxa removed from the current edition are listed below. Consult earlier editions of this checklist for taxa previously removed.

Scientific Name

<i>Arabis hoffmannii</i> (Munz) Rollins	Common Name
<i>Athysanus pusillus</i> (Hook.) Greene	Hoffmann Rock Cress (R/E)
<i>Barbarea orthoceras</i> Ledeb.	Dwarf Athysanus (U)
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy var. <i>rigida</i> Brand	American Wintercress (U)
<i>Ericameria nauseosa</i> var. <i>oreophila</i> (Greene) Nesom & Baird	Rigid Nevada Forget-Me-Not (R)
<i>Lewisia pygmaea</i> (A. Gray) Robinson	Common Rubber Rabbitbrush (U)
<i>Malacothrix floccifera</i> (DC.) Blake	Pygmy Bitterroot (R)
<i>Nemacladus secundiflorus</i> G.T. Robbins var. <i>secundiflorus</i>	Woolly or Flocose Dandelion (R)
<i>Parietaria hespera</i> B.D. Hinton var. <i>hespera</i>	Secund Nemacladus (R)
<i>Parishella californica</i> A. Gray	Southwest Pellitory (U)
<i>Pectocarya linearis</i> ssp. <i>ferocula</i> (I.M. Johnston) Thorne	Parishella (R)
<i>Pectocarya penicillata</i> (Hook. & Arn.) A. DC.	Linear Pectocarya (U)
<i>Pectocarya setosa</i> Gray	Winged Pectocarya (R)
<i>Pteridium aquilinum</i> var. <i>pubescens</i> L. Underw.	Setose Pectocarya (U)
<i>Ranunculus cymbalaria</i> Pursh	Western Bracken [Fern] (U)
<i>Salix macrostachya</i> var. <i>leucodendroides</i> Rowlee	Desert Buttercup (U)
<i>Salix hindsiana</i> var. <i>parishiiana</i> (Rowlee) C. Ball	Sandbar Willow (U)
	Sandbar Willow (R, Type)