

Checklist of Vascular Plants of Lion Creek to Spruce Falls, Nordhoff Ridge, Ventura County
By David L. Magney ©2004-2007

| Botanical Name | Common Name | Habit | Family |
|---|------------------------------|--------------|----------------|
| <i>Acer macrophyllum</i> var. <i>macrophyllum</i> | Bigleaf Maple | T | Sapindaceae |
| <i>Achnatherum coronatum</i> | Giant Needlegrass | PG | Poaceae |
| <i>Adenostoma fasciculatum</i> | Chamise | S | Rosaceae |
| <i>Agoseris grandiflora</i> | Bigflower Mountain Dandelion | PH | Asteraceae |
| <i>Agoseris retrorsa</i> | Retorse Mountain Dandelion | PH | Asteraceae |
| <i>Allophylum glutinosum</i> | Sticky Allophylum | AH | Polemoniaceae |
| <i>Alnus rhombifolia</i> | White Alder | T | Betulaceae |
| <i>Amorpha californica</i> var. <i>californica</i> | California False Indigo | S | Fabaceae |
| <i>Apocynum cannabinum</i> | Indian Hemp | PH | Apocynaceae |
| <i>Aquilegia eximia</i> | Van Houtte Columbine | PH | Ranunculaceae |
| <i>Aquilegia formosa</i> var. <i>truncata</i> | Truncate Crimson Columbine | PH | Ranunculaceae |
| <i>Arabis breweri</i> var. <i>breweri</i> | Brewer Rock Cress | PH | Brassicaceae |
| <i>Arabis glabra</i> var. <i>glabra</i> | Tower Mustard | AH | Brassicaceae |
| <i>Aralia californica</i> | Elk Clover | PH | Araliaceae |
| <i>Arctostaphylos glandulosa</i> ssp. <i>glaucomollis</i> | Transverse Ranges Manzanita | S | Ericaceae |
| <i>Arctostaphylos glauca</i> | Bigberry Manzanita | S | Ericaceae |
| <i>Artemisia douglasiana</i> | Mugwort | PH | Asteraceae |
| <i>Artemisia dracunculus</i> | Tarragon | PH | Asteraceae |
| <i>Artemisia tridentata</i> ssp. <i>tridentata</i> | Great Basin Sagebrush | S | Asteraceae |
| <i>Asclepias californica</i> | California Desert Milkweed | PH | Apocynaceae |
| <i>Asclepias fascicularis</i> | Narrowleaf Milkweed | PH | Apocynaceae |
| <i>Avena barbata</i> * | Slender Wild Oat | AG | Poaceae |
| <i>Baccharis salicifolia</i> | Mulefat | S | Asteraceae |
| <i>Bloomeria crocea</i> var. <i>crocea</i> | Goldenstars | PG | Themidaceae |
| <i>Boykinia</i> ? | Boykinia | PH | Saxifragaceae |
| <i>Brickellia californica</i> | California Brickellbush | S | Asteraceae |
| <i>Bromus arenarius</i> * | Australian Chess | AG | Poaceae |
| <i>Bromus diandrus</i> * | Ripgut Brome | AG | Poaceae |
| <i>Bromus hordeaceus</i> * | Soft Chess | AG | Poaceae |
| <i>Bromus madritensis</i> ssp. <i>rubens</i> * | Red Brome | AG | Poaceae |
| <i>Bromus tectorum</i> var. <i>tectorum</i> * | Downy Chess | AG | Poaceae |
| <i>Calochortus</i> sp. 2? | Mariposa Lily | PG | Liliaceae |
| <i>Calochortus venustus</i> | Butterfly Mariposa Lily | PG | Liliaceae |
| <i>Calyptidium parryi</i> var. <i>parryi</i> | Parry's Calyptidium | AH | Portulaceae |
| <i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> | Sierra Morning-glory | PV | Convolvulaceae |
| <i>Camissonia bistorta</i> | California Sun-cup | AH | Onagraceae |
| <i>Camissonia californica</i> | Mustard Primrose | AH | Onagraceae |
| <i>Camissonia intermedia</i> | Small Primrose | AH | Onagraceae |
| <i>Carex abrupta</i> | Abrupt-beaked Sedge | PG | Cyperaceae |
| <i>Carex senta</i> | Rough Sedge | PG | Cyperaceae |
| <i>Castilleja applegatei</i> ssp. <i>martinii</i> | Martin's Indian Paintbrush | PH | Orobanchaceae |

Checklist of Vascular Plants of Lion Creek to Spruce Falls, Nordhoff Ridge, Ventura County
By David L. Magney ©2004-2007

| Botanical Name | Common Name | Habit | Family |
|---|---|--------------|-----------------|
| <i>Castilleja minor</i> ssp. <i>spiralis</i> | Large-flowered Annual Indian Paintbrush | PH | Orobanchaceae |
| <i>Ceanothus crassifolius</i> var. <i>planus</i> | Flatleaf Snowball | S | Rhamnaceae |
| <i>Ceanothus integerrimus</i> | Deer Brush | S | Rhamnaceae |
| <i>Ceanothus leucodermis</i> | Whitethorn Ceanothus | S | Rhamnaceae |
| <i>Cercocarpus betuloides</i> var. <i>betuloides</i> | Birchleaf Mountain Mahogany | S | Rosaceae |
| <i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i> | Common Yellow Pincushion | AH | Asteraceae |
| <i>Chamaesyce serpyllifolia</i> ssp. <i>serpyllifolia</i> | Thyme-leaved Spurge | AH | Euphorbiaceae |
| <i>Chamomilla suaveolens</i> | Pineapple Weed | AH | Asteraceae |
| <i>Cheilanthes covillei</i> | Coville Lip Fern | PF | Pteridaceae |
| <i>Chenopodium californicum</i> | California Goosefoot | PH | Chenopodiaceae |
| <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> | Soap Lily | PG | Agavaceae |
| <i>Chorizanthe clevelandii</i> | Cleveland Spineflower | AH | Polygonaceae |
| <i>Chorizanthe xantii</i> var. <i>xantii</i> | Xantus Spineflower | AH | Polygonaceae |
| <i>Chrysanthemus nauseosus</i> ssp. <i>mohavensis</i> | Mojave Rubber Rabbitbrush | S | Asteraceae |
| <i>Cirsium occidentale</i> var. <i>californicum</i> | California Thistle | BH | Asteraceae |
| <i>Cirsium occidentale</i> var. <i>venustum</i> | Red Thistle | BH | Asteraceae |
| <i>Clarkia</i> ? | Clarkia | AH | Onagraceae |
| <i>Clarkia bottae</i> | Punchbowl Godetia | AH | Onagraceae |
| <i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> | Four-spotted Purple Clarkia | AH | Onagraceae |
| <i>Clarkia unguiculata</i> | Elegant Farewell-to-Spring | AH | Onagraceae |
| <i>Claytonia parviflora</i> ? | Miner's Lettuce | AH | Portulacaceae |
| <i>Claytonia perfoliata</i> ssp. ? | Miner's Lettuce | AH | Portulacaceae |
| <i>Clematis ligusticifolia</i> | Virgin's Bower | PV | Ranunculaceae |
| <i>Conyza canadensis</i> | Common Horseweed | AH | Asteraceae |
| <i>Cordylanthus rigidus</i> ssp. <i>rigidus</i> | Rigid Bird's-beak | AH | Orobanchaceae |
| <i>Coreopsis bigelovii</i> | Bigelow Coreopsis | AH | Asteraceae |
| <i>Corethrogyne filaginifolia</i> var. ? | California Cudweed-aster | PH | Asteraceae |
| <i>Cryptantha clevelandii</i> | Cleveland Forget-Me-Not | AH | Boraginaceae |
| <i>Cryptantha decipiens</i> | Gravel Forget-Me-Not | AH | Boraginaceae |
| <i>Cryptantha muricata</i> | Jones Prickly Forget-Me-Not | AH | Boraginaceae |
| <i>Cuscuta</i> ? | Dodder | AV | Convolvulaceae |
| <i>Datisca glomerata</i> | Durango Root | PH | Datiscaceae |
| <i>Delphinium cardinale</i> | Scarlet Larkspur | PH | Ranunculaceae |
| <i>Delphinium gracilentum</i> | Coast Larkspur | PH | Ranunculaceae |
| <i>Delphinium parishii</i> ssp. <i>pallidum</i> | Pallid Larkspur | PH | Ranunculaceae |
| <i>Dendromecon rigida</i> ssp. <i>rigida</i> | Bush Poppy | S | Papaveraceae |
| <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> | Blue Dicks | PG | Themidaceae |
| <i>Dryopteris arguta</i> | Coastal Wood Fern | PF | Dryopteridaceae |
| <i>Dudleya lanceolata</i> | Lanceleaf Live-forever | PH | Crassulaceae |
| <i>Dudleya pulverulenta</i> ssp. <i>pulverulenta</i> | Chalk Live-forever | PH | Crassulaceae |
| <i>Eleocharis acicularis</i> var. <i>acicularis</i> | Slender Spike-rush | PG | Cyperaceae |

Checklist of Vascular Plants of Lion Creek to Spruce Falls, Nordhoff Ridge, Ventura County
By David L. Magney ©2004-2007

| Botanical Name | Common Name | Habit | Family |
|--|---------------------------------|--------------|---------------|
| <i>Elymus elymoides</i> ssp. <i>elymoides</i> | Bottlebrush Squirretail | PG | Poaceae |
| <i>Elymus glaucus</i> ssp. <i>glaucus</i> | Blue Wildrye | PG | Poaceae |
| <i>Emmenanthe penduliflora</i> var. <i>penduliflora</i> | Whispering Bells | AH | Boraginaceae |
| <i>Epilobium canum</i> ssp. <i>canum</i> | California Fuchsia | PH | Onagraceae |
| <i>Epilobium canum</i> ssp. <i>latifolium</i> | Broad-leaved California Fuchsia | PH | Onagraceae |
| <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> | Northern Willow-herb | AH | Onagraceae |
| <i>Equisetum hyemale</i> ssp. <i>affine</i> | Common Scouring Rush | PF | Equisetaceae |
| <i>Equisetum laevigatum</i> | Smooth Scouring Rush | PF | Equisetaceae |
| <i>Eriastrum densifolium</i> ssp. <i>elongatum</i> | Elongate Woolly Star | AH | Polemoniaceae |
| <i>Erigeron foliosus</i> var. <i>foliosus</i> | Slender Fleabane | PH | Asteraceae |
| <i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> | Thickleaf Yerba Santa | S | Boraginaceae |
| <i>Eriogonum cithariforme</i> | Cithara Buckwheat | AH | Polygonaceae |
| <i>Eriogonum elongatum</i> var. <i>elongatum</i> | Long-stemmed Buckwheat | PH | Polygonaceae |
| <i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> | Leafy California Buckwheat | S | Polygonaceae |
| <i>Eriogonum nudum</i> var. ? | Barestem Buckwheat | PH | Polygonaceae |
| <i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i> | Golden Yarrow | PH | Asteraceae |
| <i>Erysimum capitatum</i> | Western Wallflower | BH | Brassicaceae |
| <i>Eschscholzia caespitosa</i> ssp. <i>caespitosa</i> | Tufted Poppy | BH | Papaveraceae |
| <i>Euthamia occidentalis</i> | Western Goldenrod | PH | Asteraceae |
| <i>Fraxinus dipetala</i> | California Flowering Ash | S | Oleaceae |
| <i>Galium andrewsii</i> ssp. <i>andrewsii</i> | Pine Mat | PH | Rubiaceae |
| <i>Galium angustifolium</i> ssp. <i>angustifolium</i> | Chaparral Bedstraw | PH | Rubiaceae |
| <i>Galium aparine</i> | Goosegrass | AH | Rubiaceae |
| <i>Garrya veatchii</i> | Veatch's Silk-tassel Bush | S | Garryaceae |
| <i>Gilia achilleifolia</i> ssp. <i>multicaulis</i> | Blue Field Gilia | AH | Polemoniaceae |
| <i>Gilia capitata</i> ssp. <i>abrotanifolia</i> | Blue Field Gilia | AH | Polemoniaceae |
| <i>Gilia splendens</i> ssp. <i>splendens</i> | Splendid Gilia | AH | Polemoniaceae |
| <i>Glycyrrhiza lepidota</i> | American Licorice | PH | Fabaceae |
| <i>Gnaphalium californicum</i> | Green Everlasting | BH | Asteraceae |
| <i>Hesperoyucca whipplei</i> var. ? | Our Lord's Candle | S | Agavaceae |
| <i>Heteromeles [arbutifolia] salicifolia</i> | Toyon | S | Rosaceae |
| <i>Heuchera elegans?</i> | Urn-flowered Alumroot | PH | Saxifragaceae |
| <i>Hirschfeldia incana</i> * | Summer Mustard | BH | Brassicaceae |
| <i>Hoita macrostachya</i> | Leather Root | PH | Fabaceae |
| <i>Hordeum murinum</i> ssp. <i>leporinum</i> * | Hare Barley | AG | Poaceae |
| <i>Juncus arcticus</i> ssp. <i>mexicanus</i> | Wire Grass | PG | Juncaceae |
| <i>Juncus macrophyllus</i> | Largeleaf Rush | PG | Juncaceae |
| <i>Juncus xiphioides</i> | Iris-leaved Rush | PG | Juncaceae |
| <i>Keckiella breviflora</i> var. <i>breviflora</i> | Stubflower Penstemon | S | Veronicaceae |
| <i>Keckiella ternata</i> var. <i>septentrionalis</i> | Bluestem Bush Penstemon | S | Veronicaceae |
| <i>Koeleria macrantha</i> | Junegrass | PG | Poaceae |

Checklist of Vascular Plants of Lion Creek to Spruce Falls, Nordhoff Ridge, Ventura County
By David L. Magney ©2004-2007

| Botanical Name | Common Name | Habit | Family |
|--|--------------------------------|--------------|----------------|
| <i>Lactuca serriola</i> * | Prickly Wild Lettuce | AG | Asteraceae |
| <i>Lathyrus vestitus</i> ssp. ? | Pacific Peavine | PV | Fabaceae |
| <i>Lathyrus vestitus</i> ssp. <i>vestitus</i> | Pacific Peavine | PV | Fabaceae |
| <i>Lepidospartum squamatum</i> | Scalebroom | S | Asteraceae |
| <i>Leptosiphon</i> [<i>Linanthus</i>] <i>aureus</i> ssp. <i>aureus</i> | Desert Gold | AH | Polemoniaceae |
| <i>Leymus condensatus</i> | Giant Wildrye | PG | Poaceae |
| <i>Leymus triticoides</i> | Creeping Wildrye | PG | Poaceae |
| <i>Lilium humboldtii</i> ssp. <i>ocellatum</i> | Ocellated Humboldt Lily | PG | Liliaceae |
| <i>Lobelia dunnii</i> var. <i>serrata</i> | Rothrock's Lobelia | PH | Lobeliaceae |
| <i>Lomatium dasycarpum</i> ssp. <i>dasycarpum</i> | Hairy Wing-fruit | PH | Apiaceae |
| <i>Lonicera subspicata</i> var. <i>denudata</i> | Southern Honeysuckle | S | Caprifoliaceae |
| <i>Lotus humistratus</i> | Hill Lotus | AH | Fabaceae |
| <i>Lotus purshianus</i> var. <i>purshianus</i> | Spanish Clover | PH | Fabaceae |
| <i>Lotus scoparius</i> var. <i>scoparius</i> | Deerweed | S | Fabaceae |
| <i>Lupinus albicaulis</i> | Whitestem Lupine | PH | Fabaceae |
| <i>Lupinus bicolor</i> | Bicolored Lupine | AH | Fabaceae |
| <i>Madia elegans</i> ssp. ? | Common Tarplant | AH | Asteraceae |
| <i>Madia gracilis</i> | Slender Tarplant | AH | Asteraceae |
| <i>Marah fabaceus</i> var. <i>agrestis</i> | California Man-root | PV | Cucurbitaceae |
| <i>Marrubium vulgare</i> * | White Horehound | PH | Lamiaceae |
| <i>Melica imperfecta</i> | Coast Melic Grass | PG | Poaceae |
| <i>Melilotus alba</i> *? | White Sweetclover | AH | Fabaceae |
| <i>Melilotus indica</i> * | Yellow Sweetclover | AH | Fabaceae |
| <i>Mentzelia montana</i> ssp. <i>montana</i> | Mountain Stickleaf | AH | Loasaceae |
| <i>Mimulus aurantiacus</i> var. <i>aurantiacus</i> | Bush Monkeyflower | S | Phrymaceae |
| <i>Mimulus brevipes</i> | Lemon Monkeyflower | AH | Phrymaceae |
| <i>Mimulus cardinalis</i> | Scarlet Monkeyflower | PH | Phrymaceae |
| <i>Mimulus fremontii</i> ? | Fremont Monkeyflower | AH | Phrymaceae |
| <i>Mimulus guttatus</i> | Common Streamside Monkeyflower | PH | Phrymaceae |
| <i>Mimulus longiflorus</i> ssp. <i>longiflorus</i> | Sticky Bush Monkeyflower | S | Phrymaceae |
| <i>Mimulus pilosus</i> | Downy Monkeyflower | AH | Phrymaceae |
| <i>Monardella lanceolata</i> | Mustang Mint | AH | Lamiaceae |
| <i>Muhlenbergia rigens</i> | Deer Grass | PG | Poaceae |
| <i>Nassella pulchra</i> | Purple Needlegrass | PG | Poaceae |
| <i>Oenothera elata</i> ssp. <i>hirsutissima</i> | Great Marsh Evening Primrose | PH | Onagraceae |
| <i>Orobanche bulbosa</i> | Chaparral Broomrape | PH | Orobanchaceae |
| <i>Osmorrhiza brachypoda</i> | California Sweet Cicely | PH | Apiaceae |
| <i>Pellaea andromedifolia</i> var. <i>andromedifolia</i> | Coffee Fern | PF | Pteridaceae |
| <i>Pellaea mucronata</i> var. <i>mucronata</i> | Birdsfoot Trefoil | PF | Pteridaceae |
| <i>Penstemon centranthifolius</i> | Scarlet Bugler | PH | Veronicaceae |
| <i>Penstemon grinnellii</i> var. <i>grinnellii</i> | Grinnell's Beardtongue | PH | Veronicaceae |

Checklist of Vascular Plants of Lion Creek to Spruce Falls, Nordhoff Ridge, Ventura County
By David L. Magney ©2004-2007

| Botanical Name | Common Name | Habit | Family |
|--|-----------------------------|--------------|------------------|
| <i>Penstemon heterophyllus</i> var. <i>heterophyllus</i> | Foothill Penstemon | PH | Veronicaceae |
| <i>Pentagramma triangularis</i> ssp. <i>triangularis</i> | Goldenback Fern | PF | Pteridaceae |
| <i>Phacelia brachyloba</i> | Short-lobed Phacelia | AH | Boraginaceae |
| <i>Phacelia cicutaria</i> var. <i>hispida</i> | Hispid Caterpillar Phacelia | AH | Boraginaceae |
| <i>Phacelia cicutaria</i> var. <i>hubbyi</i> | Hubby Caterpillar Phacelia | AH | Boraginaceae |
| <i>Phacelia egena</i> | Rock Phacelia | PH | Boraginaceae |
| <i>Phacelia longipes</i> | Long-stalked Phacelia | AH | Boraginaceae |
| <i>Phacelia ramosissima</i> var. ? | Branching Phacelia | PH | Boraginaceae |
| <i>Phoradendron villosum</i> | Oak Mistletoe | S | Viscaceae |
| <i>Platanus racemosa</i> var. <i>racemosa</i> | California Sycamore | T | Platanaceae |
| <i>Poa secunda</i> ssp. <i>secunda</i> | One-sided Bluegrass | PG | Poaceae |
| <i>Polygala cornuta</i> var. <i>fishiae</i> | Fish's Milkwort | S | Polygalaceae |
| <i>Polypogon monspeliensis</i> * | Rabbitsfoot Grass | AH | Poaceae |
| <i>Populus balsamifera</i> var. <i>trichocarpa</i> | Black Cottonwood | T | Salicaceae |
| <i>Populus fremontii</i> ssp. <i>fremontii</i> | Fremont Cottonwood | T | Salicaceae |
| <i>Potentilla glandulosa</i> ssp. <i>glandulosa</i> | Sticky Cinquefoil | PH | Rosaceae |
| <i>Potentilla glandulosa</i> ssp. <i>reflexa</i> | Greene Sticky Cinquefoil | PH | Rosaceae |
| <i>Prunus emarginata</i> | Bitter Cherry | S | Rosaceae |
| <i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i> | Hollyleaf Cherry | S | Rosaceae |
| <i>Pseudotsuga macrocarpa</i> | Bigcone Spruce | T | Pinaceae |
| <i>Pteridium aquilinum</i> var. <i>pubescens</i> | Western Bracken Fern | PF | Dennstaedtiaceae |
| <i>Pterostegia drymariooides</i> | Fairy Mist | AH | Polygonaceae |
| <i>Quercus berberidifolia</i> | California Scrub Oak | S | Fagaceae |
| <i>Quercus chrysolepis</i> | Canyon Live Oak | T | Fagaceae |
| <i>Quercus wislizenii</i> ssp. <i>frutescens</i> | Shrubby Interior Live Oak | S | Fagaceae |
| <i>Quercus wislizenii</i> ssp. <i>wislizenii</i> | Interior Live Oak | T | Fagaceae |
| <i>Rafinesquia californica</i> | California Chicory | AH | Asteraceae |
| <i>Rhamnus crocea</i> | Redberry | S | Rhamnaceae |
| <i>Rhamnus ilicifolia</i> | Hollyleaf Redberry | S | Rhamnaceae |
| <i>Rhamnus tomentella</i> ssp. <i>tomentella</i> | Hoary Coffeeberry | S | Rhamnaceae |
| <i>Rhus integrifolia</i> | Lemonade Berry | S | Anacardiaceae |
| <i>Rhus trilobata</i> var. <i>malacophylla</i> | Woolly Skunkbrush | S | Anacardiaceae |
| <i>Rhus trilobata</i> var. <i>quinata</i> | Slender-twig Skunkbrush | S | Anacardiaceae |
| <i>Rosa californica</i> | California Wild Rose | S | Rosaceae |
| <i>Rubus ursinus</i> | Pacific Blackberry | PV | Rosaceae |
| <i>Rumex salicifolius</i> var. <i>salicifolius</i> | Willow Dock | PH | Polygonaceae |
| <i>Salix exigua</i> | Narrowleaf Willow | S | Salicaceae |
| <i>Salix laevigata</i> | Yellow Willow | S | Salicaceae |
| <i>Salix lasiolepis</i> var. <i>lasiolepis</i> | Arroyo Willow | T | Salicaceae |
| <i>Salix lucida</i> ssp. <i>lasiandra</i> | Yellow Willow | T | Salicaceae |
| <i>Salvia apiana</i> | White Sage | S | Lamiaceae |

Checklist of Vascular Plants of Lion Creek to Spruce Falls, Nordhoff Ridge, Ventura County
By David L. Magney ©2004-2007

| Botanical Name | Common Name | Habit | Family |
|---|----------------------------|--------------|-----------------|
| <i>Salvia columbariae</i> | Chia | AH | Lamiaceae |
| <i>Sambucus mexicana</i> | Blue Elderberry | S | Caprifoliaceae |
| <i>Sanicula crassicaulis</i> var. <i>crassicaulis</i> | Pacific Snakeroot | PH | Apiaceae |
| <i>Schoenoplectus pungens</i> | Common Threesquare Bulrush | PG | Cyperaceae |
| <i>Scutellaria siphacampyloides</i> | Skullcap | PH | Lamiaceae |
| <i>Selaginella bigelovii</i> | Bigelow Spike-moss | PF | Selaginellaceae |
| <i>Senecio flaccidus</i> var. <i>douglasii</i> | Douglas Butterweed | S | Asteraceae |
| <i>Silene nuda</i> | Catchfly | PH | Caryophyllaceae |
| <i>Solanum xanti</i> var. <i>xanti</i> | Chaparral Nightshade | S | Solanaceae |
| <i>Solidago californica</i> | California Goldenrod | PH | Asteraceae |
| <i>Sonchus asper</i> ssp. <i>asper</i> * | Prickly Sow-thistle | AH | Asteraceae |
| <i>Sonchus oleraceus</i> * | Common Sow-thistle | AH | Asteraceae |
| <i>Stachys albens</i> | Woolly Hedge Nettle | PH | Lamiaceae |
| <i>Stephanomeria cichoriacea</i> | Fort Tejon Milk-Aster | PH | Asteraceae |
| <i>Stephanomeria virgata</i> ssp. <i>virgata</i> | Twiggy Wreath Plant | AH | Asteraceae |
| <i>Tauschia arguta</i> | Southern Tauschia | PH | Apiaceae |
| <i>Toxicodendron diversilobum</i> | Poison Oak | PV | Anacardiaceae |
| <i>Trichostema lanatum</i> | Woolly Bluecurls | PH | Lamiaceae |
| <i>Typha latifolia</i> | Broadleaf Cattail | PG | Typhaceae |
| <i>Umbellularia californica</i> var. <i>californica</i> | California Bay | T | Lauraceae |
| <i>Uropappus lindleyi</i> | Silver Puffs | AH | Asteraceae |
| <i>Verbena lasiostachys</i> var. <i>lasiostachys</i> | Western Verbena | PH | Verbenaceae |
| <i>Veronica americana</i> | American Brooklime | PH | Veronicaceae |
| <i>Viola pedunculata</i> | Johnny-Jump-Up | PH | Violaceae |
| <i>Vulpia microstachys</i> var. <i>pauciflora</i> | Side-oats | AG | Poaceae |
| <i>Vulpia myuros</i> var. <i>myuros</i> * | Rattail Fescue | AG | Poaceae |

Notes: Scientific nomenclature follows Flora of North America Committee (1998-2007), Skinner and Pavlik (1994), Gordon-Reedy (1990), and Broich (1987).

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native species which have become naturalized or persist without cultivation.

Habit definitions:

AF = annual fern or fern ally.

PG = perennial grass or graminoid.

AG = annual grass or graminoid.

PH = perennial herb.

AH = annual herb.

PV = perennial vine.

BH = biennial herb.

S = shrub.

PF = perennial fern or fern ally.

T = tree.