

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|--|---------------------------------|-------|----------------|
| <i>Acanthoscyphus parishii</i> var. <i>abramsii</i> | Abrams Spineflower | AH | Polygonaceae |
| <i>Acer macrophyllum</i> var. <i>macrophyllum</i> | Bigleaf Maple | T | Sapindaceae |
| <i>Achyrachaena mollis</i> | Blow Wives | AH | Asteraceae |
| <i>Acmispon glaber</i> var. <i>glaber</i> | Deerweed | S | Fabaceae |
| <i>Acmispon micranthus</i> | Grab Hosackia | AH | Fabaceae |
| <i>Acmispon strigosus</i> var. <i>strigosus</i> | Strigose Lotus | AH | Fabaceae |
| <i>Acourtia microcephala</i> | Sacapellote | PH | Asteraceae |
| <i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i> | Chamise | S | Rosaceae |
| <i>Adiantum jordani</i> | California Maidenhair | PF | Pteridaceae |
| <i>Agoseris grandiflora</i> var. <i>grandiflora</i> | Giant Mountain Dandelion | PH | Asteraceae |
| <i>Agoseris retrorsa</i> | Spear-leaved Mountain Dandelion | AH | Asteraceae |
| <i>Allium monticola</i> | Mountain Onion | PG | Alliaceae |
| <i>Allophyllum integrifolium</i> | Sticky Allophyllum | AH | Polemoniaceae |
| <i>Alnus rhombifolia</i> | White Alder | T | Betulaceae |
| <i>Amelanchier alnifolia</i> var. <i>pumila</i> | Alderleaf Serviceberry | S | Rosaceae |
| <i>Amelanchier pallida</i> | Western Serviceberry | S | Rosaceae |
| <i>Amelanchier utahensis</i> [A. <i>recurvata</i>] | Utah Serviceberry | S | Rosaceae |
| <i>Amorpha californica</i> var. <i>californica</i> | California False Indigo | S | Fabaceae |
| <i>Amsinckia intermedia</i> | Rancher's Fire | AH | Boraginaceae |
| <i>Amsinckia menziesii</i> var. <i>menziesii</i> | Common Fiddleneck | AH | Boraginaceae |
| <i>Anagallis arvensis</i> * | Scarlet Pimpernel | AH | Myrsinaceae |
| <i>Antirrhinum multiflorum</i> | Sticky Snapdragon | PH | Plantaginaceae |
| <i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i> | Eastwood Manzanita | S | Ericaceae |
| <i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i> | Santa Ynez Mountains Manzanita | S | Ericaceae |
| <i>Arctostaphylos glauca</i> | Bigberry Manzanita | S | Ericaceae |
| <i>Arctostaphylos pungens</i> | Pungent Manzanita | S | Ericaceae |
| <i>Artemisia californica</i> | California Sagebrush | S | Asteraceae |
| <i>Artemisia douglasiana</i> | Mugwort | S | Asteraceae |
| <i>Asclepias fascicularis</i> | Narrowleaf Milkweed | BH | Asclepiadaceae |
| <i>Avena barbata</i> * | Slender Wild Oat | AG | Poaceae |
| <i>Baccharis pilularis</i> ssp. <i>consanguinea</i> | Coyote Brush | S | Asteraceae |
| <i>Baccharis salicifolia</i> | Mulefat | S | Asteraceae |
| <i>Balsamorhiza deltoidea</i> | Chuchupate | PH | Asteraceae |
| <i>Bombacilaena californica</i> var. <i>californica</i> | Slender Cottonweed | AH | Asteraceae |
| <i>Boschniakia strobilacea</i> | California Ground-cone | PH | Orobanchaceae |
| <i>Bouchera arcuata</i> | Few-flowered Rockcress | PH | Brassicaceae |
| <i>Bouchera californica</i> | California Rockcress | PH | Brassicaceae |
| <i>Bouchera xylopoda</i> | Desert Rockcress | PH | Brassicaceae |
| <i>Boykinia rotundifolia</i> | Roundleaved Boykinia | PH | Saxifragaceae |
| <i>Brickellia californica</i> | California Brickellbush | S | Asteraceae |
| <i>Bromus arenarius</i> * | Australian Chess | AG | Poaceae |
| <i>Bromus carinatus</i> var. <i>carinatus</i> | California Brome | PG | Poaceae |
| <i>Bromus diandrus</i> ssp. <i>diandrus</i> * | Ripgut Brome | AG | Poaceae |
| <i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> * | Soft Chess | AG | Poaceae |
| <i>Bromus madritensis</i> ssp. <i>rubens</i> * | Red Brome | AG | Poaceae |
| <i>Bromus porteri</i> | Nodding Brome | | Poaceae |
| <i>Bromus tectorum</i> var. <i>tectorum</i> * | Cheat Grass | AG | Poaceae |
| <i>Calandrinia menziesii</i> | Redmaids | AH | Montiaceae |
| <i>Calandrinia ciliata</i> forma <i>albida</i> | White-flowered Redmaids | AH | Montiaceae |
| <i>Calochortus clavatus</i> var. <i>clavatus</i> | Club-hair Mariposa Lily | PG | Liliaceae |
| <i>Calochortus fimbriatus</i> | Late-flowered Mariposa Lily | PG | Liliaceae |

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|--|-----------------------------------|-------|-----------------|
| <i>Calystegia macrostegia</i> ssp. <i>intermedia</i> | Morning-glory | PV | Convolvulaceae |
| <i>Calystegia macrostegia</i> ssp. <i>macrostegia</i> | Morning-glory | PV | Convolvulaceae |
| <i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> | Sierra Morning-glory | PV | Convolvulaceae |
| <i>Camissonia strigulosa</i> | Strigose Primrose | AH | Onagraceae |
| <i>Camissoniopsis bistorta</i> | California Sun-cup | AH | Onagraceae |
| <i>Capsella bursa-pastoris</i> * | Shepherd's Purse | AH | Brassicaceae |
| <i>Cardionema ramosissimum</i> | Sand Mat | AH | Caryophyllaceae |
| <i>Carduus pycnocephalus</i> ssp. <i>pycnocephalus</i> * | Italian Thistle | AH | Asteraceae |
| <i>Carex alma</i> | Sturdy Sedge | PG | Cyperaceae |
| <i>Carex senta</i> | Rough Sedge | PG | Cyperaceae |
| <i>Castilleja applegatei</i> ssp. <i>martinii</i> | Martin Indian Paintbrush | PH | Orobanchaceae |
| <i>Ceanothus cordulatus</i> | Snow Bush | S | Rhamnaceae |
| <i>Ceanothus crassifolius</i> var. <i>crassifolius</i> | Snowball Ceanothus | S | Rhamnaceae |
| <i>Ceanothus crassifolius</i> var. <i>planus</i> | Flatleaf Snowball Ceanothus | S | Rhamnaceae |
| <i>Ceanothus cuneatus</i> var. <i>cuneatus</i> | Wedgeleaf Ceanothus | S | Rhamnaceae |
| <i>Ceanothus integerrimus</i> var. <i>integerrimus</i> | Deer Brush | S | Rhamnaceae |
| <i>Ceanothus leucodermis</i> | Chaparral Whitethorn | S | Rhamnaceae |
| <i>Ceanothus oliganthus</i> var. <i>oliganthus</i> | Hoary Ceanothus | S | Rhamnaceae |
| <i>Ceanothus palmeri</i> | Palmer Ceanothus | S | Rhamnaceae |
| <i>Centaurea melitensis</i> * | Tocalote | AH | Asteraceae |
| <i>Centaurea solstitialis</i> * | Yellow Star-thistle | AH | Asteraceae |
| <i>Cercocarpus betuloides</i> var. <i>betuloides</i> | Birchleaf Mountain Mahogany | S | Rosaceae |
| <i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> | Curlleaf Mountain Mahogany | S | Rosaceae |
| <i>Chaenactis santolinoides</i> | Perennial Pincushion | AH | Asteraceae |
| <i>Chamomilla suaveolens</i> | Pineapple Weed | AH | Asteraceae |
| <i>Cheilanthes covillei</i> | Coville Lip-fern | PF | Pteridaceae |
| <i>Chenopodium album</i> * | Lambsquarters | AH | Chenopodiaceae |
| <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> | Soap Lily | PG | Agavaceae |
| <i>Chorizanthe watsonii</i> | Watson's Spineflower | AH | Polygonaceae |
| <i>Cirsium occidentale</i> var. ? | California Thistle | BH | Asteraceae |
| <i>Cirsium occidentale</i> var. <i>californicum</i> | Western Thistle | BH | Asteraceae |
| <i>Clarkia bottae</i> | Punchbowl Godetia | AH | Onagraceae |
| <i>Clarkia epilobioides</i> | Willow-herb Godetia | AH | Onagraceae |
| <i>Clarkia unguiculata</i> | Farewell-to-Spring | AH | Onagraceae |
| <i>Claytonia perfoliata</i> ssp. <i>mexicana</i> | Mexican Miner's Lettuce | AH | Montiaceae |
| <i>Clematis lasiantha</i> | Pipestem Clematis | PV | Ranunculaceae |
| <i>Clematis ligusticifolia</i> | Virgin's Bower | PV | Ranunculaceae |
| <i>Clinopodium mimuloides</i> | Monkeyflower Yerba Buena | AH | Lamiaceae |
| <i>Collinsia heterophylla</i> var. <i>heterophylla</i> | Chinese Houses | AH | Plantaginaceae |
| <i>Cordylanthus rigidus</i> ssp. <i>rigidus</i> | Rigid Bird's-beak | AH | Orobanchaceae |
| <i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i> | California Cudweed Aster | PH | Asteraceae |
| <i>Cotula australis</i> * | Australian Brass-buttons | AH | Asteraceae |
| <i>Crassula connata</i> | Pygmy Sand-weed | AH | Crassulaceae |
| <i>Cryptantha</i> ? | Forget-Me-Not | AH | Boraginaceae |
| <i>Cryptantha clevelandii</i> var. <i>clevelandii</i> | Cleveland Forget-Me-Not | AH | Boraginaceae |
| <i>Custuta</i> sp. | Dodder | AV | Convolvulaceae |
| <i>Daucus pusillus</i> | Southwestern Carrot | AH | Apiaceae |
| <i>Delphinium cardinale</i> | Scarlet Larkspur | PH | Ranunculaceae |
| <i>Delphinium gracilentum</i> | Coast Larkspur | PH | Ranunculaceae |
| <i>Delphinium parishii</i> var. ? | Parish Larkspur | PH | Ranunculaceae |
| <i>Delphinium</i> sp. | a Larkspur | PH | Ranunculaceae |

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|---|---------------------------------|-------|-----------------|
| <i>Dendromecon rigida</i> ssp. <i>rigida</i> | Bush Poppy | S | Papaveraceae |
| <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> | Blue Dicks | PG | Themidaceae |
| <i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> f. <i>albina</i> | Albino Blue Dicks | PG | Themidaceae |
| <i>Diplacus bigelovii</i> var. <i>bigelovii</i> | Bigelow Monkeyflower | AH | Phrymaceae |
| <i>Diplacus brevipes</i> | Short-throat Monkeyflower | AH | Phrymaceae |
| <i>Diplacus longiflorus</i> | Sticky Bush Monkeyflower | S | Phrymaceae |
| <i>Drymocallis glandulosa</i> var. <i>glandulosa</i> | Sticky Cinquifol | PH | Rosaceae |
| <i>Dryopteris arguta</i> | Coastal Wood Fern | PF | Dryopteridaceae |
| <i>Dudleya cymosa</i> var. <i>pumila</i> | Pygmy Live-forever | PH | Crassulaceae |
| <i>Dudleya lanceolata</i> | Lanceleaf Live-forever | PH | Crassulaceae |
| <i>Dudleya pulverulenta</i> var. <i>pulverulenta</i> | Chalk Live-forever | PH | Crassulaceae |
| <i>Ehrendorferia chrysantha</i> | Golden Eardrops | PH | Fumariaceae |
| <i>Elymus condensatus</i> | Giant Wildrye | PG | Poaceae |
| <i>Elymus elymoides</i> ssp. <i>elymoides</i> | Bottlebrush Squirreltail | PG | Poaceae |
| <i>Elymus triticoides</i> ssp. <i>triticoides</i> | Creeping Wildrye | PG | Poaceae |
| <i>Emmenanthe penduliflora</i> var. <i>penduliflora</i> | Whispering Bells | AH | Boraginaceae |
| <i>Epilobium canum</i> ssp. <i>latifolium</i> | Broad-leaved California Fuchsia | S | Onagraceae |
| <i>Epilobium canum</i> var. <i>canum</i> | California Fuchsia | S | Onagraceae |
| <i>Eremocarpus setiger</i> | Dove Weed | AH | Euphorbiaceae |
| <i>Eriastrum densiflorum</i> ssp. <i>elongatum</i> | Dense-flowered Woolly Star | AH | Polemoniaceae |
| <i>Erigeron foliosus</i> var. <i>foliosus</i> | Slender Fleabane | PH | Asteraceae |
| <i>Eriodictyon crassifolium</i> var. <i>crassifolium</i> | Yerba Santa | S | Boraginaceae |
| <i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> | Thickleaf Yerba Santa | S | Boraginaceae |
| <i>Eriodictyon parryi</i> | Poodle-dog Bush | S | Boraginaceae |
| <i>Eriogonum cithariforme</i> var. <i>cithariforme</i> | Cithara Buckwheat | AH | Polygonaceae |
| <i>Eriogonum davidsonii</i> | Davidson's Buckwheat | AH | Polygonaceae |
| <i>Eriogonum elongatum</i> var. <i>elongatum</i> | Long-stemmed Buckwheat | PH | Polygonaceae |
| <i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> | Leafy California Wild Buckwheat | S | Polygonaceae |
| <i>Eriogonum fasciculatum</i> var. <i>polifolium</i> | California Wild Buckwheat | S | Polygonaceae |
| <i>Eriogonum nudum</i> var. <i>nudum</i> | Barestem Buckwheat | PH | Polygonaceae |
| <i>Eriogonum saxatile</i> | Rock Buckwheat | AH | Polygonaceae |
| <i>Eriogonum wrightii</i> var. <i>subscaposum</i> | Short-stemmed Bastard Sage | S | Polygonaceae |
| <i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i> | Golden Yarrow | PH | Asteraceae |
| <i>Erodium botrys</i> * | Broadleaf Filaree | AH | Geraniaceae |
| <i>Erodium cicutarium</i> * | Redstem Filaree | AH | Geraniaceae |
| <i>Erodium moschatum</i> * | Whitestem Filaree | AH | Geraniaceae |
| <i>Erysimum capitatum</i> ssp. <i>capitatum</i> | Western Wallflower | BH | Brassicaceae |
| <i>Eschscholzia caespitosa</i> ssp. <i>caespitosa</i> | Tufted Poppy | BH | Papaveraceae |
| <i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i> | Common Eucrypta | AH | Boraginaceae |
| <i>Eulobus californica</i> | Mustard Primrose | AH | Onagraceae |
| <i>Euphorbia peplus</i> * | Petty Spurge | AH | Euphorbiaceae |
| <i>Foeniculum vulgare</i> * | Sweet Fennel | PH | Apiaceae |
| <i>Frangula californica</i> ssp. <i>tomentella</i> | Hoary Coffeeberry | S | Rhamnaceae |
| <i>Fraxinus dipetala</i> | California Flowering Ash | S | Oleaceae |
| <i>Fremontodendron californicum</i> ssp. <i>californicum</i> | California Flannel Bush | S | Malvaceae |
| <i>Fritillaria ojaiensis</i> | Ojai Fritillary | PG | Liliaceae |
| <i>Galium andrewsii</i> ssp. <i>intermedium</i> | Pine Mat | PH | Rubiaceae |
| <i>Galium angustifolium</i> ssp. <i>angustifolium</i> | Chaparral Bedstraw | PH | Rubiaceae |
| <i>Galium aparine</i> | Goosegrass | AH | Rubiaceae |
| <i>Galium hallii</i> | Hall's Bedstraw | S | Rubiaceae |
| <i>Galium porrigens</i> var. <i>porrigens</i> | Climbing Bedstraw | S | Rubiaceae |

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|---|---|-------|----------------|
| <i>Garrya flavescens</i> var. <i>flavescens</i> | Silk-tassel Bush | S | Garryaceae |
| <i>Garrya flavescens</i> var. <i>pallida</i> | Pallid Silk-tassel Bush | S | Garryaceae |
| <i>Garrya veatchii</i> | Veatch's Silk-tassel Bush | S | Garryaceae |
| <i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> | Diffuse Gayophytum | AH | Onagraceae |
| <i>Gilia achilleifolia</i> ssp. <i>achilleifolia</i> | California Gilia | AH | Polemoniaceae |
| <i>Gilia achilleifolia</i> ssp. <i>multicaulis</i> | Many-stemmed California Gilia | AH | Polemoniaceae |
| <i>Gilia capitata</i> ssp. <i>abrotanifolia</i> | Blue Field Gilia | AH | Polemoniaceae |
| <i>Hazardia squarrosa</i> var. <i>obtusata</i> | Prickly Sawtooth Goldenbush | S | Asteraceae |
| <i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i> | Our Lord's Candle | S | Agavaceae |
| <i>Heteromeles arbutifolia</i> | Toyon | S | Rosaceae |
| <i>Heterotheca grandiflora</i> | Telegraph Weed | BH | Asteraceae |
| <i>Hirschfeldia incana</i> * | Summer Mustard | BH | Brassicaceae |
| <i>Hordeum murinum</i> ssp. <i>glaucum</i> * | Summer Barley | AG | Poaceae |
| <i>Hordeum murinum</i> ssp. <i>leporinum</i> * | Hare Barley | AG | Poaceae |
| <i>Hosackia stipularis</i> var. <i>stipularis</i> | Balsam Lotus | PH | Fabaceae |
| <i>Hulsea heterochroma</i> | Red-rayed Hulsea | PH | Asteraceae |
| <i>Hypochaeris glabra</i> * | Smooth Cat's-ear | AH | Asteraceae |
| <i>Johnstonella micromeres</i> | Minute-flowered Forget-Me-Not | AH | Boraginaceae |
| <i>Juglans californica</i> var. <i>californica</i> | Southern California Black Walnut | T | Juglandaceae |
| <i>Juncus balticus</i> ssp. <i>balticus</i> | Baltic Rush | PG | Juncaceae |
| <i>Juncus dubius</i> | Mariposa Rush | PG | Juncaceae |
| <i>Juncus effusus</i> ssp. <i>austrocalifornicus</i> | Pacific Rush | PG | Juncaceae |
| <i>Keckiella breviflora</i> var. <i>breviflora</i> | Stubflower Penstemon | S | Plantaginaceae |
| <i>Keckiella cordifolia</i> | Heart-leaved Penstemon | S | Plantaginaceae |
| <i>Keckiella ternata</i> var. <i>septentrionalis</i> | Bluestem Bush Penstemon | S | Plantaginaceae |
| <i>Lactuca ludoviciana</i> * | Wild Lettuce | AH | Asteraceae |
| <i>Lactuca serriola</i> * | Prickly Wild Lettuce | AH | Asteraceae |
| <i>Lamarckia aurea</i> * | Goldentop | AG | Poaceae |
| <i>Lathyrus vestitus</i> ssp. ? | Pacific Peavine | PV | Fabaceae |
| <i>Leptosiphon androsaceus</i> | Baby Stars | AH | Polemoniaceae |
| <i>Lilium humboldtii</i> var. <i>ocellatum</i> | Ocellated Humboldt Lily | PG | Liliaceae |
| <i>Linanthus californicus</i> | Prickly Phlox | S | Polemoniaceae |
| <i>Lithophragma affine</i> | Woodland Star | PH | Saxifragaceae |
| <i>Logfia filaginoides</i> | California Cottonrose | AH | Asteraceae |
| <i>Logfia gallica</i> * | Woolly Filago | AH | Asteraceae |
| <i>Lomatium californicum</i> | California Lomatium | PH | Apiaceae |
| <i>Lomatium mohavense</i> ssp. <i>mohavense</i> | Mojave Lomatium | PH | Apiaceae |
| <i>Lonicera interrupta</i> | Chaparral Honeysuckle | S | Caprifoliaceae |
| <i>Lonicera subspicata</i> var. <i>denudata</i> | Southern Honeysuckle | S | Caprifoliaceae |
| <i>Lupinus bicolor</i> | Bicolored Lupine | AH | Fabaceae |
| <i>Lupinus breweri</i> var. <i>breweri</i> | Brewer Lupine | PH | Fabaceae |
| <i>Lupinus excubitus</i> var. <i>austromontanus</i> | Southern Mountain Bush Lupine | S | Fabaceae |
| <i>Lupinus excubitus</i> var. <i>excubitus</i> | Grape Soda Lupine | S | Fabaceae |
| <i>Lupinus excubitus</i> var. <i>johnstonii</i> | Interior Bush Lupine | S | Fabaceae |
| <i>Lupinus hirsutissimus</i> | Nettle Lupine | AH | Fabaceae |
| <i>Lupinus latifolius</i> var. <i>parishii</i> | Parish Long-leaved Lupine | PH | Fabaceae |
| <i>Lupinus nanus</i> | Sky Lupine | AH | Fabaceae |
| <i>Lupinus sparsiflorus</i> ssp. <i>sparsiflorus</i> | Few-flowered Lupine | AH | Fabaceae |
| <i>Lupinus truncatus</i> | Truncate-leaved Lupine | AH | Fabaceae |
| <i>Madia gracilis</i> | Slender Tarplant | AH | Asteraceae |

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|--|--------------------------------|-------|----------------|
| <i>Malacothrix saxatilis</i> var. ? | Cliff-aster | PH | Asteraceae |
| <i>Malosma laurina</i> | Laurelleaf Sumac | S | Anacardiaceae |
| <i>Marah fabacea</i> | California Man-root | PV | Cucurbitaceae |
| <i>Marrubium vulgare</i> * | White Horehound | PH | Lamiaceae |
| <i>Matricaria discoidea</i> | Pineapple Weed | AH | Asteraceae |
| <i>Medicago polymorpha</i> * | Common Burclover | AH | Fabaceae |
| <i>Melica imperfecta</i> | Coast Melic Grass | PG | Poaceae |
| <i>Melilotus indica</i> * | Yellow Sweetclover | AH | Fabaceae |
| <i>Mentzelia laevicaulis</i> | Blazing Star | AH | Loasaceae |
| <i>Mentzelia micrantha</i> | Tiny-flowered Stickleaf | AH | Loasaceae |
| <i>Mentzelia montana</i> ssp. <i>montana</i> | Mountain Stickleaf | AH | Loasaceae |
| <i>Navarretia hamata</i> ssp. <i>hamata</i> | Skunk Navarretia | AH | Polemoniaceae |
| <i>Nemophila menziesii</i> var. <i>menziesii</i> | Baby Blue Eyes | AH | Boraginaceae |
| <i>Nemophila pedunculata</i> | Little-foot Baby Blue-eyes | AH | Boraginaceae |
| <i>Nicotiana glauca</i> * | Tree Tobacco | T | Solanaceae |
| <i>Orobanche bulbosa</i> | Chaparral Broomrape | PH | Orobanchaceae |
| <i>Orobanche fasciculata</i> | Clustered Broomrape | PH | Orobanchaceae |
| <i>Orobanche parishii</i> ssp. <i>parishii</i> | Parish Broomrape | PH | Orobanchaceae |
| <i>Orobanche valida</i> ssp. <i>valida</i> | Rock Creek Broomrape | PH | Orobanchaceae |
| <i>Osmorhiza brachypoda</i> | California Sweet Cicely | PH | Apiaceae |
| <i>Oxalis albicans</i> ssp. <i>pilosa</i> | Hairy White Wood Sorrel | PH | Oxalidaceae |
| <i>Oxalis pes-caprae</i> * | Bermuda Buttercup | PH | Oxalidaceae |
| <i>Paeonia californica</i> | California Peony | PH | Paeniaceae |
| <i>Pellaea andromedifolia</i> var. <i>andromedifolia</i> | Coffee Fern | PF | Pteridaceae |
| <i>Pellaea mucronata</i> var. <i>mucronata</i> | Birdsfoot Cliffbrake | PF | Pteridaceae |
| <i>Penstemon centranthifolius</i> | Scarlet Buglar | PH | Plantaginaceae |
| <i>Penstemon grinnellii</i> var. ? | Grinnell's Penstemon | PH | Plantaginaceae |
| <i>Penstemon grinnellii</i> var. <i>scrophularioides</i> | Figwort Beardtongue | PH | Plantaginaceae |
| <i>Pentagramma triangularis</i> ssp. <i>triangularis</i> | Goldenback Fern | PF | Pteridaceae |
| <i>Phacelia cicutaria</i> var. <i>hispida</i> | Hispid Caterpillar Phacelia | AH | Boraginaceae |
| <i>Phacelia fremontii</i> | Fremont Phacelia | AH | Boraginaceae |
| <i>Phacelia imbricata</i> ssp. <i>imbricata</i> | Imbricate Rock Phacelia | PH | Boraginaceae |
| <i>Phacelia longipes</i> | Long-stalked Phacelia | AH | Boraginaceae |
| <i>Phacelia ramosissima</i> var. ? | Branching Phacelia | PH | Boraginaceae |
| <i>Phlox gracilis</i> | Slender Phlox | AH | Polemoniaceae |
| <i>Pholistoma auritum</i> var. <i>auritum</i> | Blue Fiesta Flower | AH | Boraginaceae |
| <i>Phoradendron leucarpum</i> ssp. <i>tomentosum</i> | Oak Mistletoe | PH | Viscaceae |
| <i>Pinus lambertiana</i> | Sugar Pine | T | Pinaceae |
| <i>Plantago lanceolata</i> * | Narrowleaf Plantain | PH | Plantaginaceae |
| <i>Platanus racemosa</i> var. <i>racemosa</i> | California Sycamore | T | Platanaceae |
| <i>Poa annua</i> * | Annual Bluegrass | AG | Poaceae |
| <i>Poa secunda</i> ssp. <i>secunda</i> | One-sided Bluegrass | PG | Poaceae |
| <i>Polygala cornuta</i> var. <i>fishiae</i> | Fish's Milkwort | S | Polygalaceae |
| <i>Polypodium californicum</i> | California Polypody | PF | Polypodiaceae |
| <i>Prunus ilicifolia</i> | Hollyleaf Cherry | S | Rosaceae |
| <i>Pseudognaphalium biolettii</i> | Bicolored Everlasting | BH | Asteraceae |
| <i>Pseudognaphalium californicum</i> | Green Everlasting | BH | Asteraceae |
| <i>Pseudognaphalium microcephalum</i> | White Everlasting | BH | Asteraceae |
| <i>Pseudotsuga macrocarpa</i> | Bigcone Spruce | T | Pinaceae |
| <i>Psilocarphus tenellus</i> var. <i>tenellus</i> | Woolly Marbles | AH | Asteraceae |
| <i>Pterostegia drymarioides</i> | Fairy Mist | AH | Polygonaceae |

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|--|-----------------------------|-------|-----------------|
| <i>Quercus agrifolia</i> var. <i>agrifolia</i> | Coast Live Oak | T | Fagaceae |
| <i>Quercus berberidifolia</i> | California Scrub Oak | S | Fagaceae |
| <i>Quercus chrysolepis</i> | Canyon Live Oak | T | Fagaceae |
| <i>Quercus wislizenii</i> var. <i>frutescens</i> | Shrubby Interior Live Oak | S | Fagaceae |
| <i>Rafinesquia californica</i> | California Chicory | AH | Asteraceae |
| <i>Rhamnus crocea</i> | Redberry | S | Rhamnaceae |
| <i>Rhamnus ilicifolia</i> | Hollyleaf Redberry | S | Rhamnaceae |
| <i>Rhus trilobata</i> var. <i>quinata</i> | Slender-twig Skunkbrush | S | Anacardiaceae |
| <i>Ribes amarum</i> var. <i>amarum</i> | Bitter Gooseberry | S | Grossulariaceae |
| <i>Ribes californicum</i> var. <i>californicum</i> | Hillside Gooseberry | S | Grossulariaceae |
| <i>Ribes californicum</i> var. <i>hesperium</i> | Hesperia Gooseberry | S | Grossulariaceae |
| <i>Ribes malvaceum</i> var. <i>malvaceum</i> | Chaparral Currant | S | Grossulariaceae |
| <i>Rosa californica</i> | California Wild Rose | S | Rosaceae |
| <i>Rubus leucodermis</i> | Western Raspberry | PV | Rosaceae |
| <i>Rubus ursinus</i> | Pacific Blackberry | PV | Rosaceae |
| <i>Rumex</i> ?* | Dock | PH | Polygonaceae |
| <i>Rumex crispus</i> ssp. <i>crispus</i> * | Curly Dock | PH | Polygonaceae |
| <i>Salix laevigata</i> | Red Willow | T | Salicaceae |
| <i>Salix lasiolepis</i> var. <i>lasiolepis</i> | Arroyo Willow | S/T | Salicaceae |
| <i>Salsola australis</i> * | Russian Thistle | AH | Chenopodiaceae |
| <i>Saltugilia latimeri</i> | Latimer's Gilia | AH | Polemoniaceae |
| <i>Saltugilia splendens</i> ssp. <i>splendens</i> | Splendid Woodland-gilia | AH | Polemoniaceae |
| <i>Salvia apiana</i> var. <i>apiana</i> | White Sage | S | Lamiaceae |
| <i>Salvia columbariae</i> | Chia | AH | Lamiaceae |
| <i>Salvia leucophylla</i> | Purple Sage | S | Lamiaceae |
| <i>Salvia mellifera</i> | Black Sage | S | Lamiaceae |
| <i>Sambucus nigra</i> ssp. <i>caerulea</i> | Blue Elderberry | S | Adoxaceae |
| <i>Sanicula arguta</i> | Southern California Sanicle | PH | Apiaceae |
| <i>Sanicula crassicaulis</i> var. <i>crassicaulis</i> | Southern California Sanicle | PH | Apiaceae |
| <i>Selaginella bigelovii</i> | Bigelow Spike-moss | PF | Selaginellaceae |
| <i>Senecio flaccidus</i> var. <i>douglasii</i> | Shrubby Butterweed | S | Asteraceae |
| <i>Senecio vulgaris</i> * | Common Groundsel | AH | Asteraceae |
| <i>Silene gallica</i> * | Windmill Pink | PH | Caryophyllaceae |
| <i>Sisymbrium altissimum</i> * | London Rocket | AH | Brassicaceae |
| <i>Solanum umbelliferum</i> | Blue Witch | PH | Solanaceae |
| <i>Solanum xanti</i> var. <i>xanti</i> | Chaparral Nightshade | S | Solanaceae |
| <i>Sonchus oleraceus</i> * | Common Sow-thistle | AH | Asteraceae |
| <i>Stachys albens</i> | Woolly Hedgenettle | PH | Lamiaceae |
| <i>Stellaria media</i> * | Common Chickweed | AL | Caryophyllaceae |
| <i>Stephanomeria cichoriacea</i> | Fort Tejon Milk-aster | PH | Asteraceae |
| <i>Stephanomeria virgata</i> var. <i>virgata</i> | Twiggy Wreath Plant | AH | Asteraceae |
| <i>Stipa coronata</i> | Giant Needlegrass | PG | Poaceae |
| <i>Stipa miliacea</i> var. <i>miliacea</i> * | Smilo Grass | PG | Poaceae |
| <i>Stipa pulchra</i> ? | Purple Needlegrass | PG | Poaceae |
| <i>Symphoricarpos rotundifolius</i> var. <i>parishii</i> | Parish Snowberry | S | Caprifoliaceae |
| <i>Tauschia arguta</i> | Southern Tauschia | PH | Apiaceae |
| <i>Tauschia hartwegii</i> | Hartweg's Bisketroot | PH | Apiaceae |
| <i>Thysanocarpus laciniatus</i> var. <i>laciniatus</i> | Lace Pod | AH | Brassicaceae |
| <i>Torilis nodosa</i> * | Rattlesnake Weed | AH | Apiaceae |
| <i>Toxicodendron diversilobum</i> | Western Poison Oak | PV | Anacardiaceae |
| <i>Trichostema lanatum</i> | Woolly Bluecurls | S | Lamiaceae |

Plants of Topatopa Mountains

By David L. Magney

| Botanical Name | Common Name | Habit | Family |
|---|----------------------|--------------|-----------------|
| <i>Trifolium</i> | Clover | AH | Fabaceae |
| <i>Trifolium willdenovii</i> | Sierra Nevada Clover | AH | Fabaceae |
| <i>Umbellularia californica</i> var. <i>californica</i> | California Bay | T | Lauraceae |
| <i>Uropappus lindleyi</i> | Silver Puffs | AH | Asteraceae |
| <i>Verbena lasiostachys</i> var. <i>lasiostachys</i> | Western Verbena | PH | Verbenaceae |
| <i>Vicia</i> ?* | Vetch | AV | Fabaceae |
| <i>Vulpia</i> ?* | Fescue | AG | Poaceae |
| <i>Vulpia myuros</i> var. <i>myuros</i> * | Rattail Fescue | AG | Poaceae |
| <i>Vulpia octoflora</i> var. <i>hirtella</i> | Sixweeks Fescue | AG | Poaceae |
| <i>Woodwardia fimbriata</i> | Giant Chain Fern | PF | Dryopteridaceae |
| <i>Zigadenus fremontii</i> | Star Lily | PG | Liliaceae |

Scientific nomenclature follows The Jepson Manual, 2nd edition (Baldwin et al. 2012), *Jepson eFlora* for updated taxonomy, *Flora of North America North of Mexico* (Flora of North America Editorial Committee 1993+), and more recent publications when taxonomy has been changed. Names in **bold** typeface are rare statewide statewide (California Native Plant Society *Inventory of Rare and Endangered Plants of California*) or just in Ventura County (Magney 2013 - Checklist of Ventura County Rare Plants).

Habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Checklist based on observations by David Magney & CCH vouchers. Copyright 2015 David L. Magney.